

DOCUMENT RESUME

ED 067 220

24

SE 013 723

TITLE                    National Assessment of Educational Progress.  
                        1969-1970 Science: Group and Balanced Group Results  
                        for Color, Parental Education, Size and Type of  
                        Community, and Balanced Group Results for Region of  
                        the Country and Sex, (National Assessment Report  
                        7).  
INSTITUTION            National Assessment of Educational Progress, Ann  
                        Arbor, Mich.  
SPONS AGENCY           National Center for Educational Research and  
                        Development (DHEW/OE), Washington, D.C.  
BUREAU NO             BR-8-0771  
PUB DATE              Dec 71  
GRANT                  OEG-0-9-080771-2468  
NOTE                  196p.  
EDRS PRICE            MF-\$0.65 HC-\$6.58  
DESCRIPTORS           \*Achievement; \*Black Community; Ethnic Groups;  
                        \*Evaluation; National Competency Tests; \*Science  
                        Education; Student Characteristics; \*Testing  
IDENTIFIERS           National Assessment of Educational Progress

ABSTRACT

Report 7 from the National Assessment of Educational Progress, a project of the Education Commission of the States, is based on results from a 1969-70 assessment of scientific knowledge and extends these results to cover the performance of Blacks, of respondents with differing levels of parental education, and from differing types of communities. Blacks performed between 12 percent and 16 percent below the national average at the four age levels: 9, 13, 17 and young adults (26-35). When results were partially adjusted for disproportionate representation of Blacks on the variables of size of community, level of parental education, sex and region, the reduced difference between Black and national performance was between 7 percent and 10 percent at the four age levels. Blacks performed best on those science exercises largely dependent upon daily experience and common knowledge, and worst on those which involved a detached research attitude toward the objects and phenomena of science. (Author/CP)

U.S. DEPARTMENT OF HEALTH,  
EDUCATION & WELFARE  
OFFICE OF EDUCATION  
THIS DOCUMENT HAS BEEN REPRO-  
DUCED EXACTLY AS RECEIVED FROM  
THE PERSON OR ORGANIZATION ORIG-  
INATING IT. POINTS OF VIEW OR OPIN-  
IONS STATED DO NOT NECESSARILY  
REPRESENT OFFICIAL POSITION OR POLICY

ED 067220

SCIENCE

GROUP RESULTS B  
1971

**REPORT 7  
1969-70 Assessment  
Color, Size and Type  
of Community, Parental  
Education; Balanced  
Results by Region and Sex**

NATIONAL ASSESSMENT OF EDUCATIONAL PROGRESS  
A PROJECT OF THE EDUCATION COMMISSION OF THE STATES

FILMED FROM BEST AVAILABLE COPY

NATIONAL ASSESSMENT OF EDUCATIONAL PROGRESS

A Project of the Education Commission of the States

Robert W. Scott, Governor of North Carolina, Chairman, Education Commission of the States  
Wendell H. Pierce, Executive Director, Education Commission of the States  
James A. Hazlett, Administrative Director, National Assessment

Assessment Reports

#1	Science: National Results	July, 1970
#2a	Citizenship: National Results -- Partial	July, 1970
#2	Citizenship: National Results	November, 1970
#3	Writing: National Results	November, 1970
#4	Science: Group Results A	April, 1971
#5	Writing: Group Results A	April, 1971
#6	Citizenship: Group Results A	July, 1971
#7	Science: Group Results B	December, 1971

-0-

The project reported herein was performed pursuant to a grant from the National Center for Educational Research and Development, U. S. Office of Education, Department of Health, Education, and Welfare. However, the opinions expressed herein do not necessarily reflect the position or policy of the U. S. Office of Education, and no official endorsement by the U. S. Office of Education should be inferred.

This report was made possible in part by funds granted by Carnegie Corporation of New York and the Ford Foundation's Fund for the Advancement of Education. The statements made and views expressed are solely the responsibility of National Assessment of Educational Progress, a project of the Education Commission of the States.

-0-

Education Commission of the States  
300 Lincoln Tower  
1860 Lincoln Street  
Denver, Colorado 80203

ED 067220

NATIONAL ASSESSMENT OF EDUCATIONAL PROGRESS  
A Project of the Education Commission of the States

NATIONAL ASSESSMENT REPORT 7  
1969-1970 SCIENCE:  
GROUP AND BALANCED GROUP RESULTS FOR  
COLOR  
PARENTAL EDUCATION  
SIZE AND TYPE OF COMMUNITY  
AND  
BALANCED GROUP RESULTS FOR  
REGION OF THE COUNTRY  
SEX

December, 1971

National Assessment of Educational Progress

James A. Hazlett  
Administrative Director

J. Stanley Ahmann  
Staff Director

Carmen J. Finley  
Associate Staff Director

This report was designed and written by the following members  
of the Analysis Advisory Committee:

John W. Tukey (Chairman)  
Princeton University

Robert P. Abelson  
Yale University

John P. Gilbert  
Harvard University

William E. Coffman  
University of Iowa

Lyle V. Jones  
University of North Carolina

Frederick Mosteller  
Harvard University

National Assessment staff support and final preparation of  
manuscript was provided by:

Research and Analysis Division  
Data Processing Services Department  
Public Information Department, ECS  
Perry Gluckman, Consultant

## SUMMARY

The main purpose of National Assessment is to measure change in what children and young adults know and can do. Science was assessed for a national sample of respondents in 1969-70. Science will be assessed again in 1972-73. After that, reports of science results will emphasize what seems to have been learned better, and what less well. In the meantime, our reports are confined to the results of the only administration of science exercises conducted so far.

The first step towards providing information about knowledge of Science on the part of American children and young adults was National Assessment Report 1, which gave national percentages of success for science exercises. In Report 4, results were examined to detect differences in percentages correct between the two sexes, among four geographical regions and among four sizes of community.

The present report extends the results to cover the performance of Blacks, and of respondents with differing levels of parental education and from differing types of community. For each subgroup on each of these characteristics, we describe performance differences as they are. In addition, for each subgroup, including those examined in Report 4, we discuss differences as we estimate they would be if the effects of other characteristics were represented proportionately in each subgroup.

The major results are:

### Performance of Blacks

Blacks performed between 12% and 16% below the national average at the four age levels: 9, 13, 17 and young Adults (26-35).

When results were partially adjusted ("balanced") for disproportionate representation of Blacks on the variables of size of community, level of parental education, sex and region, the reduced difference between Black and national performance was between -7% and -10% at the four age levels.

Blacks performed best on those science exercises largely dependent upon daily experience and common knowledge, and worst on those which involved a detached research attitude toward the objects and phenomena of Science.

### Levels of Parental Education

At the four ages performance of respondents reporting neither parent educated beyond eighth grade was from -7% to -12% compared to the national average; of respondents with at least one parent who attended high school, from -2% to -8% compared to the national average; with at least one parent who graduated from high school, from 1% below to 3% above national average; with at least one parent educated beyond high school, from 5% to 9% above national average.

Balancing for disproportionate representation of other variables somewhat reduces the effect of the parental education classification, although there is still about an 11% performance difference between the group of respondents who reported a parent educated beyond high school and the group of respondents who reported that neither parent attended high school.

Respondents with neither parent completing high school had exceptional difficulty on exercises requiring special vocabulary knowledge or reasoning from graphs and pictures.

### Types of Community

Respondents living in Extreme Affluent Suburbs did 5% to 11% better than the country as a whole, followed by four types of communities with performance within 1, 2, or 3% of national average--Suburban Fringe, Medium Cities, Small Cities and Inner City Fringe. Next in order were Extreme Rural respondents, from 4% to 6% below the nation. and finally the Extreme Inner City with from 7% to 15% deficit.

The balancing adjustment reduces the type of community effects to about half of their unadjusted size.

### Region

The most striking difference between unadjusted and balanced regional effects is the reduction of the Southeast deficit of about 5% to about 2.5%. Balanced results for the other three regions cluster tightly about 1% above national average.

### Objectives

As in National Assessment Report 4, there is a slight tendency for exercises assigned to Objective 2 (Possess the abilities and skills needed to engage in the processes of science)

to display stronger differences between groups than exercises assigned to Objective 1 (Know the fundamental facts and principles of Science). Among the variables newly analyzed in this report, this tendency is most clear for color results.

### Limitations

In the previous report of group results on Science (National Assessment Report 4) the following cautionary statement was made:

There is a kind of interpretation that should never be made on the basis of the sort of figures given in this report. The fact that figures reflect Southeast performance or Big City performance does not mean that the performances thus reflected have arisen precisely from living in the Southeast or in a Big City, or from the attitudes, techniques, facilities and staffs of the school system involved. In particular, just what happens in a region involves other things than that region's schools. Larger fractions of the children in some regions belong to a particular size-of-community group. Thus effects due only to size of community can appear to be regional differences. Larger or smaller fractions of the parents in some regions have particular amounts of education. Thus effects due only to parental education can appear to be regional differences. And so on. Migration from one region or size of community to another can further complicate the picture. There are such difficulties, some of which we know how to adjust for, and some of which we do not.

Great caution should also be exercised in interpreting the results for the group variables from the present report. One should refrain from attempts to assign causation to any particular set of educational factors, or any variables from the heredity-environment complex, based on results reported here.

We have attempted to adjust group results for disproportionate representation of other characteristics within each group. This "balancing" procedure is helpful, but it cannot adjust for variables which were not measured or not used in the analysis. Nor can it overcome either inaccuracy or coarseness in the classification of respondents or the fact that the variables that were measured may supply only an indirect indication of what we really would like to measure.

Two other special limitations should be noted, as they apparently contribute to some irregularity in the patterns of results for age 17. The out-of-school sample included at this age suffers from the problem that many teen-agers are difficult to locate

at home. Among the subgroup of 17s who cannot readily be found are probably a large number of individuals who have been quite unsuccessful in school and are antagonistic to scholastic tasks. Thus the 17-year-olds available in the sample might be expected to perform well compared to unavailable 17-year-olds. The problem is compounded by the possibility that certain subgroups might be unavailable in greater proportion than other subgroups. This may be the case with 17-year-old Blacks, for example, since the number of Blacks in the 17-year-old sample is only about 3/4 the number at ages 9 and 13. Thus, the 17-year-old Black sample might be selectively different from the Black samples at other ages. In fact, the results to be examined in Chapter 2 show that Black 17s perform relatively better than Blacks at other ages.

The second irregularity at age 17 is that the distribution of exercise difficulties happens to have come out more heavily weighted toward very difficult exercises. (See page 10 of Report 1). To the extent that very difficult exercises differentiate subgroups less sharply than other exercises, the differences among subgroups will be reduced at age 17.

## TABLE OF CONTENTS

<b>Summary</b>	. . . . .	i
<b>Chapter 1:</b>	<b>What is Balancing</b>	1
<b>Chapter 2:</b>	<b>Comparative Performance of Blacks</b>	3
<b>Chapter 3:</b>	<b>Comparative Performance of Blacks, Balanced for Other Measured Factors</b>	8
<b>Chapter 4:</b>	<b>Parental Education Groups</b>	26
<b>Chapter 5:</b>	<b>Parental Education Groups: Balanced Results</b>	39
<b>Chapter 6:</b>	<b>Size and Type of Community</b>	49
<b>Chapter 7:</b>	<b>Size and Type of Community After Balancing</b>	61
<b>Chapter 8:</b>	<b>Regional Groups: Balanced Results</b>	71
<b>Chapter 9:</b>	<b>Sex Differences After Balancing</b>	85

### Appendices:

<b>A.</b>	<b>Methods</b>	A-1
<b>B.</b>	<b>Balancing</b>	B-1
<b>C.</b>	<b>Choosing the Cutoffs</b>	C-1
<b>D.</b>	<b>Definition of Terms</b>	D-1
<b>E.</b>	<b>National Percentages</b>	E-1

## TABLE OF EXHIBITS

<b>Exhibit 2-1</b>	4
<b>Exhibit 2-2</b>	6
<b>Exhibit 2-3</b>	7
<b>Exhibit 3-1</b>	9
<b>Exhibit 3-2</b>	11
<b>Exhibit 3-3</b>	13
<b>Exhibit 3-4</b>	16
<b>Exhibit 3-5</b>	20
<b>Exhibit 3-6</b>	23
<b>Exhibit 4-1</b>	27
<b>Exhibit 4-2</b>	29
<b>Exhibit 4-3</b>	30
<b>Exhibit 4-4</b>	32
<b>Exhibit 4-5</b>	33
<b>Exhibit 4-6</b>	34
<b>Exhibit 4-7</b>	36
<b>Exhibit 4-8</b>	37
<b>Exhibit 4-9</b>	38
<b>Exhibit 5-1</b>	40
<b>Exhibit 5-2</b>	42
<b>Exhibit 5-3</b>	43
<b>Exhibit 5-4</b>	45
<b>Exhibit 5-5</b>	46
<b>Exhibit 5-6</b>	48

**Table of Exhibits (continued)**

<b>Exhibit 6-1</b>	51
<b>Exhibit 6-2</b>	52
<b>Exhibit 6-3</b>	54
<b>Exhibit 6-4</b>	55
<b>Exhibit 6-5</b>	56
<b>Exhibit 6-6</b>	57
<b>Exhibit 6-7</b>	58
<b>Exhibit 6-8</b>	59
<b>Exhibit 6-9</b>	60
<b>Exhibit 7-1</b>	62
<b>Exhibit 7-2</b>	63
<b>Exhibit 7-3</b>	65
<b>Exhibit 7-4</b>	66
<b>Exhibit 7-5</b>	67
<b>Exhibit 7-6</b>	68
<b>Exhibit 7-7</b>	69
<b>Exhibit 7-8</b>	70
<b>Exhibit 8-1</b>	72
<b>Exhibit 8-2</b>	73
<b>Exhibit 8-3</b>	75
<b>Exhibit 8-4</b>	76
<b>Exhibit 8-5</b>	78
<b>Exhibit 8-6</b>	79
<b>Exhibit 8-7</b>	80
<b>Exhibit 8-8</b>	81
<b>Exhibit 8-9</b>	83
<b>Exhibit 8-10</b>	84
<b>Exhibit 9-1</b>	86

**Table of Exhibits (continued)**

**Exhibits in Appendices:**

<b>Exhibit B-1</b>	.....	<b>B-2</b>
<b>Exhibit B-2</b>	.....	<b>B-4</b>
<b>Exhibit B-3</b>	.....	<b>B-7</b>
<b>Exhibit B-4</b>	.....	<b>B-9</b>
<b>Exhibit D-1</b>	.....	<b>D-3</b>
<b>Exhibit E-1</b>	.....	<b>E-2</b>

## Chapter 1

### WHAT IS BALANCING?

This is the first of the NAEP reports to consider effects associated simultaneously with several classifications of respondents. Unfortunately, in a direct comparison between group effects, one characteristic can masquerade as effects of another. In addition to direct comparisons, we here use a method of analysis designed to reduce such masquerading.

The unadjusted results as reported here and in Report 4 clearly and accurately estimate the differences in achievement between specific groups of children. For example, over all the science exercises, the median percentage difference between 13-year-olds in the Extreme Affluent Suburbs and in the Extreme Inner City is 20% (from Exhibit 6-1). Except for sampling error, this accurately reflects how these two groups differ.\*

However, children in the Extreme Affluent Suburb tend, more than children in the Extreme Inner City, to have better educated parents. Because of this lack of balance, part of the difference between these two groups may be considered as growing out of the difference in parental education. Part, also, may be attributable to other factors on which the two groups differ. Some of these factors have been determined for our respondents their sex, color and the region of residence. Many other possibly relevant factors have not been determined, such as the economic level of the children's parents and the cultural environment in the home.

It is natural to ask, "What would the difference between these extreme types of community have been if the distribution of Parental Education, sex, color and region had been the same for both types of community referred to above?" Were it possible to rearrange the world to equate these distributions for each type of community, the effects upon our nation and its schools would be profound. Such rearrangement is not possible. It is usually appropriate to think of the balanced results presented in this report as reflecting the differences we would see in the absence of masquerading by the other four factors. We can be reasonably sure the balanced results do a much better job than the unadjusted results of reflecting such differences.

\*The reader is referred to Appendix A for the description of the methods used for developing such comparisons.

While balancing helps to correct for disproportionate representation across categories, it cannot adjust for variables which were not measured or not used in the analysis. Nor can it overcome either inaccuracy or coarseness in the classification of respondents or the fact that the variables that were measured may supply only an indirect indication of what we really would like to measure.

Still another question concerns the combination of factors. The performance of a given subgroup may be found to differ, depending upon subgroupings on other variables. Thus, the effect associated with Extreme Affluent Suburbs may be different in the Northeast and the Southeast. Or the effect associated with sex may be somewhat different for Blacks and Non-Blacks. These interactive differences are not considered in this report and balancing does not adjust for them.

Appendix B presents more details about the nature and computational procedures of balancing.

## Chapter 2

### COMPARATIVE PERFORMANCE OF BLACKS

In view of the widespread national concern with the educational disadvantage of Blacks and other minority groups, National Assessment was designed so as to begin an evaluation of the details of such possible disadvantage. The color of each respondent was noted by the exercise administrator on the Assessment package as answers were turned in. During year 01, color was noted as "Black" or "Non-Black" by the administrator. The Non-Black category in addition to many whites, included Orientals, Mexican-Americans, Indians and some Puerto Ricans. The present chapters give results for Blacks in this first cycle of Science assessment. The standard measure of relative performance on each exercise is the difference between the percentage of correct answers given by Blacks and the national percentage of correct answers. These measures give benchmarks for evaluating potential progress in later assessment cycles.


The performance of the Black respondents in National Assessment can reflect individual, school or environmental factors, and there is no sure way to disentangle the complex web that represents the Black educational condition in America today. In the next chapter, a preliminary attempt is made to adjust Black results to take account of the general advantage for whites of disproportionate representation in Affluent Suburbs, higher numbers of highly educated parents and so on.

The effects for Blacks and Non-Blacks differ widely from exercise to exercise, as noted in National Assessment Report 1 (pp. 151, 155). In this and the next chapter we discuss individual exercises and types of exercises on which Black respondents perform atypically better or worse than their general level.

Exhibit 2-1 shows the distribution of relative performances by Blacks over all exercises at the four age levels. The median results for Blacks are consistently below national results, by 14.5%, 15.0%, 11.8% and 15.8% at ages 9, 13, 17 and young Adults (26-35). For individual exercises, the spread around these medians is considerable, however, as the exhibit shows. The smaller median deficit at age 17 than at the other three ages is difficult to interpret. (See Summary, p. iii.) In any case, it seems safe to say that there is no systematic decline in

Exhibit 2-1

Distributions of relative performances of Blacks  
for all science exercises at four ages



relative Black performance with increasing age. (This conclusion also applies if attention is focused solely on exercises administered at more than one age level.)

Median relative performances by Blacks on exercises for each science objective are shown in Exhibit 2-2. Objectives 1 and 2 covered different forms of science achievement with sizeable numbers of exercises. Objectives 3 and 4 touched upon attitudes and orientations toward Science and scientists, employing rather few exercises. Comparing Objective 1 (Know the fundamental facts of Science) with Objective 2 (Possess the abilities and skills to engage in the processes of Science) we note that at all four ages the Black disadvantage is consistently less for Objective 1,\* by amounts of 2.2%, 3.7%, 8.7% and 3.0%. That is, Black respondents at all assessed age levels tend to perform relatively better on science fact exercises than on science process exercises.

At ages 13 and 17, there is a tendency for the median Black deficit to be rather small (4 to 6%) for the exercises of Objective 4 (Show appreciation of scientists and Science). At age 17, the deficit is also small (4%) on Objective 3 (Understand the investigative nature of Science). There are relatively few exercises under these two objectives, but the hint is nevertheless clear that whatever their achievement levels, Black teen-agers do not necessarily express a lack of appreciation for Science.

Median results for physical science vs. biological science exercises are presented in Exhibit 2-3. There are no systematic differences in Black performance on these two types of science exercises.

\*Region, sex and size-of-community groups also are less strongly differentiated on Objective 1 than Objective 2 exercises. See Report 4, pp. 10, 5, 21.

Exhibit 2-2

Median relative performance by Blacks for  
exercises under each objective

<u>Science Objective</u>	<u>9</u>	<u>13</u>	<u>17</u>	<u>Adult</u>
1. Facts and Principles	-15.5% (96)*	-15.0% (75)	-10.9% (89)	-14.8% (85)
2. Abilities and Skills	-17.7% (29)	-18.7% (31)	-19.6% (24)	-17.8% (24)
3. Understand Investigative Nature	-12.1% (11)	-18.8% (8)	-4.2% (6)	-23.7% (5)
4. Attitudes and Appreciations	-10.7% (9)	-4.3% (8)	-6.0% (5)	-10.6% (5)

\*Numbers of exercises in parentheses

Exhibit 2-3

Median relative performance by Blacks for  
physical and biological science exercises

	<u>9</u>	<u>13</u>	<u>17</u>	<u>Adult</u>
Physical science	-16.0% (78)*	-15.0% (67)	-12.7% (79)	-16.6% (63)
Biological science	-14.2% (48)	-15.4% (39)	-10.8% (32)	-16.7% (44)

\*Numbers of exercises in parentheses

Note: Minus percent figures represent median percentages below national averages.

## Chapter 3

### COMPARATIVE PERFORMANCE OF BLACKS, BALANCED, FOR OTHER MEASURED FACTORS


Blacks are subject to many adverse conditions, and it is extremely difficult to identify the factors most responsible for the comparative disadvantage in Science performance reported in the previous chapter. We can attempt to adjust our data for some of these factors through the application of "balancing" as explained in Chapter 1, and Appendix B. Many factors are not available in National Assessment data and we cannot, of course, adjust for these. Thus, the adjustments may well be too small, and therefore the balanced figures cannot be expected to represent the full potential in Science of Black children and young Adults under appropriate educational stimulation at home and in school.

Blacks are underrepresented in the most educationally advantaged type of community--the affluent suburbs--and are overrepresented in the educationally disadvantaged inner city. (Results for different types of communities, showing the advantages and disadvantages, are presented in Chapters 6 and 7.) One might ask how much of the Black disadvantage could be accounted for in terms of this disproportionate representation. Similarly, there are disproportionately few Blacks whose parents have had the benefits of Completed High School and Post-High School education (see Chapters 4 and 5), and one might again ask how much the Black disadvantage would be reduced were Black and white levels of parental education balanced. A further factor involving disproportionate representation of Blacks is that of Region (see Chapter 8).

Exhibit 3-1 shows the distribution of relative performances by Blacks at all four age levels, balanced for disproportionate type-of-community, parental education, sex and regional representation. (For the conceptual basis of the balancing operation, the interested reader is referred to Chapter 1, and for the arithmetic details, to Appendix B.) Following the balancing adjustment, the median results for Blacks are still below national results, but by amounts that are substantially less than those which do not take the balancing factors into account. The residual disadvantages are -10.2%, -11.0%, -7.7% and -10.9% at ages 9, 13, 17 and young Adult, respectively. (Compared to -14.5%, -15.0%, -11.8% and -15.8% as noted before in Exhibit 2-1.)

Exhibit 3-1

Distributions of relative performances of Blacks, balanced,  
for all science exercises at four ages




No. of Exercises	145	122	124	119
Median	-10.2%	-11.0%	-7.7%	-10.9%

The 17-year-old age group retains the smaller disadvantage noted in the previous chapter. Other patterns over exercises, such as the difference between Objective 1 and Objective 2 exercises remain in force after balancing. There is a general reduction in the Black disadvantage, age by age, and exercise by exercise. Exhibit 3-2 displays the relationship over exercises between unadjusted and balanced results for each age. It is clear in general that on the exercises for which Blacks perform well before balancing, they also perform well after balancing. A similar statement could be made for exercises with relatively poor Black performance.

Exhibit 3-2

Relationship between unadjusted and  
balanced results for all exercises



Black % correct less national % correct

unadjusted

### Atypical Exercises

The procedure for identifying specific exercises on which Black performance (after balancing) is atypically high or atypically low is identical to the procedure used in National Assessment Report 4 for sex, region, and size-of-community groups. On the distributions of relative performances for all exercises, upper and lower cutoff values are placed (see arrows on Exhibit 3-1) in order to select and discuss exercises for which the Black disadvantage disappears, on the one hand, or is much worse than typical, on the other hand. The details of the procedure for selecting cutoffs are given in Appendix C.

### 9-Year-Olds

The exercises for which Blacks perform atypically at age 9 are listed in Exhibit 3-3. Exercises labeled "R" have been released to the public (see National Assessment Report 1) and therefore their content may be discussed in detail. Exercises labeled "U," however, are being retained for reuse in later assessment cycles and therefore are not published at this time. In Exhibit 3-3 and throughout this report, no summary phrase in the "content" column is given for these unreleased exercises.

In the upper section of Exhibit 3-3 are listed exercises on which Blacks performed atypically well. Most of these exercises proved difficult for the national sample as a whole. Thirteen of the sixteen exercises show national percent correct of 36% or below, with seven of these thirteen having correct percentages below 20%. The 20% figure is what one would anticipate for a multiple-choice exercise answered by guessing at random among five alternatives, and therefore one may characterize national performance on these seven exercises as even worse than what respondents could obtain by guessing. (The situation actually is more complicated, since some percentage of respondents answered each exercise with "I don't know.") Altogether there are eight exercises at age 9 with national percentages below 20%, of which seven appear in Exhibit 3-3. An eighth one shows a Black difference of only -3%. These very difficult exercises do not turn out to show substantial differences between groups that differ on most other exercises.

Exhibit 3-3

Exercises showing atypical effects, balanced,  
for Blacks for age 9

Exer- cise #	% Correct			Content
	Black	Nat'l	% Dif- ference	
U652*	35	33	2	
R141*	9	7	2	Mixing water of 50° and 70° yields water of 60°
U673*	12	11	1	
U650*	37	36	1	
U655*	15	14	1	
U678*	27	26	1	
U657*	12	11	1	
U621*	76	76	0	
U656*	12	12	0	
R140*	14	14	0	Dead plants form coal
R142*	96	96	0	Balancing a beam with one weight
U617	78	78	0	
U677*	33	33	0	
R158*	22	23	-1	What is a scientific theory
U671	39	31	-8	
U672*	18	19	-1	
U632*	47	66	-19	
U665*	51	70	-19	
R147*	49	68	-19	To test an idea, try it
U624*	54	73	-19	
U629*	50	69	-19	
U675*	56	75	-19	
U633*	46	65	-19	
R120*	53	72	-19	Transfer of momentum between objects
U634*	44	63	-19	
R109	66	86	-20	Rocks on Earth's surface are solid
U618*	57	77	-20	
R152	33	53	-20	Because of vaccinations few people get smallpox
R150*	35	55	-20	From chart--sodium is least common in human body
U667*	43	63	-20	
U616*	60	80	-20	
U661	67	87	-20	
U611*	67	87	-20	
U639*	33	54	-21	
R123*	44	66	-22	What scientists learn from fossils
R116*	57	79	-22	Mushrooms do not have green leaves
U668*	41	63	-22	

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical, high from atypical low exercises.

The difficult exercises are often tricky and even misleading to respondents at the given age. For example, exercise R141 is as follows: "A pint of water at a temperature of 50° Fahrenheit is mixed with a pint of water at 70° Fahrenheit. The temperature of the water just after mixing will be about: ( )20° F.; ( )50° F.; ( )60° F.; ( )70° F.; ( )120° F.; ( )I don't know." Nine-year-olds are apt to be confused by the references to Fahrenheit, pints and the ° notation. Most (69%) treated the problem as one requiring addition of the two numbers, and responded 120° F. Of the national sample, 12% responded "I don't know," and only 7% responded with 60° F., the correct answer. Such difficult exercises do not tend to differentiate well between different subgroups of respondents, in particular between Blacks and Non-Blacks. About all one can say is that on such exercises, Black and Non-Black respondents are about equally often misled.

There are a couple of exercises where other factors may be at work behind the relatively good Black performance level. Exercises U621 and U617, both unreleased, require pieces of information about nutrition and volcanoes, respectively. The particular information involved is quite standard in first- and second-grade curricula, and the lack of color disparity is perhaps not too surprising. A third exercise, R142, requires the children to level a balance by hanging a weight appropriately on the lighter arm and reading off the proper numerical indicator on the arm. This was a trial-and-error exercise with actual weights rather than a paper-and-pencil question, and on such a directly experiential task, Black children did as well as white children. In fact, both groups exceeded 96% success.

The result from this last exercise hints that Black performance at the youngest age level is improved for exercises with direct experiential content. Furthermore, the Black disadvantage is great for exercises far removed from daily experience. The lower section of Exhibit 3-3 lists the exercises with atypically low Black performance. Four of the unreleased exercises involve relatively remote textbook facts about astronomy, geology, meteorology, chemistry, electricity, human biology and the behavior of animals. Two call for using symbols and graphs, and one refers to the activities of scientists. The released exercises in Exhibit 3-3 convey the specific flavor of the kinds of questions on which Black 9-year-olds perform most poorly relative to other 9-year-olds. Exercise R116, with a Black disadvantage of 22%, reads, "Which of these plants does NOT have green leaves: ( )A dandelion; ( )Grass; ( )A mushroom; ( )A willow tree; ( )I don't know." Another exercise (R123), with a disadvantage of 22%, is, "What can scientists learn by studying fossils : ( )Why earthquakes took place; ( )What

animals lived long ago; ( )How far the moon is from Earth; ( )What the weather will be tomorrow; ( )I don't know." This exercise, besides covering a content area quite removed from daily experience, requires that the children understand the vocabulary item "fossils." Other released exercises with a notable vocabulary component are R152, concerning vaccinations, on which the Black disadvantage is -20%, and R109, which refers to the Earth's "surface" (disadvantage also -20%).

Two other released exercises listed in Exhibit 3-3, R147 and R120, pertain to rather disparate contents: how the respondent might best tell if salt water taffy is really made just by mixing water, salt and sugar (mix those things and see what happens); and what would happen to a wooden block hanging on a string if another such block were released from the left in an arc to hit it (it will swing off to the right). These two exercises both require an abstract attitude toward unusual uses of familiar objects--a detached "What If" approach. If such an attitude is indeed needed to achieve correct responses on these two exercises, it apparently does not come as easily to Black 9-year-old respondents.

### 13-Year-Olds

Exhibit 3-4 lists the exercises on which Blacks perform atypically at age 13. Of these fifteen exercises on which Blacks perform atypically well, five have national percent correct figures below 20%, and another three between 20 and 40%. Thus there is some indication that difficult, undifferentiating exercises occur at the 13-year-old as well as the 9-year-old level. One or two exercises in this group, however, deserve note as being different from the difficult Science achievement questions discussed for 9-year-olds. Released exercise R247, with a Black advantage of 3%, is, "Do you ask questions about why things in nature are the way they are: ( ) Often; ( ) Sometimes; ( ) Never... If so, what questions have you asked most recently?" An "often" questioning attitude is reported by a slightly greater proportion of Black than Non-Black children. Unreleased exercise U775 is similar in its import. Whether this reported curiosity is specific to Science is not clear.

Exhibit 3-4  
 Exercises showing atypical effects, balanced,  
 for Blacks for age 13

<u>Exercise #</u>	<u>% Correct</u>	<u>Black</u>	<u>Nat'l</u>	<u>% L if- ference</u>	<u>Content</u>
R247*	10	7		3	Do you often question things in nature
U774*	20	19		1	
U747*	8	8		0	
U741*	34	34		0	
U775*	5	5		0	
R222*	38	38		0	By natural selection, why giraffes have long necks
U769*	66	66		0	
U767*	89	89		0	
R237*	34	35		-1	Time a pendulum's swings
R243*	67	68		-1	Measurements in science: close not identical
U729*	50	51		-1	
U766	9	11		-2	
R217*	46	48		-2	Burning gasoline in a car creates heat
R202*	96	98		-2	Why brush your teeth
R203*	90	92		-2	<u>Thick, dark clouds bring rain</u>
U709*	61	80		-19	
U750*	60	79		-19	
R241	60	79		-19	Mathematics a useful skill in science
R234*	43	62		-19	Balance beam--weight in pan; weight on hook
U754*	44	63		-19	
R205*	66	85		-19	Comfortable temperature: 70° F
R236*	40	60		-20	From chart--determine dog's food ration
R212*	38	59		-21	Movement of air masses predicts weather
U707*	63	84		-21	
R214*	33	54		-21	Counterbalancing unequal weights on beam
R206*	57	78		-21	
U717*	41	63		-22	Why fan a campfire
U760*	19	42		-23	
U758*	26	49		-23	
U759*	23	47		-24	
U727*	27	53		-26	
U753*	43	69		-26	

168  
28

Exhibit 3-4 (Continued)

Exercise#	% Correct			Content
	Black	Nat'l	% Difference	
R213*	30	57	-27	Radio waves least upset plant and animal life
R233*	43	70	-27	From chart--compare guinea pig weights
R215*	24	52	-28	Flower seeds develop from ovules

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

Several of the exercises on which age 13 Blacks do about as well as Non-Blacks have reference to direct experience. Exercise R217 is, "Most of the chemical energy of the gasoline burned in a car is not used to move the car but is changed into: ( )electricity; ( )heat; ( )light; ( )magnetism; ( )sound; ( )I don't know." Answer: heat. Exercises R202 and R203 ask the purpose of toothbrushing, and what kind of clouds bring rain. Two unreleased exercises, U729 and U767, are questions based on everyday experiences about human biology and about scientists, respectively. In R237, the respondent is given a stopwatch and asked to time ten swings of a pendulum.

When we turn to those exercises on which Black 13s perform especially poorly in the lower section of Exhibit 3-4, there is evidence of the same bookish and abstract qualities noted earlier for poor performance of Black 9-year-olds. Among released exercises, there is a vocabulary component for R215, where the correct answer is "ovules"; R205, where the most comfortable "Fahrenheit" temperature is solicited; and R212, where information was asked about predicting weather, with the correct answer, "The movement and characteristics of air masses." Black deficits on these exercises are 28%, 19% and 21%, respectively. Unreleased exercises U707, U717 and U727, with comparable deficits, involve terms that may also be relatively unfamiliar to Black children.

Another set of exercises with poor Black performance involves the plotting and interpretation of data graphs. On Exercise R236, the child is shown a month-by-month chart of the weight of a dog. He is given recommended directions for feeding a dog according to its weight, and must then specify what food ration is appropriate in a given month. On Exercise R233, a study of the daily weights of two guinea pigs is described, and the respondent must pick the verbal statement which corresponds accurately with a graphical summary of the results. Unreleased exercises U758 and U760 require the child to use physical apparatus to generate data which is to be graphed, and then to label and interpret the graph. On all four of these exercises, the deficit exceeds 20%. Another two exercises involve anticipation or calculation of the appropriate way to balance a beam. On Exercise R214, the child must interpret a sketch of a lever arm and apply the principle that a 2-lb. weight four units from the pivot will balance a 4-lb. weight two units away on the other side of the pivot. On Exercise R234, the respondent is given a balance pan and some weights, along with a pictorial representation of this apparatus, and is asked three questions about balance points and weights. On the first question, performance of Black 13-year-olds is atypically poor (19% below national).

The remaining exercises in the lower section of Exhibit 3-4 represent an assortment of contents. Exercise R213 poses an ecological question in which the respondent must pick the one of five given actions which will not upset nature's balance, the correct choice being the broadcasting of radio waves. Exercise R206 inquires why fanning helps campfires, and R241, "Which of the following is most useful in scientific research: ( )music; ( )magic; ( )marketing; ( )mathematics; ( )manufacturing." The unreleased exercises not thus far discussed include U709, which deals with astronomy, U754, posing a hypothetical measurement problem, U750 and U753, exploring the difference between a "fact" and an "opinion" and U759, which involves a rough numerical estimation.

In general Black 13s do most poorly relative to the national sample on exercises involving either unfamiliar terms or remote content materials for which the correct approach involves the detached indirection characteristic of "scientific method."

### 17-Year-Olds

At the 17-year-old level, there is a reappearance of the same factors accounting for atypically good and atypically poor performances among Blacks at other age levels (Exhibit 3-5). In the upper group of exercises, we find a few difficult, undifferentiating exercises (U835, R332, U843). Unreleased exercise U841 is also quite difficult, but appears to differentiate groups in that Black respondents perform about 17% better than national average, after balancing (and also before balancing). Since this is by far the greatest Black advantage on any Science exercise in National Assessment, one would like to be able to point to some special content factor involved in this exercise. Unfortunately, it is likely that fortuitous features of the format are responsible for the unique characteristics of this exercise. Several graphical alternatives are offered as completions for a question on a physical equation. The exercise is of such difficulty that respondents probably chose among the graphs on the basis of their superficial appearances.

Exhibit 3-5

Exercises showing atypical effects, balanced,  
for Blacks for age 17

Exer- cise #	% Correct			<u>Content</u>
	<u>Black</u>	<u>Nat'l</u>	% Dif- ference	
U741*	36	19	17	
R322*	56	48	8	Efficient use of food can cause overweight
U835*	33	26	7	
R332*	24	20	4	How scientists determine rock age
U843*	18	15	3	
U856*	42	60	-18	
U855*	43	62	-19	
U813*	48	67	-19	
U811*	52	71	-19	
R312*	40	59	-19	Unaided eye detects certain wavelengths of light
U809*	51	72	-21	
U816*	37	60	-23	
R316*	29	53	-24	Adrenalin is a stimulant to the heart
R309*	41	65	-24	Who proposed natural selection in evolution
R305*	52	76	-24	Movement of air masses predicts weather
R344*	30	55	-25	Time a pendulum's swings
R340*	54	79	-25	Which weight experiment gives strongest evidence
R341*	49	74	-25	Balance beam--weight in pan; weight on hook
U820*	29	56	-27	
U852*	40	73	-33	

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

Exercise R322 is also a tricky one. The correct alternative is the one which completes the following seemingly paradoxical sentence: "If a person who is a light eater has a tendency to be overweight, it is most likely due to highly efficient utilization of food by the body." We do not know what fraction of the national 48% correct is due to lucky misunderstanding, such as reading "inefficient" for "efficient" and thinking this to lead to overweight. Therefore, any interpretation of the Black advantage of 8% is hazardous.

Three exercises of interest yield very slight Black advantages after balancing, but do not exceed the upper cutoff and are therefore not shown in Exhibit 3-5. One of these is released exercise R350. It reads, "Whenever scientists carefully measure any quantity many times, they expect that: ( )all of the measurements will be exactly the same; ( )only two of the measurements will be exactly the same; ( )all but one of the measurements will be exactly the same; ( )most of the measurements will be close but not exactly the same; ( )I don't know." The balanced proportion of Black 17s choosing the correct and eminently sensible answer (most will be close but not exactly the same) was 2.7% above the national average. An unreleased question (U807) about physical principles in home appliances yields a balanced Black advantage of 1.6%, and a released exercise (R314) about why giraffes evolved long necks, a balanced Black advantage of 1.5%. The latter is the same exercise as R222 for 13-year-olds, on which the balanced Black disadvantage was 0%.

In the lower group of exercises (Exhibit 3-5), vocabulary factors again account for some of the results. Released exercise R316 requires the knowledge that "adrenalin stimulates the heart," and unreleased exercises U809 and U820 also use unfamiliar words involving aspects of body chemistry. Exercise R309 asks for the association of Darwin's name with the idea of natural selection in a theory of evolution. Exercise R305 is the same question as R212, about "movement and characteristics of air masses," on which Black 13s also showed atypically great disadvantage.

Other exercises replicating poor 13-year-old results are: U856, which like U758 required a graph of data generated by the respondent from a physical apparatus; and R341, which like R234 gave the respondent a balance pan, weights and pictorial instructions and asked how to balance a weighted pan. A further question with the same apparatus is unreleased exercise U852, with a 17-year-old Black balanced disadvantage of 33%. Clearly, Black 17s experienced some difficulty with laboratory exercises (although the number of 17-year-old Black respondents exposed to each such exercise was small, about 80,

and therefore the percentage results are statistically unstable). Another laboratory exercise giving an atypically large deficit is R344, involving the timing of ten swings of a pendulum. This particular exercise showed no Black disadvantage in its age 13 form (R243). Comparing the percentages of correct responses on the pendulum exercise for the two ages in Exhibits 3-4 and 3-5, it appears that there was no Black improvement from ages 13 to 17, but a sizable national improvement (about 20%). It is not clear whether this result indicates that the progress of Black teen-agers suddenly stops on certain laboratory Science tasks, or whether there is some fortuitous peculiarity in the administration of this particular exercise. Exercise R340 presents hypothetical experiments involving the measured weights of two objects, with four observations on each weight in each experiment, and on this exercise, there is a Black disadvantage of 25%.

The other five exercises in Exhibit 3-5 include R312, a released exercise comparing different forms of electromagnetic radiation, with the answer that only "certain wavelengths of light" can be detected with unaided human eyes. The unreleased exercises (U855, U811, U813, and U816) cover various topics in electricity, the mechanics of springs, properties of light, and the concept of a hypothesis.

#### Adults

At the Adult level, Exhibit 3-6, six exercises show atypically good Black performance; of these, two (R433 and U948) are so difficult as to be undifferentiating. Of the remaining four, the two released ones are as follows--R410: "An electric current in a copper wire involves mainly the movement of: ( )copper atoms; ( )copper molecules; ( )electrons; ( )neutrons; ( )protons; ( )I don't know." --R418: "A 5-pound rock is dropped from a cliff 500 feet high. The longer the rock falls, the greater is its: ( )acceleration; ( )potential energy; ( )speed; ( )total energy; ( )volume; ( )I don't know." The Black advantages, after balancing, on these two exercises are each 4%. Both have the character that the straightforward answers are correct--"electrons" for the first, and "speed" for the second exercise. Black Adults tend slightly less often than Non-Black Adults to be tempted to choose the fancy incorrect alternatives. The remaining two exercises with atypically good Black performance are both unreleased, U968 and U921. Exercise U968 is an attitude question (Objective 4) emphasizing curiosity in everyday matters, and U921 is a question about astronomy verifiable by direct observation.

Exhibit 3-6

Exercises showing atypical effects, balanced,  
for Blacks for Adults

Exercise #	% Correct			Content
	Black	Nat'l	% Difference	
U968*	56	45	11	
R433*	24	15	9	How scientists determine rock age
U948*	14	9	5	
R410*	66	62	4	Current involves movement of electrons
R418*	55	51	4	Speed of falling rock increases
U921*	67	63	4	
R405*	44	70	-26	Secondary result of vasectomy
R406*	43	69	-26	Adrenalin is a stimulant to the heart
U919	37	64	-27	
R403*	57	84	-27	Movement of air masses predicts weather
U957*	25	54	-29	
U956*	23	56	-33	

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

Adult exercises with atypically poor Black performance include two released questions overlapping with 17-year-old exercises with atypically poor Black performance. R406 concerns adrenalin as a stimulant to the heart, and R403 the importance for weather prediction of the "movement and characteristics of air masses." Two unreleased Adult exercises also overlap with previous exercises and yield comparable results. On Exercise U956, which repeats U760 and U856 involving the graphing of laboratory data, there is a Black deficit of 33%. The follow-up graphical exercise U957 shows a deficit of 29%; the parallel question at age 13, U758, yielded a deficit of 23%. Unreleased exercise U919 overlaps U813 concerning properties of light, and at both ages 17 and Adult there is atypically poor Black performance. The only newly appearing exercise in the lower portion of Exhibit 3-6 is R405, with Black Adults performing 26% less well than national, after balancing. This exercise concerns the consequences for Adult human males of tying off their main sperm ducts in a simple operation. The alternative answers were: "( )The voice will eventually become high pitched; ( )Fatty pads will gradually develop on the hips; ( )Behavior will eventually become more effeminate; ( )The hair will develop in longer strands than usual; ( )None of the above will occur; ( )I don't know." The question as formulated requires the answer "None of the above," and as such is perhaps more an assessment of a non-anxious attitude toward side effects of apparently sensitive medical procedures than a direct probe of the knowledge of the purpose of vasectomy.

### Summary

In general, over all age levels of what is probably the most suggestive theme running through these atypical exercises, we may state the following: Blacks perform best on those science exercises most dependent upon daily experience and common knowledge and worst on those which involve a detached research attitude toward the objects and phenomena of Science. There are several factors in the Black educational, environmental and cultural situation that might explain such an outcome. It is not possible from a single cycle of National Assessment to choose among the many conceivable sets of explanatory factors. A number of research efforts over a period of years would be needed to begin to resolve these questions. If the science performance of Black youngsters improves steadily in the years ahead, however, the need to explain the deficit on the first National Assessment will recede in importance. We all hope that some of the many current innovations in methods and

technology of teaching and in the organization of educational systems will produce substantial educational gains for all children, Black and Non-Black. Future National Assessment cycles will show the pattern and extent of any such improvements.

## Chapter 4

### PARENTAL EDUCATION GROUPS

Every respondent to NAEP exercises, at age levels 9, 13, 17 and Adult, was asked to indicate the highest year of schooling completed by his mother and his father. In this chapter, we discuss the percentages of correct responses to the science exercises for each of several levels of reported parental education:

<u>Level</u>	<u>Definition</u>
0	Education of parents was not ascertained.
1	Neither mother nor father was educated beyond 8th grade.
2	Either mother or father had some high school, but neither completed high school.
3	Either mother or father completed high school, but neither was trained beyond high school.
4	Either mother or father was educated beyond high school.

It should be stressed that the data available on education of parents (except as noted below for some 9-year-olds) is that reported by the respondent on the "tail-sheet" of the exercise booklet. If the respondents were in error in reporting the schooling of their mothers or fathers, they will be misclassified on parental education.

More often than at other ages, 9-year-olds failed to respond to the questions about education of their parents. In some cases where responses to these questions were omitted, exercise administrators provided the information from school records. In many other cases, the parents' education was not ascertained, and the respondents were classified at level 0 on parental education.

The median number of respondents classified at every level of parental education for each age is shown in Exhibit 4-1. (For different booklets or "packages" of exercises, the actual number of respondents varies somewhat, above and below these median numbers.) It may be seen from Exhibit 4-1 that, for many 9-year-olds, the information was not ascertained. Also,

Exhibit 4-1

Median numbers of respondents per exercise  
for each level of parental education

<u>Age</u>	<u>Level of parental education</u>				
	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
9	789	125	144	567	787
13	252	109	250	762	1049
17	39	146	347	697	959
Adult	51	293	159	200	189

it is likely that at age 9, more than at the other ages, respondents made errors in responding concerning the numbers of years of school for their mother or father.

Before presenting any detailed results, it is of interest to consider whether, on typical Science exercises, performance differences are related to the reported level of parents' education. For this purpose, Exhibit 4-2 shows graphically the median effect -- expressed as a difference from the median national percentage correct -- for respondents at each level of parental education. At each age it is apparent that median performance is below the national median for levels 0 (Unascertained), 1 (No High School), and 2 (Some High School), rising above the national median for level 4 (Some Education Beyond High School). At level 3 (Graduated from High School) median performance is near the national median. On typical Science exercises, respondents who report that at least one parent had substantial formal schooling perform better, as a group, than respondents who report less schooling for both parents.

Throughout this chapter, we must remember that respondents classed at a given level of parental education may differ in many ways from those classed at other levels. In particular, the various levels of STOC (size and type of community-- see Chapter 6), sex, region and color may not be proportionately represented at each level of parents' education. Effects that are apparently related to parental education, then, in some cases may be more simply explained by differences in STOC or differences in color that are masquerading as differences in education. In Chapter 5 we shall return to this matter. For now, we simply present the data by level of parents' education without any adjustment for the possible effects of other variables.

#### Level 1: Neither Parent Attended High School

Exhibit 4-3 shows the distribution of effects at parents' education level 1 for all science exercises at each age. At each age, the median percent correct is below that for the national sample. The median effect ranges from -7.2% at age 9 to -11.8% at age 13. This tells us that, for the average science exercise, respondents whose parents failed to attend high school obtain correct answers from 7 to 12 percent less often than the national average for each age group.

Exhibit 4-2

MEDIAN EFFECTS FOR LEVELS OF PARENTAL EDUCATION AT FOUR AGES.





Exhibit 4-3

Distributions of parental education effects, No High School,  
for all science exercises at four ages



No. of  
Exercises 145 122 124 119  
Median -7.2% -11.8% -8.4% -7.9%

The arrows in Exhibit 4-3 show the "cutoffs" beyond which exercises are considered atypical in their effect (for definition of "cutoff" see Appendix C). Some exercises are atypical in showing greater than usual effects of level 1, parents' education. Other exercises are atypical in showing lesser than usual effects, or effects in the direction opposite to the usual direction. For a few science exercises, respondents reporting that neither parent attended high school give correct responses at a rate higher than the national percent correct. The discussion of atypical exercises will be left to Chapter 5.

#### Level 2: At Least One Parent Attended High School

In Exhibit 4-4 appear the distributions of effects for level 2 of parental education for all science exercises. At each age, median performance of respondents for whom neither parent completed high school is below the median performance for the nation as a whole, and the majority of all science exercises display the effect. The effect, however, is less marked for Adults than for the other three age groups. Exercises that show atypical effects fall in the extremes of the displays of Exhibit 4-4, beyond the cutoffs shown by arrows.

#### Level 3: At Least One Parent Graduated from High School


Exhibit 4-5 shows that, on most exercises, performance of respondents at parents' education level 3 is similar to that for the national sample. At age 13, there is a slight tendency for such respondents to perform less well than the average for all 13s, while at the Adult age, such respondents perform a bit better than the average for all Adults. Beyond the arrows in Exhibit 4-5 are only a few exercises for which effects of education level 3 is atypical.

#### Level 4: At Least One Parent Educated Beyond High School

Exhibit 4-6 displays the distribution of effects for respondents at parental education level 4. Median effects range from 5.1% at age 17 to 9.1% for Adults. At each age, the body of results attests to the higher performance on science exercises of those respondents with at least one parent with Post-High School Education. A relatively large number of science exercises show atypical level 4 effects. These are the exercises that fall beyond the arrows in Exhibit 4-6. Those that remain atypical for balanced results are presented and discussed in Chapter 5.

Exhibit 4-4

Distributions of parental education, Some High School,  
for all science exercises at four ages



No. of Exercises	145	122	124	119
Median	-4.8%	-6.2%	-7.6%	-1.6%

Exhibit 4-5

Distributions of parental education, Graduated High School, for all science exercises at four ages





Exhibit 4-6

Distributions of parental education effects, Post High School, for all science exercises at four ages



### Level 0: Parental Education Unascertained

From Exhibit 4-7, it is clear that for respondents who fail to provide the requested information about their parents' education, performance on Science exercises tends to be below the national average. The median effect ranges from -4.6% at age 9 to -16.8% for Adults. The relatively small deficit at age 9 suggests that all levels of actual parental education may be represented in this group of children who are unable to say how far their parents continued in school. But the story is quite different for Adults. Indeed, for Adults at level 0, performance is lower than for Adults at level 1 (neither parent attended high school).


### Parental Education Effects for Various Science Objectives and for Physical Science Versus Biological Science

Median relative performance for the various levels of parental education are given separately for the four science objectives in Exhibit 4-8. It may be seen that the trend showing better performance with increasing levels of parental education appears to hold separately for each science objective at each of the four ages. In general, the trend is quite similar for the exercises designed to assess the various science objectives. There is some suggestion of smaller effects associated with parental education for Objective 4 (attitudes towards Science and scientists), although the smaller numbers of exercises administered for this objective prompt us to be somewhat cautious about this finding.

In Exhibit 4-9, educational effects are displayed separately for physical science exercises, biological science exercises and unclassified exercises. The trend of effects dependent upon parental education is essentially the same for all three classes of exercises.

Exhibit 4-7

Distributions of parental education, Unascertained,  
for all science exercises at four ages



No. of Exercises	145	122	124	119
Median	-4.6%	-7.7%	-9.1%	-16.8%

Exhibit 4-8

Median effects associated with parental education groups  
for science exercises classified by objective

<u>Age</u>	<u>Objective*</u>	<u>Level of parental education</u>				
		<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
9	1	-4.4	-7.3	-4.6	0.7	5.4
	2	-6.2	-6.7	-3.5	0.8	6.9
	3	-4.5	-7.1	-7.3	0.1	6.2
	4	-3.7	-9.0	-5.4	-0.4	4.9
13	1	-7.1	-11.5	-6.2	-1.5	5.4
	2	-10.4	-12.5	-7.5	-1.4	5.7
	3	-11.0	-13.5	-3.3	-1.3	4.9
	4	-4.4	-2.0	-2.6	-0.2	1.4
17	1	-7.7	-8.0	-7.1	0.2	4.9
	2	-12.5	-10.5	-9.7	0.0	7.3
	3	-4.5	-6.3	-3.9	-0.8	4.0
	4	-5.0	-1.7	-6.3	0.1	4.6
Adult	1	-15.6	-8.2	-1.2	2.4	9.2
	2	-18.1	-7.2	-5.2	5.9	6.2
	3	-17.1	-10.6	-5.6	2.0	11.2
	4	-11.2	-5.3	-.4	0.0	5.4

- \*1 - Facts and principles
- 2 - Abilities and skills
- 3 - Understand investigative nature
- 4 - Attitudes and appreciations

Exhibit 4-9

Median effects associated with parental education  
groups for physical science, biological  
science, and unclassified exercises

<u>Age</u>	<u>P, B, or U*</u>	<u>Level of parental education</u>				
		<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
9	P	-4.5	-9.4	-4.4	0.5	6.2
	B	-4.4	-5.9	-3.9	0.8	5.0
	U	-4.7	-7.1	-8.1	-0.3	7.0
13	P	-7.4	-11.1	-6.4	-1.4	5.2
	B	-7.8	-12.2	-6.2	-1.9	5.4
	U	-9.2	-12.3	-3.6	-0.9	3.9
17	P	-7.2	-9.4	-8.4	0.1	5.3
	B	-12.6	-6.5	-7.2	0.7	4.9
	U	-5.0	-7.6	-6.3	-0.1	4.6
Adult	P	-15.6	-7.6	-2.5	3.7	7.6
	B	-17.8	-8.7	-0.8	2.0	10.2
	U	-16.8	-7.0	-2.8	0.3	11.0

\*P - Physical Science  
B - Biological Science  
U - Unclassified Exercises

## Chapter 5

### PARENTAL EDUCATION GROUPS: BALANCED RESULTS

The previous chapter presented results on science exercises for parental education groups as they are. Within the group characterized as level 1 on parental education (where neither parent attended high school) we have relatively heavy representation of respondents from the inner city and from rural communities, of Blacks, and of Southerners. When we consider balanced effects for level 1 respondents, we are asking how their performance would be expected to compare with national performance if the proportion of inner city and rural respondents, the proportion of Blacks, and proportion of Southerners were the same in level 1 of parental education as for the national sample. The balanced results give a clearer impression of differences associated with parental education after removing effects that might be attributed to the classification of respondents by region, type of community or color.

Exhibit 5-1 provides some information about changes in the results for science exercises as a consequence of balancing. We consider the difference between the medians at the highest and lowest levels of parental education for each of the four age groups. After balancing, that difference is reduced by from 2 percentage points to almost 6 percentage points. After balancing, the difference between median performance at educational level 4 and at educational level 1 is relatively uniform over ages, ranging between about 9% and 12%. The conclusion is the same if we look at balanced results only for those exercises common to two or more ages. While some exercises show greater or lesser effects of parental education, the difference between median balanced performance of respondents who report that a parent was educated beyond high school and respondents who report that neither parent attended high school is roughly 10% at all age levels.

Let us now turn to a more detailed perusal of results for each level of parental education. In particular, we consider science exercises with effects differing markedly from the overall median effect.

Exhibit 5-1

Percentage Differences between median effects at parental education levels 4 and 1 for unadjusted and balanced results at each age

<u>Age</u>	<u>Unadjusted difference</u>	<u>Balanced difference</u>	<u>Change due to balancing</u>
9	13.0%	9.1%	3.9%
13	17.0%	11.2%	5.8%
17	13.6%	11.6%	2.0%
Adult	17.0%	12.4%	4.6%

### Level 1: Neither Parent Attended High School

For level 1, the balanced median deficit from the national percentage correct varies from about 5% (at age 9 and at Adult) to about 7.5% (at ages 13 and 17). However, at each age, some science exercises show atypically greater effects and some atypically lesser effects. Data about these atypical exercises appear in Exhibit 5-2.

At age 9, two released exercises (R149 and R120) show level 1 deficits of 19% and 22%, respectively. R149 requires scientific reasoning from a pictorial representation. At neither age 13 nor 17 are there released exercises that show an atypically large deficit at level 1. At the Adult age level, R407 and R411 show large deficits, between 14% and 15%, whereas the median deficit is about 5%. Both require the mastery of knowledge -- i.e., that testes produce sperm, and that flower seeds are produced by ovules.

These exercises, and those unreleased exercises that show atypically large level 1 deficits, seem to fall into two classes: either (a) scientific knowledge is required and relatively unfamiliar words must be recognized (e.g., ovules, testes, photosynthesis) or (b) a cognitive task of translation from graphical or pictorial evidence to a conclusion stated in words is required. Respondents at this lowest parental education seem to have special difficulty with these two kinds of science exercises.

Certain other exercises (R319 and R418) are atypically easy for respondents at level 1 of parental education; indeed, these respondents obtain correct answers more often than the national average. A careful review of the content of these exercises does not lead us to any simple hypothesis concerning why they appear to be unusually easy for respondents whose parents failed to attend high school.

### Level 2: At Least One Parent Attended High School

Level 2 respondents tend to perform less well than the national average. The balanced median effects show deficits of from 1% (for Adults) to 5% (for 17-year-olds).

Inspection of exercises atypical at level 2 (Exhibit 5-3) suggest that the same principle may be at work here as at level 1. Exercises requiring reasoning from graphs or pictures tend to be exceptionally difficult for respondents whose parents failed to complete high school, as do exercises that demand special vocabulary knowledge.

Exhibit 5-2

Exercises showing atypical effects, balanced,  
for education level 1

(Neither parent attended high school)

<u>Age</u>	<u>Exer- cise #</u>	<u>% Correct</u>			<u>Content</u>
		<u>Level 1</u>	<u>Level Nat'l</u>	<u>% Dif- ference</u>	
9	U621*	84	76	8	From chart--select highest temperature Transfer of momentum between objects
	U648*	19	37	-18	
	U665*	52	70	-18	
	R149*	45	64	-19	
	R120*	50	72	-22	
13	U769*	79	66	13	Find density of wood block using ruler and balance
	R240*	14	4	10	
	U741*	42	34	8	
17	R319*	65	54	11	Speed of falling rock increases
	U843*	25	15	10	
	R330*	38	29	9	Egg release is 14 days after menstruation
	U820*	33	56	-23	
	U853*	33	65	-32	
Adult	R418*	62	51	11	What constitutes chemical change
	U960	38	29	9	
	U919*	70	64	6	
	U956	59	56	3	
	U917*	56	71	-14	
	U929*	35	49	-14	
	R407*	54	68	-14	Testes produce sperm
	R411*	48	62	-14	Flower seeds develop from ovules
	U927*	33	50	-17	

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

Exhibit 5-3

Exercises showing atypical effects, balanced,  
for education level 2  
(At least one parent attended but failed  
to complete high school)

<u>Age</u>	<u>Exer- cise #</u>	<u>Level 2</u>	<u>% Nat'l ference</u>	<u>% Correct</u>	<u>Content</u>
				<u>% Dif- ference</u>	
9	R137*	46	33	12	<u>Mercury is heavier than water</u>
13	U724*	45	58	-13	
	U723*	45	58	-13	
	R215*	39	52	-13	Flower seeds develop from ovules
	R220*	26	39	-13	Wood floats higher in salt water than fresh
	U742*	15	28	-13	
	U721*	46	60	-14	
	U760*	28	42	-14	
	R233*	55	70	-15	From chart--compare guinea pig weights
	U758*	34	49	-15	
	R327*	37	33	4	Molecules of air carry sound
17	U839*	24	20	4	
	R351	13	27	-14	Kinetic-molecular theory
	U853*	50	65	-15	
	U828*	23	39	-16	
	R309*	49	65	-16	Who proposed natural selection in evolution
	U814*	49	65	-16	
Adult	U958	37	50	-13	
	R440*	38	51	-13	Effect of reduced rabbit population on hawks and grass
	U956*	42	56	-14	
	R418*	34	51	-17	Speed of falling rock increases
	U960*	11	29	-18	
	U961*	4	23	-19	

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

### Level 3: At Least One Parent Completed High School

For respondents at this level, overall performance is close to the national average, with median balanced effects ranging from about -1% at age 13 to +1% for Adults. Inspection of atypical exercises (Exhibit 5-4) shows that there are few exercises at any age that depart markedly from the median performance, and that those few exercises seem not to be closely related, one to the other, in content or form.

### Level 4: At Least One Parent Educated Beyond High School

For respondents at level 4, median balanced performance on science exercises is well above the nation at all four ages, about 4% above for ages 9, 13 and 17, and about 7% above for young Adults. Many exercises are atypical in showing greater or lesser balanced effects at level 4; these are listed in Exhibit 5-5.

Level 4 respondents performed especially well on exercises that demand a deep understanding of the scientific method -- exercises concerning testing hypotheses (R147 and several unreleased exercises), reading charts and graphs (R150, R233 and unreleased exercises) -- and on a number of exercises that demand knowledge of particular facts and principles. Where respondents at level 1 show a deficit, respondents at level 4 tend to perform unusually well.

### Level 0: Parental Education Unascertained

The balanced median effects for parental education level 0 are -4% at age 9, -5% at age 13, -9% at age 17 and -13% for Adults. The deficit in performance for respondents who fail to report the educational level of their parents becomes systematically larger with increasing age. It should be noted from Exhibit 4-1 that only small numbers of 17-year-olds and Adults fall in parental education level 0.

Exhibit 5-6 lists the exercises that show atypical differences from the median effect at each age. A number of exercises that show atypical deficits for level 0 seem to entail the ability to draw scientific inferences (e.g., R153, R131, R147, R235, R342, U853, U857). Others call for specific knowledge about science (U633, U723, R309, R316). These exercises have some resemblance to those that show atypical deficit at level 1. It seems likely that of the respondents who fail to report the level of their parents' education, many have parents with relatively limited numbers of years of schooling.

Exhibit 5-4

Exercises showing atypical effects, balanced,  
for education level 3  
(At least one parent completed high school)

<u>Age</u>	<u>Exer-</u> <u>cise #</u>	<u>% Correct</u>			<u>Content</u>
		<u>Level</u> <u>3</u>	<u>% Nat'l</u> <u>ference</u>	<u>% Dif-</u> <u>ference</u>	
9	none				
13	U761* R219 U726* R213*	35 34 50 51	41 40 56 57	-6 -6 -6 -6	Why milk is pasteurized Radio waves least upset plant and animal life
17	U814* U860 U856*	71 24 53	65 30 60	6 -6 -7	
Adult	U963* R405* U930	32 81 40	20 70 48	12 11 -8	Secondary result of vasectomy

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

Exhibit 5-5

Exercises showing atypical effects, balanced,  
for education level 4

(At least one parent educated beyond high school)

<u>Age</u>	<u>Exer- cise #</u>	% Correct			<u>Content</u>
		<u>Level 4</u>	<u>Nat'l</u>	<u>% Dif- ference</u>	
9	U633*	75	65	10	
	R159*	33	23	10	Writing a poem is not part of science
	R147*	77	68	9	To test an idea, try it
	U626*	80	72	8	
	R150	63	55	8	From chart--sodium is least common in human body
	U634*	71	63	8	
	R152*	61	53	8	Because of vaccinations few people get smallpox
	U646	46	38	8	
	<u>R141*</u>	<u>7</u>	<u>7</u>	<u>0</u>	Mixing water of 50° and 70° yields water of 60°
	U673*	10	11	-1	
13	U653*	20	21	-1	
	U717*	72	63	9	
	R213*	66	57	9	Radio waves least upset plant and animal life
	U754*	72	63	9	
	U773*	45	37	8	
	R233*	78	70	8	From chart--compare guinea pig weights
	U725*	66	58	8	
	R244*	64	56	8	What is a scientific theory
	<u>U772*</u>	<u>92</u>	<u>92</u>	<u>0</u>	
17	U853*	77	65	12	
	R342*	75	66	9	Effect of reduced rabbit population on hawks and grass
	U829*	45	36	9	
	R316*	62	53	9	Adrenalin is a stimulant to the heart
	R343	65	56	9	Differentiate fact from theory
	R309*	74	65	9	Who proposed natural selection in evolution
	<u>R319*</u>	<u>50</u>	<u>54</u>	<u>-4</u>	Speed of falling rock increases

Exhibit 5-5 (Continued)

<u>Age</u>	<u>Exer- cise #</u>	<u>Level 4</u>	<u>Nat'l</u>	<u>% Dif- ference</u>	<u>Content</u>
Adult	U958*	75	50	25	
	R419*	71	49	22	Hot water molecules move faster
	U927*	69	50	19	
	R426*	55	36	19	Molecular speed determines different states of water
	U920*	82	64	18	
	R407*	86	68	18	Testes produce sperm
	R423*	58	41	17	Classifying plants and animals by structure
	U965*	73	56	17	
	R409*	78	62	16	Who proposed natural selection in evolution
	U963	18	20	-2	
	U919	62	64	-2	
	U921	61	63	-2	

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

Exhibit 5-6

Exercises showing atypical effects, balanced,  
for education level 0  
(parental education unascertained)

<u>Age</u>	<u>Exer- cise #</u>	<u>% Correct</u>			<u>Content</u>
		<u>Level 0</u>	<u>Nat'l</u>	<u>% Dif- ference</u>	
9	U637*	58	57	1	
	U653*	22	21	1	
	R141*	8	7	1	Mixing water of 50° and 70° yields water of 60°
	R153	30	38	-8	Full sink would not explain faulty faucet
	R131*	43	51	-8	Cactuses lose little water through leaves
	U633*	57	65	-8	
13	R147*	59	68	-9	To test an idea, try it
	R208*	79	74	-5	Rocket launch possible on moon
	U723*	42	58	-16	
	R235*	45	62	-17	Which weight experiment gives strongest evidence
17	U828*	58	39	19	
	U860*	47	30	17	
	R325	57	41	-16	Function of placenta in pregnant woman
	U805	50	82	-32	
	R309*	31	65	-34	Who proposed natural selection in evolution
	R316*	28	53	-35	Adrenalin is a stimulant to the heart
	R342*	30	66	-36	Effect of reduced rabbit population on hawks and grass
	U853*	25	65	-40	
	R344*	15	55	-40	Time a pendulum's swings
	U857*	14	55	-41	
Adult	R445*	26	11	15	Find density of wood block using ruler and balance
	U961*	34	23	11	
	U957*	9	54	-45	
	U956*	8	56	-48	

\*Exercises also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

## Chapter 6

### SIZE AND TYPE OF COMMUNITY

In previous reports respondents were divided into four size of community (SOC) categories: Big City, Urban Fringe, Medium City and Smaller Places. In this report a more detailed classification\* into seven categories is used. This classification of respondents is by school not by pupil and is based in part on information from the questionnaire filled out by the principals of participating schools. See Appendix B of Report 1.

The first of these new categories is Extreme Inner City. A school was classified as an Extreme Inner City school if a high proportion of parents were either not regularly employed or were on welfare, and only a low proportion were professional or managerial. The majority, 85.6%, of the respondents from Extreme Inner City schools came from the former Big City SOC category.

The second new category is Extreme Affluent Suburb. A school was placed in this category if a high proportion of parents were professional or managerial and only a few were factory or farm workers, or not regularly employed. More than half of the respondents from Extreme Affluent Suburb schools came from the Big City Fringe (53.0%) SOC category. Big City (29.3%) and Medium City (16.5%) making up the rest.

The third new category, Extreme Rural, was defined by schools where a high proportion of parents were farm workers. The number of respondents in this category coming from the SOC category of Smaller Places was 78.1%.

These three extreme categories were defined so that approximately 10% of the total sample fell into each. Thus, 70% of the respondents whose schools did not fall into one of these extreme categories were grouped by their original size of community classification. Thus, a student in the Big City classification was classified as Inner City Fringe if he did not fall in one of these new extreme categories. Students in the Urban Fringe who did not fall into a new extreme category were classified as Suburban Fringe. Respondents from the Smaller Places category were classified as Small Cities if they did not fall into one of the new extreme categories. Since the Medium City Size Community category contributed few, if any,

\* See Appendix D for explicit definitions of these new classifications.

schools to the three new extreme categories, it was left virtually unchanged.

Exhibit 6-1 displays the median effect (difference between the percent correct for the subgroup and the national percent correct) for each of the four original categories and for the new categories by each of the four age groups in the sample. It is clear from these data that the criteria for picking the three extreme types of communities did indeed isolate groups of students whose performance was extreme.

The concentration of the Big City deficit in the Extreme Inner City is particularly striking. This large deficit and to a lesser extent that associated with the Extreme Rural category clearly identifies those schools where American education faces its greatest challenge. Obviously many of the children in these schools are seriously deficient in their science achievement.

The gap between the Extreme Affluent Suburb and both the Extreme Inner City and the Extreme Rural is largest for 9-year-olds (7.2% vs. -15.1% and -6.3%). It decreases for the 13- and 17-year-olds (6.3% vs. -13.7% and -6.1%) and (5.1% vs. -7.4% and -3.5%), and then rises sharply for the young Adults (10.9% vs. -10.2% and -4.7%). Since the young Adults were not attending school, a different technique was used to classify them into the extreme subcategories. This, together with the tendency for the better educated to escape from the Extreme Inner City and for the most successful to migrate to the Extreme Suburb, probably underlies the large gap for the young Adult sample.

Compared with Adults, 17-year-olds show markedly smaller deficit in the Extreme Inner City and a smaller advantage in the Extreme Affluent Suburb. However, this may be due to the fact that there were substantially more very difficult exercises given to the 17-year-old sample than the other age groups (See page 10 Chapter 1 of Report 1). Very difficult multiple choice exercises tend to give the guesser an advantage over the respondent who tries to work it out. This hypothesis is supported by the fact that when we analyze the 69 exercises with national percents of at least 40% for 17-year-olds, the national effects are: for Extreme Inner City -10.4%, for Extreme Affluent Suburb +6.2% and for Extreme Rural -6.1%. It may be that the 17-year-old respondents were not as representative of their age group as were those respondents at the other ages.

The median effects for 9-year-olds for physical science exercises, biological science exercises and the remaining unclassified exercises are shown in Exhibit 6-2. This exhibit also displays the median effects for the four science objectives described in Report 1. The median performance of each of the seven community types is remarkably uniform across the different sorts of

Exhibit 6-1  
 Median effects by size and type of community  
 for all ages

<u>SOC</u>	<u>STOC</u>	<u>Age</u>			
		<u>9</u>	<u>13</u>	<u>17</u>	<u>Adult</u>
Big city		-4.8	-4.7	-2.6	-2.4
	Extreme inner city	-15.1	-13.7	-7.4	-10.2
	Inner city fringe	-2.6	-3.8	0.3	-2.9
Urban fringe		3.0	3.4	2.4	3.2
	Extreme affluent suburb	7.2	6.3	5.1	10.9
	Suburban fringe	2.7	2.9	1.0	0.8
Medium city		0.8	1.1	0.8	0.4
	Medium city	0.8	1.9	1.2	0.4
Smaller places		-1.2	-1.1	-2.1	-2.8
	Extreme rural	-6.3	-6.1	-3.5	-4.7
	Small cities	0.9	0.5	-1.4	-2.7

Note: Figures show difference between the group percent correct and the national percent correct.

Exhibit 6-2  
 Median effects for 9-year-olds by  
 type of question and objective\*

	<u>Physical science</u>	<u>Biological science</u>	<u>Unclassified exer.</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>Objective</u>
							<u>4</u>
<b>Extreme</b> <b>Inner City</b>	-15.4	-15.7	-13.4	-15.7	-17.1	-11.5	-13.4
<b>Inner City Fringe</b>	-3.1	-2.6	-1.8	-3.1	-0.6	-3.0	0.8
<b>Extreme Affluent Suburb</b>	7.3	7.0	9.7	7.2	7.2	8.5	2.6
<b>Suburban Fringe</b>	3.5	2.0	1.7	3.0	2.4	1.8	1.1
<b>Medium Cities</b>	0.4	1.4	1.0	0.9	0.6	2.3	0.2
<b>Extreme Rural</b>	-6.3	-5.6	-8.2	-6.0	-7.2	-9.4	-6.2
<b>Small Cities</b>	0.9	1.0	1.7	0.9	1.2	0.5	-0.1

- \*1 - Facts and principles
- 2 - Abilities and skills
- 3 - Understand investigative nature
- 4 - Attitudes and appreciations

exercises. In particular, their relative performance on physical science exercises almost exactly matches their performance on biological science questions. The slight variability observed in the rest of the table is quite likely due to the small number of exercises included in these groups. Exhibit 6-2.

Exhibits 6-3, 6-4, and 6-5 show comparable data for 13-year-olds, 17-year-olds and young Adults, respectively. The 13-year-olds, like the 9-year-olds, show virtually no change in pattern between physical and biological science or between objective one, two and three. Objective 4 shows a much smaller range of variation but this is based upon only a few exercises.

In the Extreme Inner City, 17-year-olds have a greater deficit in physical science than in biological science (-8.5% compared with -5.3%) while those in the Extreme Rural show just the opposite effects (-3.1% compared with -6.8%). Thus, the Extreme Inner City students do relatively better in biological science and the Extreme Rural ones better in physical science.

Like the 9-and 13-year-olds, young Adults show little difference in their relative performance on physical and biological science exercises except that the Extreme Inner City respondents showed a slightly smaller deficit in physical science.

Exhibits 6-6 through 6-9 show the distribution of effects for all science exercises across all four ages for the three extreme categories and the Medium City category. A comparison of the medians for all seven STOC categories was made earlier in this chapter, and the four distributions selected for Exhibits 6-6 through 6-9 were most interesting and indicative of the others.

Exhibit 6-3  
 Median effects for 13-year-olds by  
 type of question and objective\*

	<u>Physical science</u>	<u>Biological science</u>	<u>Other science</u>	<u>Objective</u>			
				<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
Extreme Inner City	-13.4	-14.9	-11.1	-14.1	-14.0	-14.6	-3.5
Inner City Fringe	-3.5	-5.4	-3.0	-4.1	-4.1	-3.0	-2.2
Extreme Affluent Suburb	6.1	7.4	4.2	6.2	7.8	5.4	2.6
Suburban Fringe	3.0	3.2	2.0	2.7	3.3	2.3	1.4
Medium Cities	1.6	3.4	.3	1.7	2.6	0.7	0.9
Extreme Rural	-6.5	-6.5	-4.1	-6.8	-6.1	-1.7	-2.4
Small Cities	0.7	-0.1	1.1	0.8	-0.6	2.2	-0.1

- \*1 - Facts and principles
- 2 - Abilities and skills
- 3 - Understand investigative nature
- 4 - Attitudes and appreciations

Exhibit 6-4  
 Median effects for 17-year-olds by  
 type of question and objective\*

	<u>Physical science</u>	<u>Biological science</u>	<u>Other science</u>	<u>Objective</u>			
				<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
<b>Extreme Inner City</b>	-8.5	-5.3	-6.6	-8.0	-7.9	-5.4	-4.1
<b>Inner City Fringe</b>	-0.4	2.0	0.3	0.2	0.0	1.1	1.2
<b>Extreme Affluent Suburb</b>	5.2	4.8	5.1	4.9	6.1	7.0	4.4
<b>Suburban Fringe</b>	0.6	1.3	3.5	0.9	2.3	-0.7	3.3
<b>Medium Cities</b>	1.2	1.3	-0.2	1.4	1.3	1.3	-0.6
<b>Extreme Rural</b>	-3.1	-6.8	-2.2	-3.3	-4.4	-9.2	0.8
<b>Small Cities</b>	-0.8	-2.3	-2.4	1.4	-1.6	-1.2	-2.4

\*  
 1 - Facts and principles  
 2 - Abilities and skills  
 3 - Understand investigative nature  
 4 - Attitudes and appreciations

Exhibit 6-5  
 Median effects for young Adults for  
 type of question and objective

	<u>Physical science</u>	<u>Biological science</u>	<u>Other science</u>	<u>Objective</u>			
				<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
Extreme Inner City	-10.0	-13.1	-8.2	-10.0	-13.5	-8.5	-7.1
Inner City Fringe	-2.9	-3.1	-2.3	-3.5	-0.9	-3.6	-1.0
Extreme Affluent Suburb	9.5	10.0	14.1	11.0	6.6	13.0	9.9
Suburban Fringe	0.6	1.4	-2.0	0.3	4.6	-0.6	-1.6
Medium Cities	1.2	-1.0	0.2	-0.1	2.2	-0.2	0.9
Extreme Rural	-4.0	-5.1	-7.3	-9.9	-8.0	-7.6	-8.9
Small Cities	-2.9	-2.2	-4.3	-2.9	-1.8	-7.1	-2.4

- \*1 - Facts and principles
- 2 - Abilities and skills
- 3 - Understand investigative nature
- 4 - Attitudes and appreciations

Exhibit 6-6

Distributions of Extreme Inner City effects  
for all science exercises at four ages




Exhibit 6-7

Distributions of Extreme Affluent Suburb effects  
for all science exercises at four ages





Exhibit 6-8


Distributions of Medium City effects  
for all science exercises at four ages



71

Exhibit 6-9

Distributions of Extreme Rural effects  
for all science exercises at four ages



No. of Exercises	145	122	124	119
Median	-6.3%	-6.1%	-3.5%	-4.7%

## Chapter 7

### SIZE-AND-TYPE OF COMMUNITY GROUPS: BALANCED RESULTS

The median effects associated with the seven types of community after balancing on region, sex, color and parental education are presented in Exhibit 7-1. In general the balanced effects are just about half of the unadjusted effects presented in Exhibit 6-1 of the preceding chapter. However, there are several exceptions worth noting: the median balanced effects for 13-year-olds, 17-year-olds and Adults in the Inner City are only about one-third as large as the unadjusted medians, and that for Extreme Rural Adults is essentially unchanged after balancing.

The large reduction in the type of community effects produced by balancing indicates that much of the unadjusted effect was due to masquerading by other variables. The especially large reductions for inner city respondents suggest that the problems facing the inner city schools come from the combination of several different sorts of factors, some associated with color, some with parental education and some with region. The effects remaining after balancing are primarily associated with features of the inner city community. Because a variety of factors contribute to the inner city deficit, there may well be a variety of ways to improve the achievement of the children in these schools.

In a similar way, a number of factors acting in combination are associated with the performance deficit found for Extreme Rural communities and the performance advantage in the Extreme Affluent Suburb.

Exhibit 7-1 clearly shows the inner city and rural deficit and the affluent suburb advantage for typical science exercises. However, not all science exercises show the same effects, and it may be instructive to consider atypical exercises, for which the size-type of community balanced effects differ from the median balanced effect for that community.

#### Extreme Inner City

Exhibit 7-2 lists atypical exercises for the Extreme Inner City. At each age, those exercises for which inner city performance is atypically high are difficult exercises where the national percentage correct is no greater than 34% (with only one exception, apparatus exercise R341 at age 17). The unusually good performance on these difficult exercises could be due to more frequent guessing on the part of inner city respondents.

**Exhibit 7-1**  
**Balanced median effects by size and**  
**type of community for each age**

	<u>Age</u>			
	<u>9</u>	<u>13</u>	<u>17</u>	<u>Adult</u>
<b>Extreme Inner City</b>	-6.9	-5.5	-2.3	-3.2
<b>Inner City Fringe</b>	-1.5	-2.2	0.4	-1.9
<b>Extreme Affluent Suburb</b>	4.4	3.3	2.6	5.6
<b>Suburban Fringe</b>	0.7	1.0	-0.6	-0.9
<b>Medium Cities</b>	0.4	0.9	0.6	0.8
<b>Extreme Rural</b>	-3.4	-2.8	-1.6	-4.5
<b>Small Cities</b>	0.5	0.7	-0.2	-2.0

Exhibit 7-2

Exercises showing atypical effects, balanced,  
for Extreme Inner City for all ages

<u>Age</u>	<u>Exer-</u> <u>cise #</u>	% Correct			<u>Content</u>
		<u>EIC<sup>†</sup></u>	<u>Nat'l</u>	% Dif- ference	
9	U655*	23	14	9	
	U673*	17	11	6	
	R140*	19	14	5	Dead plants form coal
	R137*	37	33	4	Mercury is heavier than water
	R149*	46	64	-18	From chart--select highest temperature
	R104*	73	91	-18	Iron doesn't readily burn
	U644*	23	41	-18	
	R125*	42	61	-19	Plants get water from soil
	U616*	61	80	-19	
	R146*	55	75	-20	Air leak produces flat tire
	U622*	55	75	-20	
	U665*	49	70	-21	
	U682*	50	72	-22	
	U630*	45	68	-23	
13	U741*	40	34	6	
	U758*	32	49	-17	
	U760*	25	42	-17	
	R209*	46	65	-19	Sedimentary rock in layers
17	R341	85	74	11	Balance beam--weight in pan; weight on hook
	U816*	45	60	-15	
	R314	42	56	-14	By natural selection, why giraffes have long necks
	R306*	45	66	-21	What doesn't increase supply of food
Adult	U961	1	23	-22	
	U960	6	29	-23	
	U956*	32	56	-24	
	U957*	26	54	-28	
	R441*	9	48	-39	Time a pendulum's swings
	U955*	28	71	-43	

\*Exercises also identified as atypical before balancing.

<sup>†</sup>Extreme Inner City

Note: --- line separates atypical high from atypical low exercises.

Many more exercises show atypically low performance for inner city respondents, especially at age 9 and for young Adults. Included in this group at age 9 are a number of exercises that assess rather earthy aspects of Science (R104, R125, R146, U644, U616, U622, U665 and U630); correct answers to many of these come not from the classroom, but from everyday experiences of children--experiences, however, that are less likely to be encountered by 9-year-olds in an inner city environment. At the adult ages, all exercises displaying atypical deficit are apparatus exercises. Perhaps, when apparatus exercises are presented to adults during an interview in their home, inner city adults tend to be somewhat less cooperative, and thus appear to perform poorly on such exercises.

#### Extreme Affluent Suburb

In the affluent suburb, more exercises show atypically high than atypically low performance (Exhibit 7-3). Both released and unreleased exercises that display unusually large affluent suburb advantages tend to assess relatively abstract facts and principles of Science; the affluent suburbs seem to perform best on exercises that depend upon science knowledge learned in the classroom.

#### Extreme Rural

While relatively few exercises are atypical for rural respondents (Exhibit 7-4), there is a tendency for those on which performance is atypically high to tap knowledge that is likely to be learned from general experience in rural communities. For example, the unreleased exercises on this list at the Adult level ask about (a) the importance of green plants, (b) the effects of heating water in containers of varying shapes and (c) the behavior of a wooden block floating on water. In contrast, an atypical rural deficit is seen for several exercises demanding graph reading, and for exercises R406 and R409, requiring considerable mastery of vocabulary as well as detailed formal knowledge.

#### Other STOC Groups

For the Inner City Fringe (Exhibit 7-5), the Suburban Fringe (Exhibit 7-6), the Medium City (Exhibit 7-7) and the Small City (Exhibit 7-8), relatively few exercises display atypical effects. No patterns of exercise content are easily discernible.

Exhibit 7-3

Exercises showing atypical effects, balanced,  
for Extreme Affluent Suburb for all ages

<u>Age</u>	<u>Exer-</u> <u>cise #</u>	<u>% Correct</u>			<u>Content</u>
		<u>EAS<sup>†</sup></u>	<u>Nat'l</u>	<u>% Dif-</u> <u>ference</u>	
9	U645*	56	40	16	What scientists learn from fossils Full sink would not explain faulty faucet Sun is a star Comfortable temperature: 70°F Dead plants form coal
	R123	81	66	15	
	R153*	52	38	14	
	R128*	68	55	13	
	U639*	67	54	13	
	R130*	66	53	13	
	U648*	50	37	13	
13	U651*	29	34	-5	Balance beam—weight in pan; weight on hook
	R140*	9	14	-5	
	U760*	69	42	27	
	U758*	68	49	19	
17	U755*	51	59	-8	Salt in water lowers freezing point What constitutes chemical change Differentiate fact from theory
	R234*	54	62	-8	
	U866*	50	30	20	
	R326*	51	35	16	
	U823*	61	46	15	
	U838*	37	22	15	
	U822*	68	54	14	
Adult	R318*	65	51	14	Time a pendulum's swings
	U813*	81	67	14	
	R343	45	56	-11	
	U962*	63	22	41	
	U956*	90	56	34	

\*Exercise also identified as atypical before balancing.

<sup>†</sup>Extreme Affluent Suburb

Note: - - - line separates atypical high from atypical low exercises.

Exhibit 7-4

Exercises showing atypical effects, balanced,  
for Extreme Rural for all ages

<u>Age</u>	<u>Exer- cise #</u>	% Correct			<u>Content</u>
		<u>ER<sup>†</sup></u>	<u>Nat'l</u>	<u>% Dif- ference</u>	
9	R157*	51	39	12	Recognize an untestable statement
	U666	76	66	10	
	U675*	57	75	-18	
	U662*	62	81	-19	
13	U762*	31	22	9	
17	U853*	49	65	-16	
	U857*	39	55	-16	
Adult	U922*	76	62	14	
	R418	62	51	11	Speed of falling rock increases
	U928*	59	49	10	
	U963	30	20	10	
	R406*	40	69	-19	Adrenalin is a stimulant to the heart
	R409*	34	62	-28	Who proposed natural selection in evolution

\*Exercise also identified as atypical before balancing.

†Extreme Rural

Note: - - - line separates atypical high from atypical low.

Exhibit 7-5

Exercises showing atypical effects, balanced,  
for Inner City Fringe for all ages

<u>Age</u>	<u>Exer-</u> <u>cise #</u>	% Correct			<u>Content</u>
		<u>ICF</u> <sup>†</sup>	<u>Nat'l</u>	% Dif- ference	
9	R157	28	39	-11	Recognize an untestable statement
	U615	68	80	-12	
	U635	49	61	-12	
13	R234*	77	62	15	Balance beam--weight in pan; weight on hook
	U755*	73	59	14	
	U714	79	71	8	
	U751*	60	73	-13	
	R215*	38	52	-14	Flower seeds develop from ovules
17	R343*	68	56	12	Differentiate fact from theory
	U865*	30	20	10	
Adult	U962*	47	22	25	
	U964	33	18	15	
	R449*	19	28	-19	Often watch T.V. science programs
	U915*	53	74	-21	

\*Exercises also identified as atypical before balancing.

<sup>†</sup>Inner City Fringe

Note: - - - line separates atypical high from atypical low exercises.

Exhibit 7-6

Exercises showing atypical effects, balanced,  
for Suburban Fringe for all ages

<u>Age</u>	<u>Exer-</u> <u>cise #</u>	<u>% Correct</u>		<u>% Dif-</u> <u>ference</u>	<u>Content</u>
		<u>SF<sup>†</sup></u>	<u>Nat'l</u>		
9	R123* R150*	74 46	66 55	-8 -9	What scientists learn from fossils From chart--sodium is least common in human body
13	U755 R237* U762*	53 29 14	59 35 22	-6 -6 -8	Time a pendulum's swings
17	R344*	41	55	-14	Time a pendulum's swings
Adult	R441* U921*	62 48	48 63	14 -15	Time a pendulum's swings

\*Exercise also identified as atypical before balancing.

<sup>†</sup>Suburban Fringe

Note: - - - line separates atypical high from atypical low.

Exhibit 7-7

Exercises showing atypical effects, balanced,  
for Medium City for all ages

<u>Age</u>	<u>Exercise #</u>	<u>% Correct</u>		<u>% Difference</u>	<u>Content</u>
		<u>MC</u> <sup>†</sup>	<u>Nat'l</u>		
9	R122*	78	71	7	Honey bees are helpful to man
	U640*	60	53	7	
13	U744	35	28	7	
	U737*	36	42	-6	
17	R322*	40	48	-8	Efficient use of food can cause over-weight
	R327	25	33	-8	Molecules of air carry sound
	U824	36	45	-9	
Adult	U960	47	29	18	
	R441*	64	48	16	Time a pendulum's swings
	U957	67	54	13	
	U956	68	56	12	

\*Exercise also identified as atypical before balancing.

<sup>†</sup>Medium City

Note: - - - line separates atypical high from atypical low.

Exhibit 7-8

Exercises showing atypical effects, balanced,  
for Small City for all ages

<u>Age</u>	<u>Exer-</u> <u>cise #</u>	% Correct			<u>Content</u>
		<u>SC<sup>†</sup></u>	<u>Nat'l</u>	<u>% Dif-</u> <u>fERENCE</u>	
9	U635	68	61	7	
13	U754*	56	63	-7	
17	R345*	29	39	-10	Understand conservation of matter
Adult	U957	38	54	-16	
	U963	4	20	-16	

\*Exercise also identified as atypical before balancing.

<sup>†</sup>Small City

Note: - - - line separates atypical high from atypical low.

## Chapter 8

### REGIONAL GROUPS: BALANCED RESULTS

In Report 4, the patterns of correct response to the science exercises were examined for consistencies and discrepancies among the nation's regions. In this chapter, we examine the patterns in the regional samples after balancing for the disproportionate representation of four other characteristics--sex, size and type of community, education of parents, and color. To what extent can the regional effects noted in Report 4 be considered to grow out of this lack of proportionality? What effects remain after appropriate balancing procedures (described in Chapter 1 and in Appendix B) have been applied to the regional data?

The median effects at the four ages for the four regions, both the unadjusted and the balanced, are pictured in Exhibit 8-1. Thus, the effects of balancing have reduced the range of the regional effects by about one-third. In general, the relative order of the medians within ages remains the same after balancing. The exceptions are the reversals of the order of the Northeast and the Central regions at ages 9, 13, and Adult; however, in none of these comparisons were the differences, either before or after balancing, large enough to be statistically reliable. The most striking difference between the unadjusted and the balanced effects is the sharp reduction in the Southeast deficit. Apparently, a substantial part of the deficit observed in the unadjusted data grows out of the fact that the effects of other characteristics are represented in different proportions in the different regional samples. On the other hand, a significant Southeast deficit (minimal for age 13) still remains after balancing. Also remaining is the relatively high median effect for adults in the West.

The contrast between unadjusted and balanced effects presented in Exhibit 8-1 involves all the science exercises. In Report 4, the unadjusted effects were also examined in terms of groups of exercises classified according to the four science objectives and according to content, i.e., physical and biological science. The only instance in which the median effects for subgroups of exercises displayed a different picture from that pictured in the medians for all exercises was in the comparison between Objective 1 and Objective 2 exercises presented in Exhibit 3-5 of Report 4. In 11 of the 16 comparisons, the median for Objective 2 exercises was more extreme than the median for Objective 1 exercises. This contrast remains after balancing, as illustrated in Exhibit 8-2. However, the absolute differences tend to be smaller, as would be expected as a result of the general reduction in the size of the

EXHIBIT 8-1

MEDIAN EFFECTS FOR THE FOUR REGIONS  
AT FOUR AGES BEFORE AND AFTER BALANCING.




Exhibit 8-2

Median effects, after balancing, for all exercises,  
 Objective 1 exercises only, and Objective 2 exercises only.  
 (Median effects, before balancing, for  
 all exercises, in parentheses)

<u>Group</u>	<u>Age</u>	<u>All exercises</u>	<u>Medians for</u>		
			<u>Obj. 1*</u>	<u>Obj. 2**</u>	<u>Comparison†</u>
West Northeast	Adult	1.9 (2.4)	1.4	2.0	0.6 bigger
	17	1.5 (2.6)	1.2	1.9	0.7 bigger
Central Central	13	1.2 (1.9)	1.2	1.3	0.1 bigger
	9	1.0 (1.6)	0.7	1.5	0.8 bigger
Northeast Northeast	9	0.8 (2.3)	0.5	1.9	1.4 bigger
	13	0.8 (2.0)	0.4	2.1	1.7 bigger
West West	17	0.7 (1.7)	-0.1	1.3	1.4 across zero††
	9	0.6 (0.0)	1.0	-0.6	1.6 across zero††
Northeast Central	Adult	0.3 (0.6)	0.6	-0.5	1.1 across zero††
	Adult	0.3 (0.7)	0.1	1.6	1.7 bigger
Central West	17	0.1 (0.0)	0.2	-0.1	0.3 across zero††
	13	-0.8 (-0.5)	-0.7	-0.8	0.1 bigger
Southeast Southeast	13	-1.8 (-4.7)	-1.2	-4.2	3.0 bigger
	Adult	-2.4 (-4.9)	-2.2	-2.5	0.3 bigger
Southeast Southeast	17	-2.5 (-4.9)	-2.2	-3.1	0.9 bigger
	9	-3.1 (-5.1)	-3.3	-3.2	0.1 smaller††

\*Objective 1 - Facts and principles

\*\*Objective 2 - Abilities and skills

†Objective 2 compared to Objective 1

††Exceptions to the rule

effects. (The median of the absolute differences is 1.35% for the unadjusted median effects and 0.85% for the balanced median effects.)

The median effects presented in Exhibits 8-1 and 8-2 provide one way of viewing the results of balancing. As was true of our study of the unadjusted data, it is also instructive to examine not only the medians but also the distributions from which the medians are derived, to identify exercises falling so far toward the extremes of the distributions as to be considered atypical, and to ask whether or not it is possible to discover any systematic distinctions between exercises atypical above and those atypically below the median effects.

In the sections which follow, we report the results of these analyses, taking the regions in order Northeast, Southeast, Central and West and then comparing the balanced data reported here with the unadjusted data in Report 4.

#### Northeast


The distributions of balanced Northeast regional effects are presented in Exhibit 8-3. The exercises falling beyond the boundaries marked by the arrows on Exhibit 8-3 and so defined as atypical, are identified in Exhibit 8-4, together with percent correct for national, adjusted percent correct for the Northeast, and the percent difference.

In general, the picture presented by the balanced data for the Northeast is similar to that provided by the unadjusted data of Report 4. At ages 9, 13, and 17 the medians are about 1% above the national medians (0.8%, 1.5%) in contrast to median effects of about 2% for the unadjusted medians. These are small but statistically reliable effects. The median for Adults in the Northeast differ from Adults in the country as a whole. The same conclusion was reached on the basis of the median of the unadjusted effects (0.7%).

Of the 18 exercises identified as atypical, all but four were also identified as atypical in the distributions of unadjusted effects, and two of these were near the line marking atypical items in the unadjusted distributions. Six of the eight exercises classified under Objective 2 show an advantage for the Northeast. In contrast, only four of the nine exercises classified under Objective 1 show an advantage. In general, then, the summary statement of Report 4 applies also to atypical exercises after adjustment: "there appears to be a tendency for the Northeast to show an atypical advantage on a higher proportion of Objective 2 than of Objective 1 exercises."

Exhibit 8-3

Distributions of Northeast regional effects, balanced,  
for all science exercises at four ages



No. of Exercises	Median
145	0.8%
122	0.8%
124	1.5%
119	0.3%

Exhibit 8-4

Exercises showing atypical effects, balanced,  
for the Northeast for all ages

Age	Exer- cise #	% Correct			Content
		North- east	Nat'l	% Dif- ference	
9	R128*	64	55	9	Sun is a star
	R153*	46	38	8	Full sink would not explain faulty faucet
	U669*	59	52	7	
	U667*	70	63	7	
	U626*	79	72	7	
	U646	45	38	7	
	U676	47	41	6	
	R134	41	46	-5	Houseflies spread serious diseases
	R135*	33	38	-5	Effect of submerged rock on water level
13	U635*	52	61	-9	
	U760*	54	42	12	
	U758*	61	49	12	
	R224	28	33	-5	Matter behaves as if made of atoms
17	R222*	30	38	-8	By natural selection, why giraffes have long necks
	U861*	38	29	9	
	R339*	80	86	-6	Reason why car engine stops
Adult	R420*	54	44	10	Function of placenta in pregnant woman
	R441*	31	48	-17	Time a pendulum's swings

\*Exercise also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

### Southeast

Distributions of balanced effects for the Southeast region are presented in Exhibit 8-5. Exercises showing atypical balanced effects for the Southeast are listed in Exhibit 8-6. As in the case of the Northeast samples, the balanced data for the Southeast tend to show a similar, if somewhat less extreme picture than the unadjusted data found in Report 4. Whereas the unadjusted median deficits were about 5%, the balanced median deficits are about 2.5%. The median balanced effects, therefore, are only half as large as the unadjusted median effects, but they are still large enough to indicate that performance in the Southeast tends to be below the national performance on science exercises.

Altogether, there are 26 science exercises identified as atypical after balancing, a number somewhat smaller than the 42 reported before balancing. Of the 26 exercises, 17 were identified as atypical before balancing and 9 were not. As in the case of the data for the Northeast, most of the fluctuations can be attributed to the influence of random sampling. There is, however, one difference between the lists of atypical exercises in the two reports worth noting. In report 4, we noted a difference in the relative frequency of exercises classified under Objective 2 exhibiting atypical advantage or disadvantage in the Southeast.

All nine of the Objective 2 exercises identified as atypical showed a disadvantage. In contrast, of the six Objective 2 exercises showing atypical effects for the Southeast after balancing, three show an advantage and three a deficit. Thus, the general tendency for Objective 2 exercises to show a greater disadvantage than Objective 1 exercises in the Southeast, as reported in Exhibit 8-2, cannot be attributed to the influence of a few atypical exercises; the effect must be a general one involving the Objective 2 exercises as a group.

### Central

Distributions of balanced effects for the Central region are shown in Exhibit 8-7, and those exercises identified as atypical after balancing are listed in Exhibit 8-8. The medians at ages 9 and 13 are less extreme than before balancing (1.0% and 1.2% in contrast to 1.6% and 1.9%, but it is still possible to say, on the basis of the balanced data, that the Central region performs about 1% better than the nation as a whole at ages 9 and 13. At ages 17 and Adult, the changes as a result of balancing are small, a reasonable result in view of the fact that the effects before balancing were small.

Exhibit 8-5

Distributions of Southeast regional effects, balanced,  
for all science exercises at four ages




Exhibit 8-6

Exercises showing atypical effects, balanced,  
for the Southeast for all ages


Age	Exer- cise #	% Correct			Content
		South- east	Nat'l	% Dif- ference	
9	R140*	24	14	10	Dead plants form coal
	U677*	40	33	7	
	U653*	26	21	5	
	U638*	61	56	5	
	R138*	39	35	4	Clearing skies follow cold front
	R154*	20	16	4	Water freezing point same as ice melting point
	R152	57	53	4	Because of vaccinations few people get smallpox
	U635	51	61	-10	
	R156*	69	79	-10	Recognize a scientific explanation
	R129	44	54	-10	Interpreting a thermometer reading
	R128	45	55	-10	Sun is a star
	U619	65	77	-12	
	U626*	58	72	-14	
	R123*	50	66	-16	What scientists learn from fossils
13	R217*	55	48	7	Burning gasoline in a car creates heat
	R227*	31	25	6	Center of memory is cerebrum
	U718	67	61	6	
	U738	45	40	5	
	R234*	53	62	-9	Balance beam—weight in pan; weight on hook
	U736	33	44	-9	
17	U816*	67	60	7	
	U840*	26	20	6	
	U861*	18	29	-11	
Adult	U960	15	29	-14	
	U920*	50	64	-14	
	U924*	39	56	-17	

\*Exercise also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

Exhibit 8-7

Distributions of Central regional effects, balanced,  
for all science exercises at four ages



Central % correct Less than National

% correct

Exhibit 8-8

Exercises showing atypical effects, balanced,  
for the Central for all ages

Age	Exer-	% Correct			Content
		cise #	Central	Nat'l	
9	U635*	69	61	8	
	RL23*	73	66	7	What scientists learn from fossils
	RL29	61	54	7	Interpreting a thermometer reading
	U640	48	53	-5	
	RL26	54	59	-5	Center of Earth is hot
	RL38*	30	35	-5	Clearing skies follow cold front
13	U758*	44	49	-5	
	U760*	36	42	-6	
17	U828*	46	39	7	
Adult	U960*	44	29	15	
	U962*	32	22	10	

\*Exercise also identified as atypical before balancing.

Note: - - - line separates atypical high from atypical low exercises.

Of the 11 exercises identified as atypical and listed in Exhibit 8-8, five show a Central disadvantage and six a Central advantage. Eight were among the twelve exercises identified as atypical in the distributions of unadjusted effects in Report 4, and three appear as atypical here for the first time. Two of the four atypical exercises classified as Objective 2 show a positive effect and two a negative. Here, even more than in the case of the effects before balancing, the general impression is one of lack of pattern. Thus, we can only note that there are some large deviations from the median without proposing hypotheses to explain the deviations.


West

The distributions of balanced effects for the West are pictured in Exhibit 8-9 and the atypical exercises are listed in Exhibit 8-10. The balancing has reduced somewhat the median effects at ages 17 and Adult (from 1.7% and 2.6% before balancing to 0.7% and 1.9% after balancing), and when these percentages are compared with the estimates of fluctuations to be expected from sample to sample, it is no longer possible to say that the performance in the West is any better than that for the country as a whole. The medians at ages 9 and 13 were not reliably different from the national performance before balancing, and the same remark applies to the medians after balancing.

Of the 13 exercises identified as atypical after balancing, 11 were so identified before balancing. When the four exercises showing an atypical advantage for the West are compared with the nine showing an atypical disadvantage, we identified no meaningful contrasts in terms of content of exercises.

Exhibit 8-9

Distributions of West regional effects, balanced,  
for all science exercises at four ages



No. of Exercises	145	122	124	119
Median	0.6%	-0.8%	0.7%	1.9%

Exhibit 8-10

Exercises showing atypical effects, balanced,  
for the West for all ages

<u>Age</u>	<u>Exer- cise #</u>	% Correct			<u>Content</u>
		<u>West</u>	<u>Nat'l</u>	% Dif- ference	
9	U640*	63	53	10	
	U647*	43	36	7	
	U667*	55	63	-8	
	U669*	44	52	-8	
13	U718	54	61	-7	
	U711*	68	76	-8	
	U728*	44	53	-9	
17	U854*	72	64	8	
	U814*	72	65	7	
	U862*	19	25	-6	
	U828*	32	39	-7	
Adult	R445*	1	11	-10	Find density of wood block using ruler - and balance
	U960	17	29	-12	

\*Exercise also identified as atypical before balancing.

Note: --- line separates atypical high from atypical low exercises.

## Chapter 9

### SEX DIFFERENCES AFTER BALANCING

Since the sexes are relatively well balanced across the other classifications, we do not anticipate and do not find any remarkable effects due to balancing. Exhibit 9-1 shows the medians for each age. Consequently, a discussion of the balanced sex differences must lead to the same general conclusions as those reached from discussion of the unadjusted sex differences, as given in NAEP Report 4. Accordingly, no further comments are necessary here.

Exhibit 9-1

Median sex differences for four ages,  
unadjusted and balanced

Median difference: Male minus female

<u>Age</u>	<u>Unadjusted</u>	<u>Balanced</u>	<u>Change</u>
9	1.8	1.4	0.4
13	2.9	2.4	0.5
17	5.0	4.0	1.0
Adult	9.9	9.2	0.7

## APPENDIX A

### METHODS

This report presents unadjusted and balanced results at four ages (9, 13, 17, and young Adults) classified in several ways--unadjusted results: relative performance of Blacks relative to Non-Blacks, five different levels of parents' education, and seven levels of size-and-type of community balanced results: Males and Females, residents of four different geographic regions of the nation as well as the three unadjusted classifications mentioned above.\* Our concern is to describe how well these groups of respondents perform on science exercises.

In the interest of clarity and ease, we want to make as few numerical comparisons as will adequately describe what we are to observe. When there are only two groups in a classification, as with sex divided into Male and Female, one numerical comparison will suffice. We need only compare one group with the other for each exercise. For sex we will use the difference

$$\text{Sex Difference} = [\% \text{ Success}]_{\text{For Males}} - [\% \text{ Success}]_{\text{For Females}}$$

For example, one exercise given at age 9 shows 76% of the Males and 68% of the Females responding successfully. Using the procedure above,

$$\text{Sex Difference} = 76\% - 68\% = 8\%.$$

Where there are more than two groups in a classification, such differences are not as simple to use. With four groups, such as four regions or four community sizes, simplicity is gained by comparing the percentage of success of respondents in each group with that in the nation as a whole. We shall call the number thus obtained an effect. One example would be

$$\text{Northeast Effect} = [\text{Northeast \% Success}] - [\text{National \% Success}]$$

\* See Report 4 for unadjusted results for Male-Female and geographic region.

For one exercise which 66% of 9-year-olds in the Northeast and 55% of all 9-year-olds answered successfully, the regional effect is

$$\begin{array}{rcl} \text{Northeast} \\ \text{Effect} & = & 66\% - 55\% = 11\% \end{array}$$

#### What Should Be Described?

For people of the same age, when we compare the performance of a group--in a geographic region or from a size of community--with all people of that age in the country, the results are different for each exercise--different, but not too different. Even though some exercises show an advantage for the group, others a deficit, there is often a clear tendency for the exercises that we are considering as a whole to lean one way or the other. We describe this tendency by reporting the typical behavior of exercises.

Since not all exercises show the same advantage or deficit for the group, description of the typical behavior of all exercises in the class is usually not enough. We can learn something more from studying individual exercises for which the group advantage or deficit differs substantially from this typical behavior. If we use an appropriate rule to identify these atypical exercises, it will be worthwhile to mention each of them individually, telling something of their nature and reporting what advantage or deficit each shows when the group is compared with the whole country. This concentration on atypical exercises is particularly helpful because exercises showing close to typical behavior are often lacking in distinctive flavor. Atypical exercises, by contrast, often tell us something.

When we deal with the two sexes, we do the same things, except we shall compare Males with Females, rather than a group with the whole country, both in terms of typical behavior and in terms of atypical exercises.

#### Classes of Exercises

Another approach to the discussion of our results is possible because the science exercises may be separated into classes by some common feature. We may investigate the behavior of the exercises for each class, and then ask how this behavior changes from one class to another.

Only a few separations into classes are considered in this report. One of these is provided by content. Most exercises call on knowledge of either physical or biological science. Another classification is provided by the four science objectives.\*

1. Know fundamental facts and principles of science;
2. Possess the abilities and skills needed to engage in the processes of science;
3. Understand the investigative nature of science;
4. Have attitudes about and appreciations of scientists, science, and the consequences of science that stem from adequate understandings.

Although other ways of classifying the exercises might be at least as useful in describing sex differences, regional effects, or community size effects, we have not found them.

#### What Shall Be Typical?

In the interest of simplicity and clarity, we choose to summarize the behavior of a set of exercises by the median (or midpoint) of the differences from national results. The median is a summary value such that an equal number of the values summarized lie on either side of it. For the 9-year-old sample --for instance, as in Exhibit 2-1, there were 145 exercises--72 exercises where the Black effect was greater than -14.5% and 72 exercises below -14.5%. Because equal numbers were more and less than -14.5%, we call -14.5% the median effect and use it to summarize all 145 effects for the Black group.

The median is an effective typical value because (1) it is easy to understand and (2) it is little affected by the presence or absence of unusual values.

\* Norris, Eleanor L. (Ed.) Science Objectives. Ann Arbor, Michigan: Committee on Assessing the Progress of Education, 1969.

### What Shall be Atypical

Only a sample of each age group responded to each exercise, yet National Assessment results are concerned with whole populations--sometimes with all 9-year-olds in the country, sometimes with all 13-year-old boys, sometimes with all 17-year-olds in the Northeast, sometimes with all Adults in small cities and so on. Thus there must always be a step from sample to population in interpreting National Assessment results, allowing for the inescapable small differences between sample results and population facts. This inevitably raises statistical considerations--considerations which ought to guide our approaches, our exposition, and our statements without interfering excessively with the reporting and discussion of results.

The samples taken in National Assessment were well designed scientific probability samples. As a result, it would be possible to assess how large the differences between sample value and population value are likely to have been for almost any quantity we chose to calculate from the results--for example, a Black effect. Results of such calculations have guided the choices in this report of how large a departure from typical (medium) behavior qualifies an exercise for separate consideration. Appendix C discusses considerations involved in, and the exact nature of, this choice.

The chosen rule sets cutoffs determining which comparisons we call atypical. The cutoffs found by applying the chosen rule are shown by two arrows on each picture of the distribution of comparisons. Exercises corresponding to comparisons outside these cutoffs are discussed individually.

## APPENDIX B

### BALANCING

#### Purpose

This is the first of the NAEP reports to look at more than one characteristic of respondents at a time. We try to reduce the extent to which effects of one characteristic can masquerade as effects of another characteristic.

#### Proportionate Numbers Create No Problems

We first look at some simple examples of what can -- and, in appropriate circumstances, must -- happen. Assume that we are assessing the effects of one characteristic that classifies respondents into groups A, B and C and of another characteristic that classifies respondents into either group U or V. The two characteristics combined to form six combination subgroups, AU, AV, BU, BV, CU, CV. For our first set of examples, we assume that the numbers of respondents in each of these six subgroups are as shown in the upper left corner of Exhibit B-1. (The first three examples all use this same distribution of supposed observations.) Note that, for every group on the first characteristic (A, B and C), representation from group U stands in a fixed proportion to that from group V. Also note that we have proportionate numbers from groups A, B and C in both groups U and V.

In example 1, every U subgroup -- whether it is AU, BU or CU -- has 60% success, and every V subgroup -- whether it is AV, BV, CV -- has 40% success. Since the AU subgroup is of size 100 and has 60% success, it includes 60 successes (60% of 100). The numbers of successes for the other five subgroups are calculated similarly. To find the total number of successes for all of group U, we have only to add up the number of successes for each of the three subgroups in U, finding  $60+120+180=360$ . Similarly, we add to find the total number of respondents in group U,  $100+200+300=600$ . The unadjusted percentage of success in group U is then  $360/600=60\%$ . When we do the same for group V and, as well, for groups A, B, C (defined by the other characteristic), we find very satisfactory results. Group U has a percentage of success that is 12% better than the overall percentage of success, 48%. Group V has a percentage of success that is 8% poorer than the overall percentage of success. No difference appears among groups A, B and C. Thus, in this

**Exhibit B-1**

Some examples of simple behavior when  
the numbers of cases are proportional

**Example 1**

	# of cases		% of success		# of successes					
	U	V			U	V				
A	100	150	250	60%	40%	A	60	60	120	48%
B	200	300	500	60%	40%	B	120	120	240	48%
C	300	450	750	60%	40%	C	180	180	360	48%
	600	900	1500				360	360	720	
							60%	40%	48%	

**Example 2**

	# of cases		% of success		# of successes					
	U	V			U	V				
A	100	150	250	40%	40%	A	40	60	100	40%
B	200	300	500	50%	50%	B	100	150	250	50%
C	300	450	750	60%	60%	C	180	270	450	60%
	600	900	1500				320	480	450	
							53.3%	53.3%	53.3%	

**Example 3**

	# of cases		% of success		# of successes					
	U	V			U	V				
A	100	150	250	50%	30%	A	50	45	95	38%
B	200	300	500	60%	40%	B	120	120	240	48%
C	300	450	750	70%	50%	C	210	225	435	58%
	600	900	1500				380	390	770	
							63.3%	43.3%	51.3%	

case, the percentages in the five marginal totals that correspond to simple unadjusted results are completely consistent with the percentages for the six subgroups that generate the data.

Example 2 shows how differences between A, B and C, given proportionate numbers in the subgroups, will appear as of the proper size when computed as above. In this example, the difference between U and V is zero.

Example 3 is a little more complex. It assumes that each U subgroup does 20% better than the corresponding V subgroup, but that there are also differences when we change from C to B or B to A. Again directly computing results from the groups (A, B, C, U, V) causes no trouble. The overall success is 51.3%. The percent of success for group A is 38%, that is, 13.3% below the total percent of success. The percent of success for group U is 63.3, that is, 12% above the total percent of success. And when we add together the three effects, we obtain the percent of success for the AU subgroup, i.e.,  $51.3\% - 13.3\% + 12.0\% = 50\%$ . The result of combining the effects for any of the other combinations is equally consistent. This consistency is something special; it depends essentially on the sizes of the six subgroups being proportional.

#### Disproportionate Numbers Can Make Trouble

We now turn to a different set of examples, where the numbers of respondents are not proportional within the categories. The upper left-hand corner of Exhibit B-2 shows the new pattern.

Example 4, shows the same pattern for percent of successes as Example 1 where there is no difference between A, B and C within levels U and V and equal differences between U and V at each level of A, B and C. Thus, in this example the marginal totals accurately reflect the difference between the U and V subgroups but they give quite an erroneous picture of the A, B and C effects. By examining the distribution of the number of cases it is evident that the marginal (unadjusted) ratio of successes to cases for category C is in actuality measuring the effect of V. Thus, in this example, one variable masquerading for another has affected the unadjusted estimates of the effects of the A-B-C categories. This would not be apparent if we had not simultaneously looked at both the A-B-C and U-V classifications. Given disproportionate numbers, the true difference between U and V both appears as itself and masquerades as differences among A, B and C.

Exhibit B-2  
 Some examples of simple behavior  
 when the numbers are disproportionate

Example 4

	# of cases		% of success		# of successes		U	V	50%	
	U	V	60%	40%	A	B				
A	100	100	200		60%	40%	A	60	40	100
B	50	150	200		60%	40%	B	30	60	90
C	0	200	200		60%	40%	C	--	80	80
	150	450	600				90	180	270	
							60%	40%		45%

Example 5

	# of cases		% of success		# of successes		U	V	40%	
	U	V	40%	40%	A	B				
A	100	100	200		40%	40%	A	40	40	80
B	50	150	200		50%	50%	B	25	75	100
C	0	200	200		60%	60%	C	--	120	120
	150	450	600				65	235	300	
							43.3%	52.2%		50%

Example 6

	# of cases		% of success		# of successes		U	V	40%	
	U	V	50%	30%	A	B				
A	100	100	200		50%	30%	A	50	30	80
B	50	150	200		60%	40%	B	30	60	90
C	0	200	200		70%	50%	C	--	100	100
	150	450	600				80	190	270	
							53.3%	42.2%		45%

Example 5 shows how differences among A, B and C can masquerade as differences between U and V. Example 6 shows how each of two sets of real differences can both appear for themselves and masquerade as the other.

In none of these examples do we obtain the percent of success for the subgroups by combining the overall effect, and the unadjusted group effects as we did when the numbers of cases were proportional. Thus, in Example 6, the overall percent of success is 45, the A effect is 5% lower and the U effect is 8.3% higher, and when we add we get  $45\% - 5\% + 8.3\% = 48.3\%$ , not 50% as we would like. However, if we assume an A effect of -10%, a B effect of 0%, a C effect of +10%, a U effect of +15% and a V effect of -5%, then the combinations are consistent. For example,  $45\% - 10\% + 15\% = 50\%$  for the AB combination and  $45\% + 10\% - 5\% = 50\%$  for the CV combination. It has been possible, then, to find a set of effects that has removed the distortion due to disproportionate numbers in the subgroups, at least in this instance where the group effects are the same from one subgroup to another.

#### The Need

Disproportionate numbers in real population groups produce the problem that we have been discussing. For example, a larger fraction of Blacks are found both in the Inner City and in Rural Areas. Larger fractions of Blacks also have low parental education. When we look at the whole group of Black children, some of the deficit shown by the group comes from effects characterizing Inner Cities or Rural Areas and some from the effects of lower parental education.

We should do what we can to see through this sort of confusion. It was possible to adjust the data in Example 6 simply by inspecting the patterns of percentages for the six subgroups. These patterns, however, were based on hypothetical data. In real data there are often complex effects for combinations in the subgroups over and above the group effects. Furthermore, the hypothetical data of Example 6 involved only two characteristics. In real data there are often more than two characteristics involved, and the simple inspection technique that we used in finding the relationships in Example 6 will no longer work. There are, however, a number of ways to carry out computations that can help to reduce the distortion due to disproportionality. We next state the intended result of the calculation, then we say how we go about obtaining it.

### A Balanced Fit

We intend to find group effects (expressed in percentages) that, when combined by addition with each other and with the overall percentage of success, give fitted percentages of success that correspond with the actual data in one simple way:

--if we choose any group by a single characteristic, say group A in Example 6, and if we use the fitted percentages and the actual numbers of cases to calculate the number of successes for each subgroup that involves group A, and if we then add these calculated numbers of successes, the total number of successes over all subgroups will be the same as the total actually observed in the data.

Suppose, for example, that we have 600 cases distributed as in the upper left of Exhibit B-3 and that the total number of successes (270) is distributed among groups A, B, C, U, and V as shown in the upper right of Exhibit B-3. The overall percentage of success is  $270/600$  or 45%. Now, if we let A, B, C, U and V stand for the five group effects (in percentages), our definition of balancing says that the fitted number of successes in the AB subgroup may be represented by  $100(45\% + A + U)$ , the fitted number of successes in the AV subgroup is  $100(45\% + A + V)$ , and the number of fitted successes in both subgroups by the sum of these two. Moreover, the definition says that this sum must be equal to the number of successes actually observed, which is 80. Thus, we can write the equation  $100(45\% + A + U) + 100(45\% + A + V) = 80$ . We can also write four other equations, two for the rows involving groups B and C and two for the columns involving groups A and U, as illustrated in the middle section of Exhibit B-3. If we try to solve these five equations for the five effects, however, we find that we are not able to obtain a unique solution. The equations are not independent since the three equations for the rows must sum to the overall total of 270 and likewise the two equations for the columns. We have only three independent equations, two for the rows and one for the columns, and we need two additional independent equations in order to find a single solution.

There is an additional requirement established by our definition. Overall, the effects of A, B and C must balance each other since all that is left is the overall effect; likewise, the effects of U and V must balance each other. This means that we can write two additional equations based on the numbers of cases in the margins of our table. These are:

Exhibit B-3

An example of the procedure used in  
obtaining a balanced fit

Example 7

# of cases				# of successes	
	U	V		U	V
A	100	100	200	A	80
B	50	150	200	B	90
C	0	200	200	C	100
	150	450	600		
				80	190
					270

The representation of the fitted successes in the sub-groups

Sub-group	Representation
AU	$100(45\% + A + U)$
AV	$100(45\% + A + V)$
BU	$50(45\% + B + U)$
BV	$150(45\% + B + V)$
CU	0
CV	$200(45\% + C + V)$

Equations

Combination

$$\begin{aligned}
 AU + AV & \quad 100(45\% + A + U) + 100(45\% + A + V) = 80 \\
 BU + BV & \quad 50(45\% + B + U) + 150(45\% + B + V) = 90 \\
 CU + CV & \quad 200(45\% + C + V) = 100 \\
 AU + BU + CU & \quad 100(45\% + A + U) + 50(45\% + B + U) + 0 = 80 \\
 AV + BV + CV & \quad 100(45\% + A + V) + 150(45\% + B + V) + 200(45\% + C + V) = 190 \\
 A + B + C & \quad 200(A + B + C) = 0 \\
 U + V & \quad 150U + 450V = 0
 \end{aligned}$$

The solution

A effect = - 10%  
 B effect = 0%  
 C effect = + 10%  
 U effect = + 15%  
 V effect = - 5%

150(45% + U) + 450(45% + V) = 270  
and  
200(45% + A) + 200(45% + B) + 200(45% + C) = 270  
and these reduce to  
 $150V + 450V = 0$   
and  
 $200A + 200B + 200C = 0$

If we then use these two last equations along with any two of the three equations based on the rows and any one of the two equations based on the columns, we have five independent equations and five unknowns that can be solved for the five unique balanced effects. The solution gives the values in the lower part of Exhibit B-3, and it is observed that the solution is the same as we obtained in Example 6.

It is easy to look at this example and say, "Ah, I see. This example is the same as Example 6, and the balanced fit reproduces the number of successes in each subgroup exactly". Notice, however, that in Example 7 there are no numbers of successes given for the subgroups. It is true that the balanced fit of Example 7 does produce an exactly matching fit to the actual data of Example 6, but it is also a balanced fit to data that have different frequencies of success in the subgroups. Exhibit B-4 shows several patterns of successes all having the same balanced fit.

Balancing does not remove all the complications from the data. It does strip off the concealment involved in masquerades caused by disproportionate numbers.

#### More General Cases

We have considered only two characteristics, one with two groups, the other with three. The same technique extends to more groups. Extensions to more characteristics involve more complicated equations, but the interpretations are equally straightforward, so long as we realize that what we balance are the number -- or equivalently the percents -- of success for all groups defined by any single characteristic (and not necessarily for any subgroup defined by two or more characteristics).

- If, as in this report, we balance
  - sex, two groups
  - color, three groups (including unascertained)
  - region, four groups
  - education, five groups (including unascertained)
  - size and type of community, seven groups

we have taken a long step to reduce masquerading. But it

Exhibit B-4

Examples of possible observations  
leading to the same balanced fits

The pattern of number of cases (for all examples)

	U	V	
A	100	100	200
B	50	150	200
C	0	200	200
	150	450	600

Some alternative patterns of numbers of successes

	U	V	
A	50	30	80
B	30	60	90
C	--	100	100
	80	190	270

	U	V	
A	40	40	80
B	40	50	90
C	--	100	100
	80	190	270

	U	V	
A	70	10	80
B	10	80	90
C	--	100	270
	80	190	270

	U	V	
A	80	0	80
B	--	90	90
C	--	100	100
	80	190	270

Remark

Since the numbers of successes for the A, B, C, U, V single-characteristic groups are 80, 90, 100, 80, 190 for each of the four examples, the fit of Exhibit B-3 is a balanced fit for each pattern.

would be wrong to think that we have gone the whole way, for:

- we have not yet used all, merely most, of the characteristics that were collected
- we have only used these characteristics in a rather limited way (we could have used more than four regions, more types of communities, final classifications of years of school completed, for instance)
- we know that the overt characteristics are less than perfect measures of the variables that should concern us (years of school is a less-than-perfect measure of parental education, which is itself a less-than-perfect measure of either home attitude toward education or available aid in homework)
- there are other characteristics of importance, e.g., economic status, that were not measured.

The deficiencies of balancing are clear; it cannot be the final answer. But the step from unadjusted comparisons to balanced ones is a long step from outward appearance toward -- toward, not to -- inward realities. The problem facing the schools is usually better shown by unadjusted values; the effectiveness of the educational process for a group is often better indicated by balanced results.

## APPENDIX C

### CHOOSING THE CUTOFFS

Our observed percentages of success are based on samples, but our interest is in whole populations. Thus our information is always less than complete. As a result, conclusions stated either in numbers or in words are approximate rather than exact, slightly blurred rather than sharp. Whatever rule we choose to fix the cutoffs, and thus to decide which comparisons are atypical and worth serious consideration, the performance of that rule will be less than perfect.

However we choose a cutoff rule, there will be some chance that an exercise whose population value is typical or close to typical will have a sample value classed as atypical by our rule. The more one tries to avoid this by stiffening the rule, thus calling fewer exercises atypical, the more often sample values will fail to be recognized as atypical when their population values are far from typical. This is a general problem that arises whenever sample results (including differences and effects) are examined in detail.

In choosing a rule, we must take account of these two kinds of unfortunate consequences. We may also need to consider what sizes of differences or effects are likely to be practically meaningful. Besides discussing individual exercises, we want to discuss the groups of exercises found atypical in a given direction. Our choice of cutoffs affects our ability to describe such groups. The rule whose details are given below was chosen with some attention to all these considerations.

#### Variances and Standard Errors

The samples drawn for the first assessment, both in and out of school, involved careful designs in which the country was divided into areas called strata. For each exercise, results were obtained for two groups of respondents in each stratum.\*

\* The two groups come from two "primary sampling units" in each stratum. (See Appendix C of NAEP Report No. 1.) Because of the existence of planned half strata and the loss of some primary sampling units, losses that were duly allowed for in the estimation procedure, it was necessary to "collapse" a few pairs of strata by combining two original strata in one stratum for the purpose of assessing sampling variability.

To assess sampling variability, it is necessary to estimate a suitable measure of how far the results of the 1969-70 administration of a science exercise would have varied had different groups of respondents been selected in any or all strata. Our concern has to be with other possible selections according to the same random procedures used in the actual administration.

In this situation, the use of two groups of respondents per stratum allows us to calculate an estimate of such a measure of variability, the sampling variance, defined as the average square of the difference in result between a single administration and the average result for all possible administrations.

In this report, our immediate concern is with the estimated sampling variance of sex differences, regional effects, and size-of-community effects. It is equally useful to look at the standard errors of these comparisons, defined as the square roots of the estimated sampling variances.

These estimated sampling variances or standard errors will vary from one exercise to another for several reasons, including:

1. Different sample sizes for some exercises. (The time-consuming apparatus exercises were given to fewer respondents. Certain other exercises were excluded in a few jurisdictions. Shortness of class periods occasionally caused omission of later exercises.)
2. The automatic decrease in variance accompanying very easy or very hard exercises.
3. Larger or smaller differences in the sizes of actual school-to-school differences. (In some cases these presumably reflect the greater or lesser effect or extent of curriculum variations.)
4. Sampling variations inevitable in the process of estimating sampling variability.

For reference, Appendix E presents estimated standard errors for effects, both unadjusted and adjusted, for each science exercise classified by objective.

### Kinds of Cutoffs

If we wanted to look at results only for individual exercises, it would be natural to compare each deviation (whether from zero or from a typical comparison) with a suitable multiple of the standard error available for that deviation. Doing this would correspond, in terms of cutoffs, to using a separate cutoff for each exercise. This would have been quite possible by using the estimated standard errors given in Appendix E. However, it was felt that this would involve more details and complications than would be warranted by the likely gains. (The interested reader can use Appendix E as a basis for his own experiments with this type of analysis.)

Instead, the choice was to use a single pair of cutoffs for each class of exercises considered in the report. To do this, it was necessary to combine standard errors or estimated sampling variances across exercises. For this purpose, it is appropriate to use a combined standard error, which is the square root of a combined estimated sampling variance, this latter being the arithmetic mean of the estimated sampling variances for the exercises involved.

### Size of Cutoffs

The easiest way to use the combined standard error to fix the cutoffs is to start from the corresponding median and lay off a suitable multiple of the combined standard error on either side. If the multiple is large, very few exercises will be falsely called atypical, but we will fail to take advantage of the information provided by intermediate deviations.

There are circumstances under which we might be able to make good use of quite small multipliers, even fractions. When comparing one subclass of exercises well below the median with another subclass of exercises well above the median, larger subclasses could be helpful, so helpful as to outweigh the fact that a substantial fraction of each subclass would fall in that subclass purely by accident.

A multiplier of about 2 is conventional for many purposes. This choice leads to about 5% of all items entering one distinctive subclass or the other purely by chance. Since we deal with classes of about 120 exercises (and since 5% of 120 is six), this would mean an average of about 3 "atypically high" exercises and about 3 "atypically low" exercises purely by chance. Thus this choice seemed

more likely to confuse the picture than to clarify it.

Another practical detail should concern us. Our exhibits show only the integer percentage for a difference or effect. Thus all comparisons between 3.0 and 3.9 are shown as 3, for example, if our cutoffs are to be simply related to our pictures, they should fall at the end of such a range. (A cutoff between 2.9 and 3.0 or one between 3.9 and 4.0 is easily pictured and used. One between 3.4 and 3.5, or at 3.74, is not.)

As a result, it was decided to set the cutoffs in the following way:

1. start from the median comparison for all the exercises involved,
2. move up and down distances equal to 2.5 times the combined standard error,
3. move further in each direction until the cutoff divides one integer-percent range from the next.

Thus if the median were -1.7% and the combined standard error were 1.9%, we would find first

$$(2.5)(1.9\%) = 4.75\%$$

then

$$-1.7\% - 4.75\% = -6.45\% \text{ and } -1.7\% + 4.75\% = 3.05\%$$

and then place the arrows between the intervals

$$-7.9 \text{ to } -7.0 \text{ and } -6.9 \text{ to } -6.0$$

on the low side and between the intervals

$$3.0 \text{ to } 3.9 \text{ and } 4.0 \text{ to } 4.9$$

on the high side (i.e., locate the whole percentage interval containing the computed cutoff point, then place the cutoff arrows at the point dividing that interval from the adjusted interval furthest from the median.)

For each class of rather more than 100 exercises, an average of perhaps one or two exercises can be expected to fall outside these cutoffs because of sampling fluctuations. (The smaller sample sizes for apparatus exercises can increase these numbers somewhat.) A substantial number of exercises that we might have liked to consider atypical will of course fail to be recognized as such. Some such compromise is, however, necessary.

116

APPENDIX D  
DEFINITION OF TERMS

The major reporting categories used in this report are:  
Age, Region, Size and Type of Community (STOC), Sex,  
Color, and Parents' Education.

1. Age: Four age levels were assessed. Three of these were in-school--9, 13, and 17-year-olds; and two--17s and young Adults--were out-of-school, sometimes referred to as the household sample. The criteria used or the operational definitions of the four ages are as follows:

9s--Born between 1/1/60 and 12/31/60  
13s--Born between 1/1/56 and 12/31/56  
17s--In-school: Born between 10/1/51 and 9/30/52  
Out-of-school: Born between 10/1/50 and  
9/30/51 and not enrolled in school in March '68  
OR born between 10/1/51 and 9/30/52 and not  
enrolled in school in March 1969.  
young Adults--Born between 7/1/33 and 6/30/43

2. Region: Four geographical regions are being used for all age levels--Northeast, Southeast, Central and West. The states falling in each of these four regions, for reporting purposes, are as follows.

<u>Northeast</u>	<u>Southeast</u>	<u>Central</u>	<u>West</u>
Del.	Ala.	N.D.	Hawaii
Maine	Ark.	S.D.	Alaska
N.H.	Fla.	Iowa	Idaho
Vt.	Ga.	Kansas	Mont.
D.C.	Ky.	Minn.	Wyo.
Md.	La.	Mo.	Utah
N.J.	Miss.	Neb.	N.M.
N.Y.	N.C.	Ill.	Nev.
Conn.	S.C.	Ind.	Cal.
Pa.	Tenn.	Mich.	Ore.
Mass.	Va.	Ohio	Wash.
R.I.	W. Va.	Wis.	Ariz.
			Colo.
			Tex.
			Okla.

This classification is that used by the Office of Business Economics, Department of Commerce; the names for regions used by the OBE differ from National Assessment names for three regions:

<u>National Assessment</u>	<u>OBE</u>
Northeast	Northern Atlantic
Southeast	Southeast
Central	Great Lakes and Plains
West	West and Northwest

3. Size and Type of Community (STOC): Previous National Assessment reports have given results for four sizes of community (SOC): Big Cities, Urban Fringe, Medium Size Cities, and Smaller Places. These are defined in National Assessment Reports 4, 5, and 6. This (Report 7) and subsequent reports integrate three "extreme types of community," each composed of approximately 10% of the population, with four sizes of community representing the remaining 70% of the population into a seven-category STOC classification.

NOTE: The four "size of community" categories within the STOC classification are not equivalent to the four "size of community" categories within the SOC classification used in previous reports since the latter did not have the three "extreme types of community" extracted from them.

The definitions of the extreme types of community were derived from an occupation question for both the in-school and out-of-school samples (see Exhibit D-1).

By classifying schools rather than counties, it was possible to identify much more uniform groups. One extreme group was selected in each of the three directions indicated by the exploratory analysis: (1) schools where high proportions were factory or professional workers, (2) city schools where a high proportion of parents were either not regularly employed or on welfare, and only a low proportion were professional or managerial, (3) near-city and city schools where a high proportion of parents were professional or managerial and only low proportions were factory or farm workers, not regularly employed or on relief.

Smaller extreme groups would have been more extreme; larger extreme groups would have had better determined

Exhibit D-1

Correspondence between in- and out-of-school occupation categories

<u>Principal's questionnaire categories</u>	<u>Code</u>	<u>Out-of-school and adult categories (from DS Manual)</u>
Professional or managerial personnel	A	Professional, technical, and kindred Managers, officials, proprietors (except farm)
Sales, clerical, technical, or skilled workers	B	Clerical and kindred Sales workers Craftsmen, foremen, and kindred
Factory or other blue collar workers	C	Operative and kindred Service workers, private household, and other Other laborers
Farm workers	D	Farmers and farm managers Farm laborers and foremen
Not regularly employed On welfare	E F	Unemployed
	00	Unclassified

119

percentages of success. The sizes of the three extreme groups, close to 10% of all those assessed, were chosen as a compromise between more extremeness and better determination. (Capital letters, below, represent codes for categories in Exhibit D-1.)

- STOC 1. Extreme Rural: D - (C + 2A) in %. This category represents 9.6% of all respondents extracted from three of the four old SOC categories as follows:

Urban Fringe: 0.4% -- Population less than 3,500 and all counties near a big city within the same Standard Metropolitan Statistical Area (SMSA).

Medium Size City: 1.7% -- Population less than 3,500 and all counties within the same SMSA as a Medium Size City and not in a Big City county.

Smaller Places: 7.5% -- Population less than 3,500.

- STOC 2. Extreme Inner City: (E + F) - A in %. This category represents 9.9% of all respondents extracted from three of the four old SOC categories as follows:

Big City: 8.5% -- Population greater than 200,000 and low Socio-Economic Status (SES) within the city limits.

Urban Fringe: 0.5% -- Population greater than 150,000 and low SES near a big city and within the same SMSA.

Medium Size City: 0.9% -- Population from 150,000 to 200,000 and low SES within the same SMSA as a city with a population from 150,000 to 200,000.

- STOC 3. Extreme Affluent Suburb: A - (C + D + E + F) in %. This category represents 10.0% of all respondents extracted from three of the four old SOC categories as follows:

Big City: 2.9% -- Population greater than 200,000 and high SES within the city limits.

Urban Fringe: 5.4% -- Population greater than 150,000 and high SES near a big city

and within the same SMSA.

Medium Size City: 1.7% -- Population from 150,000 to 200,000 and high SES within the same SMSA as a city with a population from 150,000 to 200,000.

- STOC 4. Inner City Fringe: This category represents 11.8% of all respondents and replaces the old Big City category. Population greater than 200,000 and middle SES within the city limits.
- STOC 5. Urban Fringe: This category represents 16.7% of all respondents and replaces the old Urban Fringe category. Population from 150,000 to 200,000 and middle SES; population from 3,500 to 150,000 and all SES's.
- STOC 6. Medium-Size City: This category represents 21.4% of all respondents and replaces the old Medium-Size City category. Population 150,000 to 200,000 and middle SES; and all SES's in the same SMSA containing a city with a population from 25,000 to 200,000.
- STOC 7. Small City: This category represents 20.7% of all respondents and replaces the old Smaller Places category. Population between 3,500 and 200,000 and all SES's.
4. Sex: Data are reported for Males and Females.
5. Color: Data are reported for Blacks and Non-Blacks. Color classification was based on observation of the respondent at the time of the administration by the field staff member who administered the package.
6. Parents' Education: All data are reported in terms of the highest level of education of either parent or guardian of a 17-year-old respondent. Parents' Education is reported as follows:
- Level 1. Less than or equal to 8th grade
  - Level 2. More than 8th grade but not a high school graduate
  - Level 3. Graduated from high school
  - Level 4. Some formal education beyond high school

## APPENDIX E

### NATIONAL PERCENTAGES OF SUCCESS, EFFECTS AND STANDARD ERRORS FOR REGION, SEX, SIZE AND TYPE OF COMMUNITY (STOC), COLOR AND PARENTS' EDUCATION--UNADJUSTED AND BALANCED--FOR RELEASED AND UNRELEASED EXERCISES BY OBJECTIVE

Data on the percentage of success, effects, and standard errors of effects (unadjusted and balanced) for each Science exercise are shown for the four ages--9, 13, 17 and Adult. Within each age group they are identified as released or unreleased exercises by a three-digit number preceded by an R (released) or a U (unreleased) as follows:

<u>Age</u>	<u>Released</u>	<u>Unreleased</u>
9	R100's	U600's
13	R200's	U700's
17	R300's	U800's
Adult	R400's	U900's

(All released exercises are reproduced in NAEP Report 1.)

The exercises are listed according to Objective 1 first, followed in turn by exercises for Objectives 2, 3 and 4. For each objective, the released (unreleased) exercise numbers are assigned in order from highest to lowest percentage of National success. Thus, within each age the exercises are divided into two main groups--released and unreleased--with the exercises listed in order of decreasing National success within each objective.

In this appendix, the first line corresponding to each exercise shows the identifying number, National percentage of success, and for released exercises, a short description of the exercise content. The next four lines show the unadjusted effects and standard errors and the balanced effects and standard errors, respectively, for the five classifications of respondents included in this report (Region, Sex, STOC, Color and Parental Education). Exercises which overlap other exercises at other ages are listed in Appendix C of Report 4. Identification of physical and biological science classifications are also included in Appendix C of Report 4.

NATIONAL PERCENTAGE OF SUCCESS, AND EFFECTS FOR REGION, SEX, COLOR AND EDUCATION FOR RELEASED AND UNRELEASED SCIENCE EXERCISES GROUPED BY OBJECTIVE.

AGE 9

OBJECTIVE:	EXERCISE:	REGION	SEX	SIZE AND TYPE OF COMMUNITY						COLOR			HIGH SCHOOL EDUCATION									
				EXTRABR		INNER	EXTREME	INNER	URBAN	SMALL	NON	SOME	GRADUATED	POST	UNKNOWN							
				MALE	FEMALE	BURAL	CITY	APP.	SUB.	PRINCE	CITY	CITY	CITY	CITY	POST UNKNOWN							
1	E101 NATL # 93.6	A human baby comes from its mother's body.																				
2	OBJD EFFECT	1.9	-7.1	2.6	1.2	0.3	-0.3	-6.5	-7.4	2.6	2.0	-0.2	-1.1	2.2	-10.6	-5.9	-4.6	-2.8	-0.1	3.1	-1.5	
3	STD ERROR	1.2	-1.8	1.2	0.8	0.8	0.8	8.6	1.5	2.6	1.7	1.0	1.1	0.5	2.3	2.8	6.7	2.7	1.0	0.8	0.9	
4	BAL EFFECT	0.7	-5.2	2.0	1.5	0.1	-0.1	-3.0	-1.0	0.3	1.6	0.8	0.1	-0.5	1.8	-7.5	-6.7	-2.5	-2.0	-0.1	2.1	-1.1
5	STD ERROR	1.2	1.8	0.9	1.2	0.7	0.7	3.4	3.6	2.7	1.6	1.1	1.0	0.4	2.8	2.5	3.8	2.7	1.0	0.7	1.0	
6	E102 NATL # 92.8	A stick needs to be dry in order to burn.																				
7	OBJD EFFECT	1.1	-7.5	2.1	1.9	0.3	-0.3	-7.0	-12.9	-1.3	1.5	3.1	2.8	0.9	2.5	-12.3	-6.8	-6.5	-0.8	1.6	3.1	-2.9
8	STD ERROR	1.1	-1.8	1.0	0.5	0.5	0.5	3.1	3.1	3.0	1.6	1.0	1.0	1.3	0.4	2.0	2.9	3.7	1.6	0.9	0.8	0.6
9	BAL EFFECT	-0.0	-5.0	1.7	2.1	0.4	-0.2	-5.0	-6.9	-1.7	1.9	0.3	2.4	1.5	1.7	-6.4	-8.9	-8.8	1.5	1.2	2.1	-2.4
10	STD ERROR	1.0	1.5	0.9	1.0	0.5	0.5	2.9	3.7	2.4	1.6	1.0	0.8	1.1	0.4	2.0	2.5	3.5	1.8	0.9	0.7	0.9
11	E103 NATL # 92.8	Teeth are brushed to keep them from decaying.																				
12	OBJD EFFECT	1.1	-3.8	1.3	0.6	-0.9	0.8	-5.2	-11.8	1.7	-2.7	3.5	-0.4	1.4	2.4	-10.5	-8.3	-10.4	-3.8	2.3	3.0	-2.2
13	STD ERROR	1.1	1.6	1.2	1.2	0.5	0.5	5.1	4.2	2.1	3.1	1.4	1.4	1.3	0.5	2.1	3.1	6.9	3.1	1.0	0.9	1.1
14	BAL EFFECT	-0.1	-2.1	0.5	1.3	-1.1	1.0	-2.0	-6.4	-0.2	-2.1	1.9	-0.7	1.3	1.8	-7.8	-7.0	-8.5	-3.2	2.1	2.3	-1.8
15	STD ERROR	1.1	1.2	1.3	1.2	0.5	0.5	3.2	4.6	2.5	2.8	1.4	1.3	1.0	0.5	2.1	3.3	6.1	2.9	1.0	0.9	0.9
16	E104 NATL # 91.3	Iron cannot be burned in an ordinary fire.																				
17	OBJD EFFECT	2.8	-3.1	1.6	-2.0	-0.7	0.8	-0.0	-28.0	7.3	-1.4	-0.6	2.8	1.9	3.8	-15.7	-8.3	-13.0	-0.3	1.8	3.4	-1.5
18	STD ERROR	1.8	2.1	1.3	1.2	0.6	0.6	3.7	3.7	0.9	3.0	1.5	1.5	1.5	0.6	3.0	8.3	4.6	3.2	1.2	0.8	1.1
19	BAL EFFECT	2.5	-3.1	-0.1	0.8	-0.8	0.8	2.2	-18.4	8.0	-0.6	-2.1	1.6	2.9	2.6	-10.8	-18.1	-6.8	0.3	1.7	2.0	-2.4
20	STD ERROR	1.0	1.3	1.1	1.4	0.6	0.6	2.2	3.4	0.8	2.9	1.5	1.2	1.2	0.4	2.5	3.8	4.0	2.1	1.1	0.7	0.9
21	E105 NATL # 90.8	Bees get their food (nectar) from flowers.																				
22	OBJD EFFECT	0.2	-4.9	2.4	1.5	0.2	-0.2	-1.1	-22.5	6.9	-6.2	6.3	-1.3	3.2	3.4	-20.3	-7.3	-11.0	1.3	1.6	4.0	-4.5
23	STD ERROR	1.6	2.2	1.3	1.4	0.6	0.6	3.9	3.4	1.2	2.7	1.4	1.7	1.5	0.7	2.5	3.4	3.2	2.5	1.2	0.9	1.2
24	BAL EFFECT	-1.0	-1.8	0.8	1.7	-0.2	0.2	0.4	-13.4	6.3	-3.0	2.7	-1.5	2.2	2.6	-15.2	-8.4	-8.4	3.1	1.6	2.5	-3.8
25	STD ERROR	1.3	1.4	1.1	0.9	0.6	0.6	2.4	3.0	1.2	2.3	1.2	1.3	1.4	0.6	2.5	3.6	3.2	2.5	1.0	0.9	1.0
26	E106 NATL # 88.6	Thick dark-gray clouds are more likely than others to bring rain on a summer day.																				
27	OBJD EFFECT	0.9	-3.9	3.6	-1.7	1.3	-1.3	-9.2	-18.1	6.0	-8.8	5.0	2.0	2.1	3.3	-19.8	-7.6	-11.2	-0.3	-0.7	3.8	-22.5
28	STD ERROR	1.5	2.3	1.4	1.7	0.8	0.8	3.2	3.5	2.3	3.4	1.6	1.5	1.6	0.7	2.3	3.8	8.4	2.8	1.4	1.5	1.2
29	BAL EFFECT	-0.9	-0.3	2.6	-2.0	1.0	-1.0	-7.8	-9.4	1.4	-3.7	4.0	1.0	2.3	1.6	-15.1	-2.8	-8.8	1.9	-0.8	2.5	-1.7
30	STD ERROR	1.3	1.6	1.3	1.5	0.7	0.7	3.5	3.4	2.5	2.7	1.6	1.1	1.5	0.6	2.8	3.9	4.4	2.7	1.4	0.9	1.3

ERER: R107 MATL # 88.3 Soaking with water is generally a good way to put out a wood fire.

UNADJ EFFECT	0.6	-1.5	2.7	-2.3	2.8	-2.8	-15.0	2.7	-0.1	1.0	0.3	2.8	2.7	-12.9	-12.0	-2.2	-5.3	1.1	1.9	-1.8	
STD ERROR	1.7	2.5	1.6	1.8	0.8	0.8	3.1	9.1	2.6	1.7	2.1	2.2	0.6	2.8	3.2	3.7	3.8	1.5	0.9	1.3	
BAL EFFECT	-0.3	0.4	1.3	-1.5	2.2	-2.3	-0.8	-7.1	0.8	-0.5	-0.5	-0.3	1.8	2.3	-11.0	-9.6	-0.3	-8.1	0.6	0.9	-0.7
STD PRROR	1.5	2.1	1.4	1.6	0.9	0.9	2.6	9.4	3.0	2.3	1.5	1.8	2.0	2.7	3.7	3.6	3.3	1.4	0.8	1.2	

ERER: R108 MATL # 87.6 Protein is important in building good muscle.

UNADJ EFFECT	2.8	-8.3	3.1	-3.6	0.7	-0.9	-13.2	-18.2	7.2	-2.8	8.6	0.1	0.3	2.8	-9.9	-16.6	-9.0	-0.4	2.7	5.2	-5.8
STD ERROR	1.3	2.5	1.3	1.7	0.7	0.8	7.7	3.2	2.3	8.0	1.4	1.4	0.6	2.8	8.1	8.8	2.1	1.5	1.0	1.1	1.3
BAL EFFECT	0.8	-1.3	1.2	-1.5	0.5	-0.6	-11.2	-11.5	8.8	0.6	3.5	0.2	-0.9	1.7	-0.9	-12.1	-6.5	2.1	2.8	3.3	-4.8
STD PRROR	1.2	1.9	1.1	1.3	0.7	0.8	7.8	3.5	2.9	1.6	1.4	1.5	0.6	3.4	3.9	4.3	2.3	1.5	0.9	1.0	

ERER: R109 MATL # 86.3 Nearly all rocks are solid.

UNADJ EFFECT	1.2	-6.0	6.1	-3.4	-0.8	0.5	-19.0	-14.3	7.2	-2.6	0.0	2.9	5.3	5.0	-22.6	-21.7	-10.7	-11.3	1.3	6.7	-6.5
STD ERROR	1.9	2.5	1.6	2.7	0.8	0.9	5.8	3.0	2.3	3.6	2.0	1.8	0.9	2.5	6.5	8.9	8.2	1.1	1.1	1.3	
BAL EFFECT	-1.5	-3.3	5.3	-1.8	-0.8	0.9	-11.2	0.4	2.4	0.6	-3.5	1.4	4.5	6.2	-20.3	-16.4	-7.1	-6.0	1.5	8.6	-6.0
STD PRROR	1.6	1.5	1.3	1.5	0.7	0.8	3.8	3.6	2.1	2.6	1.4	1.5	0.9	2.7	5.3	4.1	3.7	1.1	1.0	1.0	

ERER: R110 MATL # 85.3 Map reading: an island is completely surrounded by water.

UNADJ EFFECT	0.5	-2.7	0.5	1.8	1.2	-1.3	-6.6	-20.4	8.2	-7.6	3.5	0.3	3.6	3.1	-21.6	-9.4	-6.9	-2.7	-1.0	6.9	-5.4
STD ERROR	1.6	2.6	1.5	1.7	0.8	0.9	6.9	3.5	1.9	2.5	1.6	1.6	0.7	3.6	3.0	5.1	3.5	1.8	1.0	1.4	
BAL EFFECT	0.3	-2.4	0.5	1.8	1.2	-1.3	-3.8	-12.0	5.5	-6.8	3.0	-0.8	2.4	2.2	-16.0	-5.8	-4.9	-0.9	-0.9	5.0	-6.0
STD PRROR	1.5	1.7	1.3	1.8	0.8	0.9	3.5	3.7	2.1	2.5	1.6	1.5	0.6	3.6	2.7	5.2	3.4	1.4	1.0	1.4	

ERER: R111 MATL # 83.0 Day and night occur because of the earth's rotation.

UNADJ EFFECT	-1.5	-5.1	4.5	1.3	1.9	-2.0	-8.9	-6.9	7.1	-3.1	-0.5	-1.8	3.6	2.1	-15.2	-8.8	-6.6	-4.4	0.4	4.9	-6.1
STD ERROR	1.9	2.2	1.5	1.7	0.8	0.8	6.5	8.1	1.9	2.6	2.3	2.0	0.6	3.3	3.6	8.8	8.8	1.9	1.2	1.4	
BAL EFFECT	-1.5	-4.9	4.8	0.7	1.9	-2.0	-3.2	-0.8	6.3	-2.6	-1.7	2.5	1.7	-12.2	-8.0	-5.7	-2.9	0.6	3.6	-3.2	
STD PRROR	1.6	2.1	1.5	1.7	0.8	0.8	4.6	3.8	2.1	2.6	2.2	1.8	0.5	3.3	3.7	4.7	4.4	1.1	1.2	1.3	

ERER: R112 MATL # 83.0 Acid should be handled carefully.

UNADJ EFFECT	-1.4	-5.6	3.8	1.0	2.0	-2.1	-18.1	3.5	-2.6	7.1	-1.3	-0.3	3.1	-15.3	-8.9	-5.2	1.1	3.1	4.0	-5.3	
STD ERROR	1.5	2.1	1.5	1.6	0.9	1.0	2.8	8.0	1.9	3.8	1.7	2.0	0.6	2.8	3.4	3.6	2.6	1.3	1.2	1.3	
BAL EFFECT	-3.0	-2.6	3.1	1.2	1.9	-2.0	-1.6	-10.7	3.5	-1.2	8.8	-1.6	-0.2	2.1	-11.2	-8.6	-3.3	2.7	2.3	2.7	-6.1
STD PRROR	1.5	2.0	1.6	1.6	0.9	0.9	1.9	8.8	1.7	3.0	1.7	2.0	0.6	3.0	3.7	4.7	4.1	1.1	1.2	1.2	

ERER: R113 MATL # 83.3 Pine trees stay green in the winter.

UNADJ EFFECT	5.8	-8.6	3.6	-5.9	0.5	-0.5	-8.3	-23.0	6.1	-5.0	-0.5	1.8	5.2	3.3	-15.1	-21.9	-3.9	-6.6	1.5	6.6	-6.6
STD ERROR	1.5	2.8	1.7	2.0	0.8	0.8	7.2	5.7	2.7	2.8	2.5	1.6	1.8	0.6	3.0	3.5	3.9	4.6	1.7	1.0	1.1
BAL EFFECT	5.3	-6.1	3.5	-4.2	0.4	-0.4	-1.6	-15.3	5.6	-2.6	0.8	0.8	2.1	-9.2	-14.8	-0.7	-3.1	0.9	3.2	-3.5	
STD PRROR	1.4	2.2	1.8	1.9	0.7	0.8	5.7	6.0	2.5	2.4	2.0	1.6	2.2	0.5	3.3	4.1	3.5	4.2	1.8	1.1	

REGION	SPX	SIZE AND TYPE OF COMMUNITY						COLOR	HIGH SCHOOL EDUCATION
		URBAN	RURAL	INNER CITY	EXTREME CITY	URBAN SUB-CITY	MEDIUM SUB-CITY	NON BLACK	
<b>EIER: R114 NATL &amp; R0.9</b> Alligators are found in swamps.									
UNADJ. EFFECT	8.8	-2.8	-1.0	2.6	-2.5	-1.2	-21.3	12.1	3.8
STD ERROR	1.9	2.6	2.0	1.1	1.1	6.0	3.6	2.5	1.5
BAL. EFFECT	3.7	-0.1	-1.7	-1.6	2.4	-2.4	1.7	0.7	2.4
STD. ERROR	1.5	2.1	1.7	1.8	1.0	5.3	4.1	2.0	0.7
<b>EIER: R115 NATL &amp; 79.3</b> To see something, light must reach the eye.									
UNADJ. EFFECT	-2.5	2.0	-1.2	2.3	-1.0	1.1	2.4	-10.8	0.7
STD. ERROR	2.7	2.3	1.9	2.1	1.1	1.1	2.8	6.3	0.7
BAL. EFFECT	-2.4	1.7	-2.5	8.1	-1.0	3.1	-5.8	-1.1	3.2
STD. ERROR	2.6	2.2	1.9	2.2	1.1	1.1	2.9	8.5	0.5
<b>EIER: R116 NATL &amp; 79.7</b> One kind of plant which does not have green leaves is a mushroom.									
UNADJ. EFFECT	9.2	-9.5	-0.6	4.0	-2.6	2.7	-6.2	-25.5	5.5
STD. ERROR	1.8	2.7	2.1	1.9	1.0	5.4	6.5	2.7	0.1
BAL. EFFECT	2.0	-3.5	-1.6	2.6	-2.5	2.6	-0.2	-13.8	2.1
STD. ERROR	1.5	1.8	1.7	1.5	0.9	0.9	8.1	8.6	2.5
<b>EIER: R117 NATL &amp; 77.0</b> A burning candle when sealed in a glass jar goes out.									
UNADJ. EFFECT	1.3	-3.7	0.3	1.5	5.6	-5.8	-6.4	-27.6	8.7
STD. ERROR	2.3	3.6	2.7	2.8	1.1	1.0	9.3	5.2	3.9
BAL. EFFECT	-1.0	0.8	-1.3	2.4	5.0	-6.8	-0.3	-15.6	4.2
STD. ERROR	1.6	2.3	2.6	1.7	1.0	0.9	6.9	5.8	3.1
<b>EIER: R119 NATL &amp; 72.7</b> Lifting a 20 lb weight 2 feet is more work than lifting the same weight 1 foot, or a 10 lb weight 2 feet.									
UNADJ. EFFECT	8.5	-8.0	-0.9	-0.7	0.8	-3.9	-9.7	11.2	-2.7
STD. ERROR	2.3	2.8	2.3	2.8	1.2	1.3	4.5	5.8	3.1
BAL. EFFECT	3.0	-2.2	-0.9	-0.5	-0.6	2.6	1.1	7.4	-1.5
STD. ERROR	2.0	2.3	2.2	2.6	1.1	1.3	6.3	5.4	3.2
<b>EIER: R120 NATL &amp; 72.8</b> When a block on a string swings down and strikes a second stationary block, the second block is caused to swing away.									
UNADJ. EFFECT	2.6	-7.9	5.3	-1.6	2.1	-2.2	-18.8	-22.8	15.1
STD. ERROR	2.4	1.5	2.3	2.6	0.9	0.9	7.5	3.6	8.5
BAL. EFFECT	-0.2	-2.0	3.4	-1.9	1.7	-1.7	-11.0	-9.6	9.7
STD. ERROR	2.1	2.3	1.9	2.0	0.9	0.9	5.5	8.0	3.7
<b>EIER: R121 NATL &amp; 71.5</b> The sun is seen only during the daytime because the earth is turning.									
UNADJ. EFFECT	1.1	-9.1	6.2	-1.2	1.6	-1.8	-15.5	-19.6	9.2
STD. ERROR	2.3	3.3	2.0	2.9	1.0	1.1	5.3	5.6	3.1
BAL. EFFECT	-1.7	-7.3	4.5	2.2	1.3	-1.5	-7.0	-8.9	5.5
STD. ERROR	2.1	2.7	1.9	2.2	1.0	1.1	6.3	8.7	3.0

PIPP: R122 NATL # 71.1 Honeybees are more beneficial to man than are lice, locusts, or termites.

UNADJ PIPPCET	-1.8	-7.1	8.8	1.3	8.2	-9.8	-17.1	-10.5	9.7	-6.3	2.3	6.7	1.0	5.6	-27.3	-21.2	-11.0	-5.3	0.6	7.8	-6.2	
STD ERROR	2.7	3.8	2.5	3.4	1.1	1.3	6.3	5.6	3.6	1.5	3.3	2.5	3.4	1.0	3.2	5.8	5.4	5.1	1.9	1.6	1.5	
BAL PIPPCET	-5.6	-5.5	6.0	4.3	3.0	-8.5	-9.1	-16.6	5.7	-5.0	-0.9	7.8	-0.1	8.0	-17.9	-17.2	-8.5	-0.8	5.0	-8.7		
STD PIPPCET	2.4	2.9	2.0	2.6	1.0	1.3	5.6	5.2	3.2	3.9	3.0	2.1	2.6	0.9	3.8	5.1	8.4	8.8	1.8	1.4	1.3	
PIPR: R123 NATL # 66.9 Scientists study fossils to determine what type of animals lived long ago.																						
UNADJ PIPPCET	8.2	-22.5	8.2	2.8	1.0	-3.1	-11.1	-11.1	-38.3	15.1	-9.5	16.7	-3.7	-2.8	7.1	-76.7	-20.9	-19.9	-11.9	5.2	9.9	-8.0
STD ERROR	2.7	3.4	2.5	2.6	1.1	1.1	5.6	6.1	5.1	5.5	2.7	3.4	3.6	0.9	3.7	6.1	5.1	6.7	2.3	1.8	2.0	
BAL PIPPCET	0.2	-16.6	7.8	2.9	2.8	-2.9	-6.0	-17.9	15.1	-9.3	6.3	-4.8	-0.3	6.6	-22.2	-13.9	-13.3	-5.6	3.7	6.5	-5.7	
STD PIPPCET	2.6	3.6	2.4	2.3	0.9	1.0	8.2	6.8	8.0	8.4	2.9	2.9	3.0	0.8	3.6	8.1	8.3	8.8	1.9	1.5	1.7	
PIPR: R124 NATL # 63.2 Proper connection of a bulb to a flashlight battery.																						
UNADJ PIPPCET	1.1	-2.9	2.6	-1.8	6.3	-6.5	-1.8	-19.8	8.6	-8.7	3.2	0.7	-1.8	3.8	-13.9	-18.8	-9.0	-2.1	1.3	5.2	-5.4	
STD ERROR	2.1	2.1	1.8	2.1	1.2	1.2	1.3	8.0	5.1	3.2	8.0	2.3	2.1	0.6	2.7	3.5	5.7	6.8	2.2	1.3	1.6	
BAL PIPPCET	-0.0	-1.6	1.7	-0.2	6.3	-6.6	-0.5	-9.6	5.2	-2.9	2.2	-0.0	-1.6	2.6	-10.9	-13.3	-3.1	0.6	1.9	3.1	-8.5	
STD PIPPCET	2.1	2.3	1.9	1.7	1.2	1.3	5.8	5.3	3.4	3.9	2.8	2.5	2.0	0.6	2.8	3.9	5.8	8.5	2.1	1.3	1.5	
PIPR: R125 NATL # 61.5 Most land plants get most of their water directly from the soil.																						
UNADJ PIPPCET	8.0	-4.2	-7.6	1.8	-1.0	1.1	-6.3	-26.8	10.7	-9.3	-0.8	5.5	1.8	3.6	-19.2	-11.0	-9.0	-1.8	1.0	6.2	-6.4	
STD ERROR	2.5	3.8	2.8	2.2	1.2	1.2	1.2	5.5	8.1	3.9	8.7	2.6	2.4	0.7	3.7	6.7	5.2	5.2	2.3	1.3	1.7	
BAL PIPPCET	3.7	-6.3	-2.2	2.9	-1.2	1.2	-1.9	-19.1	6.7	-8.8	-2.4	5.2	2.5	2.2	-12.6	-8.0	-5.8	-1.6	6.8	1.6	-5.3	
STD PIPPCET	2.4	3.0	2.3	2.8	1.2	1.3	5.8	5.1	3.9	8.7	2.5	2.3	2.4	0.6	3.8	8.8	5.1	8.9	1.9	1.4	1.7	
PIPR: R126 NATL # 59.4 Most scientists think the center of the earth is very hot.																						
UNADJ PIPPCET	8.8	-5.0	-3.5	-0.3	3.1	-3.6	-17.9	-18.9	10.2	-3.9	4.0	3.3	-1.7	3.7	-20.5	-8.9	0.7	-9.8	-3.6	5.8	-1.8	
STD ERROR	2.1	3.2	2.4	2.5	1.3	1.5	7.0	3.8	3.7	3.4	2.9	2.8	0.7	3.8	3.8	5.2	6.3	2.3	1.9	1.9		
BAL PIPPCET	5.0	0.5	-5.1	0.8	2.9	-3.8	-16.7	-7.3	9.5	-1.2	2.1	3.3	-2.1	3.0	-16.5	8.1	3.8	-6.8	-2.3	3.3	-0.9	
STD PIPPCET	2.2	1.1	2.4	1.4	1.6	10.7	8.9	3.2	3.5	2.5	3.0	2.7	0.9	5.9	8.1	4.6	8.6	2.2	1.8	1.6		
PIPR: R127 NATL # 60.1 The sun and a penny are both made of atoms.																						
UNADJ PIPPCET	3.8	-7.3	4.8	-8.0	-0.8	1.0	-9.1	-16.0	9.3	-7.1	5.2	2.6	-8.0	3.7	-17.8	-15.1	-10.3	-5.2	8.3	8.3	-8.2	
STD ERROR	2.7	3.0	3.0	1.2	1.4	1.4	6.8	3.1	3.5	5.8	3.1	2.7	2.8	0.7	2.8	2.8	5.0	5.5	3.8	2.0	2.2	
BAL PIPPCET	1.0	-3.3	2.8	-2.1	-1.8	1.6	-8.5	-8.2	8.8	-3.0	3.0	5.6	2.9	2.7	13.6	-9.6	-7.5	-2.8	6.6	6.6	-7.5	
STD PIPPCET	2.8	3.0	2.6	3.0	1.1	1.3	5.6	2.9	3.8	5.1	2.7	2.5	2.7	0.7	3.0	8.8	5.1	3.7	2.4	2.1	1.7	

EXPERIMENT	NATL %	REGION	SEX	SIZE AND TYPE OF COMMUNITY					COLOR	HIGH SCHOOL EDUCATION	
				EXTREME RURAL		INNER CITY		NON BLACK			
				MALE	FEMALE	URBAN APP.	MEDIUM APP.	SUB-PRINC.	CITY-CITY		
E-1	55.2	N.EAST S.PAST. CENTRAL WEST		The sun is a star.							
	UNADJ. EFFECT	10.9	-12.0	1.4	-2.1	3.8	-3.9	-3.7	-15.7	16.7	5.1
	STD. ERROR	3.4	3.0	2.6	1.3	5.6	5.2	4.0	6.0	3.9	-6.3
	BAL. EFFECT	9.9	-10.6	1.1	-2.1	3.6	-3.6	0.2	-11.0	13.9	-2.0
	STD. ERROR	3.8	2.7	3.1	1.3	6.9	4.5	4.2	5.7	3.4	3.1
E-2	54.7	NATL %		Read a thermometer and dress accordingly.							
	UNADJ. EFFECT	4.7	-10.1	5.8	-2.5	1.4	-1.8	-18.4	-15.6	8.1	-1.9
	STD. ERROR	2.5	3.4	2.6	1.3	1.3	1.3	7.0	5.7	3.7	2.8
	BAL. EFFECT	3.7	-10.3	7.3	-2.9	1.1	-1.2	-15.6	-8.8	8.2	-1.5
	STD. ERROR	2.1	2.5	1.9	1.3	1.3	0.7	4.7	5.5	3.4	2.3
E-3	54.7	NATL %		The most comfortable temperature for a school room is about 70 degrees.							
	UNADJ. EFFECT	4.4	-14.2	7.7	-1.7	0.9	-0.9	-6.1	-27.2	16.9	6.1
	STD. ERROR	2.7	3.2	2.6	1.2	1.2	1.2	7.6	6.6	5.1	2.6
	BAL. EFFECT	2.2	-9.7	6.5	-1.9	0.0	0.0	-0.8	-12.3	13.8	1.2
	STD. ERROR	2.6	3.4	2.3	1.2	1.2	0.9	5.4	4.5	4.7	2.5
E-4	53.0	NATL %		Cactus plants survive on the desert because they lose little water through their leaves.							
	UNADJ. EFFECT	1.5	-1.1	0.2	-0.9	1.2	-1.3	-15.8	-25.0	9.1	-9.7
	STD. ERROR	2.4	3.5	2.8	3.2	1.0	1.1	6.7	5.9	3.1	5.6
	BAL. EFFECT	-1.1	-0.3	-1.0	2.4	1.0	-1.2	-8.4	-9.0	8.0	-7.7
	STD. ERROR	2.0	3.1	2.4	2.0	0.9	1.0	4.7	5.5	3.0	2.8
E-5	51.3	NATL %		A different substance is formed when a candle burns.							
	UNADJ. EFFECT	1.5	-9.6	1.0	2.7	3.5	-3.9	-19.8	-15.8	10.8	-5.2
	STD. ERROR	2.8	1.6	2.8	3.3	1.1	1.2	5.0	5.9	3.1	3.5
	BAL. EFFECT	-0.0	-6.6	-0.7	5.6	3.3	-3.8	-11.3	-6.0	7.0	-6.8
	STD. ERROR	2.9	1.7	2.8	2.6	1.0	1.2	4.5	5.7	4.6	3.8
E-6	50.7	NATL %		In a scientific study all conditions other than those being purposely manipulated should be kept constant.							
	UNADJ. EFFECT	3.0	-9.6	1.0	2.7	3.5	-3.9	-19.8	-15.8	10.8	-5.2
	STD. ERROR	2.8	1.6	2.8	3.3	1.1	1.2	5.0	5.9	3.1	3.5
	BAL. EFFECT	-0.0	-6.6	-0.7	5.6	3.3	-3.8	-11.3	-6.0	7.0	-6.8
	STD. ERROR	2.9	1.7	2.8	2.6	1.0	1.2	4.5	5.7	4.6	3.8
E-7	50.7	NATL %		Houseflies can spread serious human disease.							
	UNADJ. EFFECT	6.2	-11.2	3.4	-1.7	2.5	-2.9	-15.0	-14.7	8.0	5.6
	STD. ERROR	1.5	1.8	1.9	1.9	1.2	1.4	3.1	2.5	3.2	4.8
	BAL. EFFECT	6.6	-8.8	2.3	-0.8	2.0	-2.4	-7.9	-7.4	3.5	7.1
	STD. ERROR	1.6	1.9	2.0	2.2	1.1	1.3	3.4	3.4	2.5	4.1

EPR: R135 NATL # 38.2 A rock broken into three pieces raises the water level in a container the same amount as the whole rock.

	UNADJ EPPRCT	STD PROR	BAL EPPRCT	STD PROR
UNADJ EPPRCT	-8.2	-5.1	5.3	2.1
STD PROR	2.6	2.5	2.0	2.4
BAL EPPRCT	-5.5	-3.9	8.1	4.6
STD PROR	2.2	2.2	1.8	2.3

EPR: R136 NATL # 36.1 All matter takes up space.

	UNADJ EPPRCT	STD PROR	BAL EPPRCT	STD PROR
UNADJ EPPRCT	5.2	-5.1	-0.2	-1.0
STD PROR	2.6	2.9	2.6	3.4
BAL EPPRCT	3.0	-1.9	-1.7	0.6
STD PROR	2.5	1.0	2.6	3.4

EPR: R137 NATL # 33.9 A quart of mercury weighs more than a quart of air, sand, dust, or water.

	UNADJ EPPRCT	STD PROR	BAL EPPRCT	STD PROR
UNADJ EPPRCT	1.2	-3.2	-0.6	1.9
STD PROR	3.4	3.4	2.7	2.6
BAL EPPRCT	-3.6	-0.5	1.9	2.1
STD PROR	3.1	3.4	-0.5	2.8

EPR: R138 NATL # 35.2 After a cold front passes, it is common to have clearing skies.

	UNADJ EPPRCT	STD PROR	BAL EPPRCT	STD PROR
UNADJ EPPRCT	1.1	3.1	-5.5	2.6
STD PROR	2.2	2.7	1.9	2.2
BAL EPPRCT	-0.0	9.9	-5.7	2.6
STD PROR	2.2	2.5	1.9	2.4

EPR: R139 NATL # 28.2 Rock cannot indefinitely be broken into smaller and smaller pieces and still be rock.

	UNADJ EPPRCT	STD PROR	BAL EPPRCT	STD PROR
UNADJ EPPRCT	0.2	-3.1	-0.9	-0.8
STD PROR	1.8	3.2	2.0	2.6
BAL EPPRCT	0.1	-1.5	-1.1	-1.7
STD PROR	1.8	2.9	1.9	2.5

EPR: R140 NATL # 14.3 Coal is formed from dead plants.

	UNADJ EPPRCT	STD PROR	BAL EPPRCT	STD PROR
UNADJ EPPRCT	-3.3	9.8	-2.3	-2.6
STD PROR	2.1	3.1	2.0	1.9
BAL EPPRCT	-2.6	10.1	-3.4	-2.1
STD PROR	2.3	3.5	2.0	1.8

EPR: R141 NATL # 7.1 The mixing of equal quantities of water at 70 degrees P and water at 50 degrees P yields a mixture at 60 degrees P.

	UNADJ EPPRCT	STD PROR	BAL EPPRCT	STD PROR
UNADJ EPPRCT	1.8	-2.9	0.6	0.0
STD PROR	1.3	1.2	1.2	0.6
BAL EPPRCT	1.8	-3.4	0.7	1.1
STD PROR	1.2	1.1	-1.2	1.2

REGION	SEX	SIZE AND TYPE OF COMMUNITY						COLOR	HIGH SCHOOL EDUCATION
		WEST	MIDWEST	SOUTH	INNER CITY	RURAL CITY	URBAN PRINCETON CITY	NON BLACK	BLACK OTHER
									NONE SOME GRADUATED POST GRADUATE
<b>OBJECTIVE:</b> Possess the ability and skills needed to engage in the processes of science.									
EVER: R142 NATL % 96.7		Balance one weight by hanging a second weight on a beam balance.							
UNADJ PPFCT	-2.1	0.2	1.6	-0.0	-0.0	0.0	-2.7	-0.7	1.3
STD ERROR	1.3	1.0	0.7	0.9	0.4	0.4	2.4	1.6	1.3
BAL PPFCT	-2.6	0.7	1.7	0.0	-0.2	0.2	-3.8	0.2	-0.1
STD ERROR	1.4	1.2	0.7	0.9	0.8	0.5	2.3	1.9	1.4
EVER: R144 NATL % 90.4		Select the leaf that gives off the most water knowing that big leaves give off the most water.							
UNADJ PPFCT	0.1	-5.5	2.5	1.1	0.3	-0.3	-8.5	-6.0	3.0
STD ERROR	1.7	1.3	1.3	0.8	0.9	3.9	2.6	2.1	1.6
BAL PPFCT	-1.4	-3.6	2.5	1.1	0.3	-0.3	-7.8	-1.6	3.7
STD ERROR	1.6	2.0	1.2	1.1	0.8	0.8	3.9	3.3	1.9
EVER: R145 NATL % 81.3		Given a table listing the weights of several elements in the human body, choose the most common element (oxygen).							
UNADJ PPFCT	1.7	-5.6	2.8	0.2	-1.9	2.0	-8.9	-17.7	6.7
STD ERROR	1.8	2.5	1.6	1.7	0.9	1.0	7.6	6.4	2.3
BAL PPFCT	2.0	-5.8	2.9	-0.0	-2.0	2.1	-1.9	-9.5	5.0
STD ERROR	1.5	1.9	1.5	1.5	0.9	1.0	6.8	6.8	2.0
EVER: R146 NATL % 75.8		Identify what needs to be done in order to fix a flat bicycle tire.							
UNADJ PPFCT	5.8	-9.2	8.1	-3.5	1.9	-2.2	-15.1	-31.2	13.1
STD ERROR	1.8	3.7	1.9	2.9	0.9	1.0	10.8	4.3	2.2
BAL PPFCT	2.7	-5.5	1.8	-0.7	1.4	-1.6	-8.7	-20.0	8.0
STD ERROR	1.5	2.7	1.8	2.3	0.9	1.0	8.9	3.1	2.2
EVER: R147 NATL % 68.9		Choose the best way of verifying someone's recipe for making salt-water taffy.							
UNADJ PPFCT	0.4	-8.2	7.5	-1.6	-0.4	0.4	-2.1	-27.9	4.2
STD ERROR	2.0	3.8	2.6	2.6	1.0	1.0	6.8	5.8	2.9
BAL PPFCT	-1.2	-8.4	5.8	-1.4	-0.8	0.8	0.0	-13.6	-1.2
STD ERROR	1.9	3.0	2.5	2.1	1.0	1.0	5.8	5.9	3.1
EVER: R148 NATL % 66.9		Conclude from a data table the fact that young people generally breathe faster than older people.							
UNADJ PPFCT	5.6	-1.0	-3.1	-1.5	-2.1	2.2	-16.3	-16.0	11.2
STD ERROR	2.3	2.9	2.3	2.6	1.2	1.3	4.6	6.3	3.2
BAL PPFCT	6.3	-0.6	-2.6	-1.2	-2.2	1.2	-13.3	-8.6	-8.5
STD ERROR	2.1	2.6	2.0	2.5	1.2	1.2	5.7	5.7	2.3
EVER: R149 NATL % 68.9		Read a table of data showing temperatures at different times of a day.							
UNADJ PPFCT	4.6	-5.1	3.3	-8.3	-2.5	2.6	0.5	-29.1	10.1
STD ERROR	2.3	3.2	2.1	2.7	1.2	1.2	5.8	6.3	3.0
BAL PPFCT	4.1	-3.1	1.2	-2.9	-2.6	2.7	3.9	-18.1	5.8
STD ERROR	2.0	2.1	2.1	2.1	1.1	1.2	3.5	4.1	2.6

**EPR: R150 WATL # 55.9** Given a table listing the weights of several elements in the human body, choose the least common element.

UNADJ APPCT	1.9	-9.2	5.7	-0.0	-6.4	8.7	-8.0	-25.9	10.6	1.2	-5.8	1.6	6.7	8.1	-28.9	-11.1	-10.8	-11.7	-0.3	9.9	-7.3
STD APPCT	3.0	3.3	2.9	2.6	1.2	1.3	9.8	5.7	8.1	6.6	8.7	2.8	2.5	5.8	0.8	3.5	5.9	5.7	2.3	1.8	1.8
BL APPCT	2.1	-9.7	6.6	-0.4	-6.7	5.0	-3.7	-11.9	8.5	2.5	-9.5	1.8	5.6	2.1	2.9	0.8	-7.7	-6.8	-0.9	8.2	-6.3
STD APPCT	2.5	2.5	2.5	2.3	1.1	1.2	6.7	4.5	3.8	4.8	3.7	2.1	2.6	2.1	0.7	3.6	3.8	5.3	5.0	2.3	1.8
STD APPCT	2.5	2.5	2.5	2.3	1.1	1.2	6.7	4.5	3.8	4.8	3.7	2.1	2.6	2.1	0.7	3.6	3.8	5.3	5.0	2.3	1.7

**EPR: R151 WATL # 56.4** Given information about the height of a plant for successive weeks, select the graph which accurately displays its growth.

UNADJ APPCT	3.5	-5.1	-0.7	1.7	1.1	-3.2	-11.1	-11.1	10.8	-1.0	-0.0	1.5	1.5	3.3	-20.8	-6.3	-1.5	-0.0	-2.8	6.7	-6.3
STD APPCT	2.5	3.2	7.9	3.0	1.3	1.3	4.9	3.6	3.6	4.5	3.8	2.6	3.1	0.8	1.7	5.7	5.1	8.7	2.8	1.6	1.8
BL APPCT	2.2	-2.1	-1.8	1.8	2.8	-2.8	-7.7	0.7	6.6	0.8	-1.9	0.8	0.4	3.0	-18.0	-6.1	2.1	2.6	-1.5	5.0	-5.3
STD APPCT	2.3	2.3	2.3	2.3	1.3	1.3	3.8	4.3	3.3	4.3	3.9	2.1	3.0	0.8	3.4	5.7	4.8	4.1	2.6	1.5	1.7
STD APPCT	2.3	2.3	2.3	2.3	1.3	1.3	3.8	4.3	3.3	4.3	3.9	2.1	3.0	0.8	3.4	5.7	4.8	4.1	2.6	1.5	1.7

**EPR: R152 WATL # 53.1** Recognize vaccination as the reason that so few people get smallpox.

UNADJ APPCT	2.6	-0.5	2.0	-5.8	-3.0	3.5	-15.1	-22.5	13.7	-8.3	1.6	1.9	2.8	5.1	-22.8	-22.3	-8.6	-8.3	0.1	10.1	-6.8
STD APPCT	2.5	3.0	7.3	2.7	1.3	1.5	8.1	6.3	4.5	4.7	3.6	2.9	3.7	0.9	3.4	5.3	4.9	5.3	2.2	1.7	1.6
BL APPCT	-1.2	0.9	-0.9	-0.0	-3.1	-3.4	8.0	-12.9	-6.9	8.0	-0.3	2.3	0.1	4.2	-20.3	-15.6	-6.4	-7.6	-0.2	8.2	-5.2
STD APPCT	2.8	3.2	3.1	2.3	1.3	1.5	7.2	5.3	4.3	4.0	3.5	2.6	3.7	0.9	4.1	5.2	4.5	5.2	2.2	1.5	1.6
STD APPCT	2.5	2.5	2.5	2.3	1.3	1.5	7.2	5.3	4.3	4.0	3.5	2.6	3.7	0.9	4.1	5.2	4.5	5.2	2.2	1.5	1.6

**EPR: R153 WATL # 36.1** Identify a reasonable explanation as to why water does not come out of a faucet.

UNADJ APPCT	9.6	-4.9	-1.9	-3.6	-2.0	1.9	-10.9	-20.1	20.3	-3.7	2.8	-1.3	8.2	-16.2	-19.2	-10.1	0.7	1.0	9.1	-7.9
STD APPCT	2.6	3.0	2.0	2.1	1.4	1.4	8.5	3.0	3.8	3.5	2.2	2.5	0.7	0.2	2.9	4.4	4.4	2.5	1.7	2.0
BL APPCT	8.0	-2.9	-1.8	-3.7	-2.8	2.3	-7.1	-8.3	14.5	-8.0	0.5	1.8	-1.8	-0.3	-13.1	-5.0	4.1	-0.8	7.9	-6.0
STD APPCT	2.1	2.5	1.6	1.8	1.4	1.3	8.5	4.1	3.8	3.1	1.9	2.1	2.1	0.7	3.3	3.2	4.8	5.5	2.2	1.7
STD APPCT	2.5	2.5	2.5	2.2	1.9	1.0	8.7	4.7	3.8	3.5	3.1	2.0	2.5	0.8	3.7	4.0	4.0	3.7	1.5	1.2

**EPR: R154 WATL # 16.7** Infer that water would freeze at 32 degrees F when given the fact that ice melts at 32 degrees F.

UNADJ APPCT	2.2	2.3	-2.5	-0.9	7.9	-8.0	-3.8	-8.7	2.0	-0.7	8.9	-6.1	2.5	0.7	-3.5	-1.8	-0.5	-2.1	-0.8	3.3	-1.9
STD APPCT	2.0	2.5	2.4	1.9	1.0	1.1	8.6	2.7	3.6	3.6	3.3	2.0	2.5	0.4	2.0	4.1	4.1	3.0	1.5	1.4	
BL APPCT	1.5	9.9	-3.3	-1.2	3.8	-4.0	-3.3	-2.9	-0.3	5.6	0.4	5.6	2.1	0.5	-3.7	1.8	-1.0	-1.2	3.5	-1.5	
STD APPCT	2.0	2.5	2.2	1.9	1.0	1.0	8.7	4.7	3.8	3.5	3.1	2.0	2.5	0.8	2.8	4.0	4.0	3.7	1.5	1.3	
STD APPCT	2.5	2.5	2.5	2.2	1.9	1.0	8.7	4.7	3.8	3.5	3.1	2.0	2.5	0.8	2.8	4.0	4.0	3.7	1.5	1.3	

**OBJECTIVE:** Understand the investigative nature of science.

**EPR: R155 WATL # 92.7** Recognize that observation is a basic characteristic of scientific experiments.

UNADJ APPCT	7.9	-1.8	7.6	-6.3	0.2	-0.2	-15.2	-6.9	5.1	-2.8	1.8	0.7	3.4	3.8	-12.1	-19.2	-5.1	-8.6	0.5	3.9	-2.2
STD APPCT	1.3	0.7	1.5	2.4	0.6	0.6	8.4	1.3	1.8	1.8	1.5	1.2	2.8	0.9	2.4	7.6	4.1	3.0	1.2	1.2	
BL APPCT	0.7	0.5	1.5	-2.6	0.0	-0.0	-10.2	2.9	1.9	0.0	-0.7	2.8	0.5	-2.3	-18.9	-2.1	0.7	2.0	1.2	2.8	
STD APPCT	1.1	1.6	0.9	1.3	0.5	0.6	6.1	1.1	1.1	1.8	1.5	1.1	1.1	0.9	0.9	2.5	5.8	2.6	3.2	1.0	
STD APPCT	1.1	1.6	0.9	1.3	0.5	0.6	6.1	1.1	1.1	1.8	1.5	1.1	1.1	0.9	0.9	2.5	5.8	2.6	3.2	1.0	

ITEM	STATE	SEX	SIZE AND TYPE OF COMMUNITY	HIGH SCHOOL EDUCATION																	
				GENERAL	PERCENT	INNER CITY	EXTREME INNER CITY	URBAN	MEDIUM CITY	SMALL CITY	NON-FRANC	BLACK	WHITE	OTHER	NONE	SOME	GRADUATED	POST-UNKNOWN			
<b>PRPR: #156 MATL # 79.6</b> recognize that phenomena are amenable to scientific inquiry even where a rational explanation is not immediately available.																					
UNADJ. PPFCT	3.1	-13.9	2.3	8.6	-1.1	1.2	-13.6	-22.5	6.2	0.6	5.0	3.0	0.2	4.6	-28.8	-9.8	-13.1	0.1	0.4	6.7	-8.5
STD. ERROR	1.9	2.5	1.9	1.5	0.9	1.0	0.8	4.1	5.8	3.8	3.9	2.0	2.3	0.7	2.8	3.8	4.2	3.6	1.5	1.1	1.5
RAL. PPFCT	0.7	-10.2	2.7	7.7	-0.7	1.0	-9.2	-11.7	5.7	0.8	1.0	2.1	1.3	3.3	-17.6	-6.9	-6.5	5.0	-0.3	-0.7	-1.6
STD. ERROR	1.9	2.2	1.9	1.5	0.9	1.0	0.6	3.5	5.6	2.2	1.7	2.6	1.9	0.6	2.5	1.5	1.4	1.0	1.4	1.2	1.3
<b>PRPR: #157 MATL # 19.4</b> Recognize that the statement "My dog is better than your dog" is not a scientifically testable statement.																					
UNADJ. PPFCT	-1.0	-2.4	3.0	-0.7	0.8	-0.8	9.7	-16.9	8.5	-12.3	-0.3	2.7	-2.1	3.2	-18.5	-15.0	-16.8	-5.8	0.1	6.0	-8.1
STD. ERROR	2.9	3.5	2.8	3.5	1.3	1.3	10.2	5.0	5.8	4.1	3.8	1.6	3.2	0.8	1.8	3.8	5.1	5.2	1.9	1.6	1.9
RAL. PPFCT	-1.9	-2.4	2.8	1.8	0.6	-0.6	12.1	-7.2	4.8	-11.6	-1.7	2.2	-1.6	-2.5	-12.2	-9.7	-11.0	-5.1	0.2	8.6	-3.1
STD. ERROR	3.0	3.4	2.8	3.1	1.3	1.3	8.5	4.6	5.8	7.8	4.0	3.1	0.8	4.2	3.7	5.2	5.1	1.9	1.5	1.9	
<b>PRPR: #158 MATL # 21.0</b> Recognize a simple definition of a scientific theory.																					
UNADJ. PPFCT	2.8	-3.1	1.3	-1.6	3.1	-3.1	-8.2	-6.9	12.9	-1.9	5.8	-4.2	-0.5	1.1	-5.2	-4.4	-13.3	-0.7	-11.2	3.1	-1.7
STD. ERROR	2.8	2.1	2.0	2.8	1.2	1.2	3.8	2.2	3.9	3.8	3.1	1.9	2.5	0.5	2.8	3.2	2.9	1.6	2.6	1.8	1.6
RAL. PPFCT	2.6	-6.8	1.0	-2.5	3.0	-3.0	-7.6	-5.2	11.1	-1.8	5.8	-0.8	-0.6	0.1	-1.2	0.2	-11.3	1.2	-0.1	-2.3	-1.8
STD. ERROR	2.6	2.1	1.9	2.4	1.2	1.2	3.8	1.0	1.8	3.0	1.4	2.1	2.4	0.5	2.9	3.2	2.9	1.4	2.4	1.8	1.5
<b>PRPR: #159 MATL # 23.0</b> Select from among five alternatives the one which has the least to do with a scientific description of an apple.																					
UNADJ. PPFCT	-1.6	-6.9	3.8	1.2	-0.5	0.5	-0.6	-15.1	11.7	-3.1	3.1	-3.8	-0.5	3.3	-13.1	-15.4	-15.8	-8.8	-11.0	-2.8	-11.6
STD. ERROR	2.0	2.3	1.8	2.0	0.9	0.9	0.7	2.1	3.1	2.7	2.5	1.7	2.3	0.6	2.2	2.1	1.6	0.1	1.9	1.6	1.6
RAL. PPFCT	-2.7	-2.1	2.5	1.5	-1.3	1.1	-3.7	-3.7	7.5	-1.7	6.0	-3.2	-3.2	0.3	2.9	2.9	1.6	-0.4	-0.4	-2.6	0.1
STD. ERROR	1.9	2.3	1.7	1.8	0.8	0.8	3.8	2.1	3.0	2.1	1.7	1.9	0.6	2.3	2.3	3.7	3.9	2.0	1.7	1.8	
<b>OBJTIVP:</b> Have attitudes about and appreciation of scientists, science, and the consequences of science that stem from adequate understandings.																					
<b>OBJTIVP: #160 MATL # 79.2</b> Think that the number thirteen brings bad luck.																					
UNADJ. PPFCT	-2.5	2.1	-2.9	4.1	-0.5	0.5	-0.0	0.8	-0.9	6.1	-0.9	-0.9	-0.1	-0.2	-3.8	8.4	7.3	-1.0	-1.6	4.0	-4.7
STD. ERROR	2.8	2.3	2.8	1.2	1.2	1.2	0.8	5.8	3.3	4.0	3.6	2.6	2.8	0.6	3.5	3.9	4.2	4.2	1.8	1.7	1.7
RAL. PPFCT	-2.5	1.2	-3.0	3.2	-0.6	0.6	-0.8	2.5	-1.7	4.8	-0.3	-1.1	-0.8	0.2	-4.6	5.7	6.5	-1.7	-0.8	4.1	-5.0
STD. ERROR	2.6	2.4	2.9	2.6	1.2	1.2	5.4	3.8	4.0	4.5	3.7	2.8	0.7	3.9	4.0	4.3	4.0	1.8	1.8	1.8	
<b>OBJTIVP:</b> Know the fundamental facts and principles of science.																					
<b>E-10</b> #161 MATL # 95.7 (Text for this exercise was not released)																					
UNADJ. PPFCT	1.2	-1.5	-0.4	0.6	-0.2	0.2	-1.6	-8.2	2.4	-0.1	0.3	0.5	0.9	1.1	-7.0	-8.4	-3.5	0.7	0.6	2.3	-2.6
STD. ERROR	0.8	1.3	0.9	0.9	0.4	0.5	2.0	2.7	1.0	1.1	1.3	0.9	1.1	0.3	2.8	2.3	0.5	0.8	0.8	1.6	0.8
RAL. PPFCT	1.2	-1.7	-0.5	0.9	-0.3	0.3	-0.1	-5.1	1.3	0.4	0.1	0.6	0.8	0.7	-3.8	-2.8	1.7	0.6	1.8	2.1	-2.1
STD. ERROR	0.8	1.1	0.8	0.8	0.4	0.5	2.0	2.6	0.9	1.1	1.2	0.8	1.0	0.3	2.1	2.3	3.0	1.6	0.8	0.5	0.8

ERRC: 0602 NATL & 95.4 (Text for this exercise was not released)									
UNADJ PPECT	1.9	-8.7	1.0	-0.1	0.1	-6.5	-17.8	4.3	-0.3
STD ERROR	1.1	2.3	0.9	0.5	0.5	8.5	0.2	0.8	2.3
BAL. PPECT	1.2	-3.3	-0.0	1.8	0.0	-3.6	-11.8	2.1	-0.2
STD ERROR	0.8	1.8	0.7	1.0	0.4	0.5	2.8	3.9	0.7
ERRC: 0603 NATL & 95.1 (Text for this exercise was not released)									
UNADJ PPECT	2.3	-5.8	1.1	0.8	0.8	0.7	-17.0	2.3	-1.9
STD ERROR	0.9	1.6	1.0	0.6	0.5	1.3	3.5	1.0	2.5
BAL. PPECT	1.7	-6.0	0.6	-0.4	0.4	3.6	-11.3	1.3	-1.4
STD ERROR	0.8	1.8	0.9	0.8	0.8	1.5	3.6	0.8	0.8
ERRC: 0604 NATL & 94.0 (Text for this exercise was not released)									
UNADJ PPECT	0.7	-3.8	0.5	2.0	0.4	-0.4	-2.1	-10.3	4.0
STD ERROR	1.0	1.8	0.9	0.8	0.4	0.4	6.1	5.0	0.9
BAL. PPECT	0.3	-2.8	-0.2	2.5	0.4	-0.5	0.3	-6.3	2.5
STD ERROR	0.9	1.3	0.9	0.9	0.4	0.4	2.6	8.4	0.8
ERRC: 0605 NATL & 92.8 (Text for this exercise was not released)									
UNADJ PPECT	1.7	-1.1	2.3	-3.8	0.9	-0.9	-5.4	-15.3	4.3
STD ERROR	1.1	1.5	1.0	1.9	0.5	0.6	8.2	3.9	1.2
BAL. PPECT	-0.0	1.5	0.7	-2.3	0.8	-0.8	-8.0	-7.0	3.2
STD ERROR	1.0	1.3	0.9	1.5	0.6	0.6	3.3	3.6	1.2
ERRC: 0606 NATL & 92.2 (Text for this exercise was not released)									
UNADJ PPECT	2.7	-3.2	1.7	-2.3	-1.2	1.2	-8.3	-10.1	8.3
STD ERROR	1.1	2.0	1.0	1.5	0.7	0.7	8.8	7.0	1.7
BAL. PPECT	0.5	-2.2	0.8	-0.8	-1.3	1.3	-1.2	-1.3	0.7
STD ERROR	0.9	1.8	1.0	1.5	0.7	0.7	3.4	2.8	1.6
ERRC: 0607 NATL & 91.9 (Text for this exercise was not released)									
UNADJ PPECT	2.8	-8.8	2.2	0.9	2.6	-2.9	-16.1	-16.0	3.7
STD ERROR	1.0	1.9	1.3	1.8	0.7	0.8	5.4	3.9	1.5
BAL. PPECT	0.5	-8.9	1.8	1.5	2.3	-2.6	9.5	-6.7	1.8
STD ERROR	0.8	1.9	1.1	1.1	0.7	0.8	8.5	3.5	1.4
ERRC: 0608 NATL & 91.3 (Text for this exercise was not released)									
UNADJ PPECT	1.5	-7.6	1.8	0.5	-0.5	0.0	-8.3	-21.0	7.5
STD ERROR	1.3	2.3	1.0	1.4	0.6	0.6	5.3	8.2	0.9
BAL. PPECT	0.1	-6.0	2.2	2.5	0.1	-0.1	-1.5	-10.7	6.9
STD ERROR	0.9	1.2	0.8	1.2	0.6	0.6	2.4	3.7	1.1
ERRC: 0609 NATL & 89.1 (Text for this exercise was not released)									
UNADJ PPECT	2.6	-7.6	1.8	1.5	-0.3	0.3	-22.9	5.6	-0.9
STD ERROR	1.8	2.0	1.4	1.4	0.5	0.6	3.1	6.6	1.7
BAL. PPECT	1.2	-8.5	0.8	1.3	-0.3	0.3	3.8	-11.5	3.9
STD ERROR	1.5	1.2	1.2	1.2	0.5	0.5	2.3	8.4	1.1

REGION	SEX	SIZE AND TYPE OF COMMUNITY										COLOR				HIGH SCHOOL EDUCATION			
		EXTREME CITY	INNER CITY	URBAN SUBURB	URBAN PRINCIPAL CITY	URBAN PRINCIPAL CITY	NON URBAN CITY	NON URBAN CITY	NON URBAN CITY	NON URBAN CITY	BLACK	BLACK	OTHER	NONE--SOME GRADUATED	NONE--SOME GRADUATED	POST-UNIVERSITY			
<b>EPRR: 0610 NATL &amp; 87.7</b> (Text for this exercise was not released)																			
UNADJ PPFCT	1.7	-1.6	-2.9	3.1	0.9	-0.9	1.8	-6.4	8.0	1.9	-0.3	-2.5	3.0	-1.7	1.2	-6.5	-1.1	-8.8	3.4
STD ERROR	1.8	2.2	1.5	1.0	1.0	2.2	3.1	3.0	2.5	3.0	1.7	0.5	2.1	3.3	4.5	3.3	2.0	1.4	-0.7
BAL PPFCT	2.8	-1.5	-3.5	3.0	0.7	-0.7	3.5	-2.4	0.6	1.6	-0.6	-2.8	3.2	1.0	-4.6	-2.5	-0.2	3.3	-4.9
STD ERROR	1.8	1.9	1.7	1.4	1.0	0.9	2.7	3.3	2.8	2.4	2.7	1.6	0.4	1.9	3.4	4.6	3.2	2.0	1.5
<b>EPRR: 0611 NATL &amp; 87.2</b> (Text for this exercise was not released)																			
UNADJ PPFCT	2.0	-7.0	3.3	0.1	0.8	-0.8	-8.5	-19.0	7.4	-7.3	5.2	0.6	0.1	4.6	-24.3	-8.2	-3.6	-1.9	1.2
STD ERROR	1.6	2.9	1.5	0.7	0.7	0.7	9.1	8.9	2.4	3.9	1.7	2.2	2.3	0.9	3.5	2.9	4.9	3.2	1.1
BAL PPFCT	0.1	-2.4	2.6	-1.0	0.3	-0.3	-3.1	-6.5	5.1	-6.9	1.8	0.6	-0.2	3.9	-21.0	-5.8	-0.9	0.7	3.5
STD ERROR	1.2	2.0	1.4	1.7	0.7	0.7	6.2	8.5	2.1	2.9	1.5	1.6	0.8	3.7	3.0	3.6	3.1	1.4	1.0
<b>EPRR: 0612 NATL &amp; 86.6</b> (Text for this exercise was not released)																			
UNADJ PPFCT	4.0	-5.2	0.3	-0.4	1.0	-1.0	-3.8	-14.2	2.6	1.0	1.1	0.3	3.9	2.6	-11.6	-10.3	-12.6	-2.1	1.4
STD ERROR	1.6	1.9	1.6	1.7	0.8	0.8	4.6	6.2	3.6	2.3	2.0	1.5	1.5	0.6	2.5	2.6	4.8	3.7	0.9
BAL PPFCT	0.1	-6.7	-0.8	0.4	0.9	-0.9	-0.5	-7.1	0.1	-0.5	-0.1	0.1	4.8	2.0	-8.0	-6.0	-10.6	-2.1	1.2
STD ERROR	1.5	1.7	1.5	1.7	0.8	0.8	8.5	8.5	3.2	2.6	1.9	1.3	1.5	0.5	2.5	3.2	4.6	3.7	1.1
<b>EPRR: 0613 NATL &amp; 81.8</b> (Text for this exercise was not released)																			
UNADJ PPFCT	-2.1	-5.8	5.4	0.4	2.5	-2.4	-0.7	-18.9	5.4	-7.5	5.2	-3.6	3.1	4.2	-19.8	-12.6	-15.5	-7.5	1.3
STD ERROR	1.6	2.2	1.6	2.2	1.0	0.9	5.5	5.5	3.2	5.3	1.8	2.4	2.0	0.7	3.2	3.9	6.8	4.2	1.4
BAL PPFCT	-0.0	-2.2	4.1	2.3	-2.2	4.1	-6.1	-6.0	2.5	-6.8	1.9	-3.6	3.3	3.6	-17.0	-10.1	-13.6	-7.1	1.1
STD ERROR	1.6	1.8	1.8	2.2	0.9	0.9	3.7	3.7	2.6	4.3	1.6	2.1	1.4	0.7	3.2	4.3	6.1	3.8	1.3
<b>EPRR: 0614 NATL &amp; 81.4</b> (Text for this exercise was not released)																			
UNADJ PPFCT	1.6	-0.8	-0.2	-2.9	-0.3	0.3	-6.3	-13.2	6.6	-7.9	5.0	4.0	-6.0	4.0	-2.9	-16.0	-7.7	-2.6	-3.3
STD ERROR	0.3	2.6	1.7	1.5	0.9	1.0	5.6	3.9	2.8	3.7	3.1	1.5	2.0	1.6	0.6	3.4	3.5	2.8	1.5
BAL PPFCT	2.0	1.4	-0.9	-2.0	-0.4	0.5	-3.4	-6.4	2.0	-6.3	2.9	-6.8	2.0	2.0	-6.8	-13.0	-3.1	-1.2	-1.8
STD ERROR	1.2	2.2	1.6	1.5	0.9	1.0	5.1	4.1	2.0	3.3	1.7	1.6	0.6	3.7	3.7	3.6	3.2	1.3	1.0
<b>EPRR: 0615 NATL &amp; 80.9</b> (Text for this exercise was not released)																			
UNADJ PPFCT	0.0	-2.3	2.6	-1.5	2.0	-1.9	-1.9	1.0	-18.6	7.4	-12.6	3.0	1.6	4.0	3.1	-10.6	-17.3	-13.7	-8.3
STD ERROR	2.0	2.0	2.3	2.3	0.9	0.9	5.7	5.1	2.1	3.7	2.7	2.1	1.9	0.7	3.2	3.0	5.2	8.2	1.6
BAL PPFCT	-0.2	-2.8	2.0	-0.0	1.9	-1.9	3.5	-11.0	4.8	-12.3	1.5	1.2	3.5	2.0	-6.0	-12.5	-11.5	-8.6	1.3
STD ERROR	1.8	2.1	2.1	2.1	0.9	0.9	4.9	5.4	1.9	4.0	2.7	1.9	2.0	0.6	3.0	5.1	8.4	1.6	1.3
<b>EPRR: 0616 NATL &amp; 80.3</b> (Text for this exercise was not released)																			
UNADJ PPFCT	5.0	-16.2	4.1	-0.2	-3.0	3.1	-12.6	-35.9	8.6	-12.0	11.3	2.6	1.5	6.8	-30.9	-25.1	-17.9	-7.8	4.5
STD ERROR	2.8	2.8	1.9	2.1	0.9	0.9	3.8	8.6	3.3	6.3	2.0	2.0	2.8	0.8	3.4	5.1	3.9	1.3	7.7
BAL PPFCT	2.6	-9.8	3.9	-0.0	-2.9	3.0	-6.7	-19.9	7.3	-10.1	5.1	0.7	2.6	0.5	-20.8	-15.8	-12.6	-2.9	5.1
STD ERROR	1.3	2.1	1.8	1.7	0.8	0.8	4.9	5.0	1.8	2.7	1.7	1.6	0.6	2.8	3.8	4.8	3.6	1.1	6.3

EPR: 0617 WATL S 76.2 (Test for this exercise was not released)

GRADJ EFFECT	1.7	-5.5	0.2	3.2	2.0	-2.1	-6.1	-11.4	4.4	-1.6	-0.5	3.0	1.3	-6.2	-8.7	-3.3	-5.0	0.4	6.1	-5.7
STD ERROR	2.2	2.2	2.3	2.3	1.3	1.3	6.3	3.4	2.8	3.4	2.5	2.0	0.5	1.2	3.8	5.3	4.4	1.7	1.5	1.4
BAL EPPRCT	1.8	-6.3	-0.2	6.5	1.9	-2.0	-8.5	2.3	-1.5	0.6	-1.1	3.4	0.7	-0.5	-9.3	-1.6	-3.0	0.7	5.2	-5.4
STD ERROR	2.2	2.1	2.3	2.2	1.2	1.3	5.3	3.0	3.4	2.7	3.2	2.0	0.5	3.8	4.3	4.8	4.7	1.7	1.5	1.5

EPR: 0618 WATL S 77.7 (Test for this exercise was not released)

GRADJ EFFECT	3.2	-7.3	-1.0	3.1	3.1	-3.5	-13.6	-18.8	6.2	-3.7	2.9	3.6	2.0	4.3	-25.6	-9.1	-4.1	-5.7	0.8	5.7	-5.1
STD ERROR	2.2	2.8	2.8	2.2	0.9	1.0	5.6	6.2	3.9	6.4	3.1	2.7	2.7	0.8	3.2	8.7	8.7	3.8	1.9	1.3	1.6
BAL EPPRCT	0.9	-8.4	-1.9	8.3	2.9	-3.2	-6.5	-8.7	2.1	-3.9	0.1	2.9	1.0	3.5	-20.3	-8.7	-2.3	-3.1	1.4	3.5	-6.0
STD ERROR	2.0	2.5	2.3	2.0	0.9	1.0	5.3	5.6	3.7	3.4	3.2	2.5	2.3	0.7	3.2	8.4	8.4	3.7	1.8	1.1	1.6

EPR: 0619 WATL S 77.8 (Test for this exercise was not released)

GRADJ EFFECT	7.0	-12.0	5.1	-2.3	-2.9	3.1	-18.3	-25.7	7.4	-3.3	4.9	1.5	5.2	4.5	-20.0	-30.8	-11.4	-9.5	-2.1	8.9	-5.3
STD ERROR	1.8	3.5	1.8	2.4	0.9	0.9	7.5	8.1	3.0	4.0	2.9	2.2	1.8	0.9	5.8	8.0	5.4	6.2	1.2	1.5	1.6
BAL EPPRCT	5.7	-12.8	8.6	0.6	-3.2	3.4	-12.8	-13.7	8.9	-1.5	1.1	0.2	4.9	3.3	-11.5	-27.5	-3.7	-3.4	-2.5	7.0	-6.8
STD ERROR	1.8	2.6	1.7	1.8	0.9	0.9	5.3	6.3	2.8	3.7	2.4	2.2	1.7	0.8	5.0	3.0	5.5	8.9	1.8	1.2	1.4

EPR: 0620 WATL S 76.7 (Test for this exercise was not released)

GRADJ EFFECT	1.4	-9.3	1.0	4.5	0.0	-0.0	-7.1	-12.9	5.2	-6.5	0.9	2.9	2.2	4.6	-22.1	-14.2	-10.5	-5.1	4.8	5.1	-5.8
STD ERROR	2.1	3.1	2.1	2.1	1.9	1.0	8.3	2.9	6.3	4.6	8.0	2.6	2.3	0.8	3.6	8.0	5.1	8.4	1.8	1.6	1.5
BAL EPPRCT	0.6	-7.5	0.6	5.8	0.3	-0.4	-2.6	2.2	3.2	-8.7	-3.9	1.5	2.6	8.2	-18.2	-16.8	-7.7	-1.7	8.1	3.5	-4.8
STD ERROR	1.9	2.6	2.3	1.9	1.0	1.0	6.0	6.1	3.0	3.0	3.8	2.3	1.8	0.8	3.7	8.5	4.7	8.2	1.8	1.4	1.6

EPR: 0621 WATL S 76.6 (Test for this exercise was not released)

GRADJ EFFECT	3.2	-3.7	-3.3	-2.3	-2.8	3.1	-8.7	2.1	2.2	-6.2	-3.5	4.7	2.5	0.2	0.1	-2.3	7.6	-0.0	2.3	3.9	-7.2
STD ERROR	1.9	2.3	2.1	2.3	0.9	1.1	5.6	3.3	3.3	5.1	1.9	2.3	2.3	0.5	2.8	4.3	3.5	2.9	1.7	1.5	1.6
BAL EPPRCT	3.8	2.7	-2.8	-2.8	-2.8	3.1	-10.0	3.7	1.3	-5.0	-3.2	4.1	2.7	-0.2	0.5	1.6	6.2	-0.5	2.2	1.9	-7.1
STD ERROR	1.8	2.4	2.2	2.3	0.9	1.1	5.5	3.8	3.2	5.2	2.0	2.3	2.3	0.6	3.1	8.7	8.0	3.2	1.6	1.4	1.6

EPR: 0622 WATL S 75.3 (Test for this exercise was not released)

GRADJ EFFECT	1.3	-5.8	3.1	0.5	-0.7	0.7	-8.8	-32.0	7.3	-3.5	3.7	3.3	1.5	4.2	-19.9	-28.7	-20.0	-16.5	2.7	7.6	-5.3
STD ERROR	2.5	3.0	2.2	2.2	0.8	0.9	6.9	6.6	3.1	4.0	2.3	3.0	2.3	0.8	5.3	3.8	5.0	6.9	1.6	1.4	1.6
BAL EPPRCT	-0.3	-6.3	2.0	8.1	-0.6	0.6	0.0	-20.2	8.1	-1.3	1.7	2.0	0.5	3.1	-10.9	-25.5	-15.8	-12.4	2.2	5.8	-4.2
STD ERROR	2.2	2.3	2.2	2.1	0.8	0.9	5.4	5.1	3.3	3.2	2.7	2.4	2.4	0.7	4.9	8.4	5.0	6.5	1.6	1.4	1.4

EPR: 0623 WATL S 74.9 (Test for this exercise was not released)

GRADJ EFFECT	6.4	-7.7	2.1	-3.1	1.5	-1.5	-1.5	-13.7	10.5	3.0	1.4	2.7	-2.3	3.9	-16.8	-18.0	-15.4	-14.3	2.6	7.9	-9.9
STD ERROR	2.1	2.4	1.9	2.5	1.2	1.2	2.7	1.8	2.3	3.2	2.5	2.6	2.6	0.7	2.6	2.9	5.6	6.1	1.8	1.2	1.6
BAL EPPRCT	4.5	-9.5	1.9	-3.8	1.4	-1.4	-5.1	-0.3	5.3	2.1	-1.5	2.0	-2.4	3.3	-18.9	-10.0	-11.2	-13.3	3.0	7.0	-5.9
STD ERROR	1.9	2.0	1.6	2.5	1.1	1.1	2.8	4.4	2.2	3.2	2.1	2.2	0.8	2.9	8.0	5.6	6.1	1.8	1.3	1.6	

REGION	SEX	SIZE AND TYPE OF COMMUNITY	COLOR						HIGH SCHOOL EDUCATION											
			N.BAPT	S.PAS	CENTRAL	WEST	N.H.	PHALE	RURAL	EXTREME RURAL	INNER CITY	MEDIUM SUBURBAN	NON-CITY PRINCIPAL CITY	BLACK	BLACK OTHER	WHITE	SOME GRADUATED	POST GRADUATED		
<b>EPRR: n624 NATL % 73.9</b> (Text for this exercise was not released)																				
UNADJ EFFECT	-2.2	-10.6	5.4	5.9	3.6	-3.6	-6.9	-29.9	6.8	-0.8	8.8	-1.0	0.9	4.7	-28.3	-9.1	-13.9	-9.5	-1.8	
STD ERROR	1.9	3.6	2.0	2.0	1.2	1.3	6.8	5.3	4.1	2.6	2.8	2.6	1.0	3.7	6.3	6.6	4.0	1.8	1.6	
BAL EFFECT	-8.7	-5.3	3.4	5.9	3.1	-3.1	-4.1	-16.7	1.3	0.5	6.2	0.8	-0.1	3.1	-19.2	-8.1	-6.0	-6.1	-1.4	
STD ERROR	1.9	3.1	1.8	2.2	1.2	1.2	4.7	4.1	3.6	2.6	2.5	2.5	0.8	4.0	3.9	6.4	4.0	1.7	1.8	
<b>EPRR: n625 NATL % 73.3</b> (Text for this exercise was not released)																				
UNADJ EFFECT	3.1	-8.5	1.7	1.8	-1.7	1.8	-2.8	-21.2	12.6	0.5	-3.6	2.4	-0.6	3.3	-16.1	-12.7	-16.5	-1.2	-1.0	
STD ERROR	2.2	3.2	2.1	2.3	1.1	1.1	9.0	3.7	2.1	2.3	2.9	2.1	0.9	4.8	8.0	6.1	6.4	2.5	1.5	
BAL EFFECT	2.9	-4.0	1.3	-1.0	-1.8	1.9	-0.3	-16.0	9.8	0.8	-5.3	1.9	0.3	1.9	-10.0	-5.6	-12.5	2.3	0.4	
STD ERROR	1.9	2.6	2.0	1.9	1.0	1.1	6.6	3.6	2.1	2.4	3.0	2.0	0.8	3.7	4.3	6.1	4.7	2.1	1.5	
<b>EPRR: n626 NATL % 72.5</b> (Text for this exercise was not released)																				
UNADJ EFFECT	9.2	-16.6	4.6	-1.6	0.7	-0.7	-19.9	-29.6	14.8	-3.2	6.1	2.1	2.0	5.0	-27.4	-26.1	-5.6	-20.2	-2.9	
STD ERROR	2.3	3.8	2.2	2.6	1.2	1.2	7.6	5.9	3.7	6.2	3.1	2.5	2.8	0.9	4.5	5.5	6.1	2.1	1.4	
BAL EFFECT	7.5	-18.4	5.1	-0.5	0.4	-0.6	-12.8	-16.3	11.8	-2.1	0.6	1.9	1.9	3.6	-17.8	-21.4	2.1	-12.7	8.6	
STD ERROR	1.8	2.6	2.1	2.2	1.1	1.2	6.4	4.1	3.1	4.6	2.5	2.3	2.1	0.6	3.7	4.4	5.7	5.3	1.8	
<b>EPRR: n627 NATL % 71.1</b> (Text for this exercise was not released)																				
UNADJ EFFECT	6.6	-5.6	-2.5	0.6	-0.9	0.9	-7.3	-12.8	7.4	-8.4	6.2	2.3	-0.6	3.3	-15.7	-9.9	-11.5	-9.8	-1.7	
STD ERROR	1.9	2.3	2.8	2.2	1.0	1.0	10.1	4.9	2.9	7.1	2.1	2.6	2.5	0.7	1.0	1.7	8.6	0.5	2.0	
BAL EFFECT	8.1	-1.3	-2.3	-0.2	-0.7	0.8	-12.6	-4.9	6.3	-1.1	6.1	1.0	-0.3	2.3	-11.6	-6.4	-8.0	-5.6	-2.5	
STD ERROR	1.6	2.9	2.6	2.0	1.0	1.0	10.5	4.4	2.6	3.1	2.7	2.7	0.7	3.0	3.2	4.1	4.8	1.9	1.6	
<b>EPRR: n628 NATL % 69.5</b> (Text for this exercise was not released)																				
UNADJ EFFECT	1.8	-2.6	4.5	-5.5	1.5	-1.6	-5.8	-10.9	9.0	-6.4	1.1	1.5	2.1	2.1	-8.8	-10.4	-2.8	-3.5	1.8	
STD ERROR	2.3	3.2	3.7	-6.5	1.0	-1.1	-9.3	-10.1	6.4	-9.1	-0.2	1.9	0.6	0.9	-6.3	-3.5	-1.3	-2.6	1.3	
BAL EFFECT	0.8	-1.2	3.7	-6.5	1.2	-1.1	-9.3	-10.1	6.4	-9.1	-0.2	1.9	0.6	0.9	-6.4	-3.5	-1.3	-2.6	0.8	
STD ERROR	2.3	3.0	2.2	3.1	1.2	1.4	5.9	4.9	3.9	3.1	2.9	2.2	0.6	1.0	4.3	5.1	1.9	1.9	1.9	
<b>EPRR: n629 NATL % 69.0</b> (Text for this exercise was not released)																				
UNADJ EFFECT	-0.7	-7.5	3.1	3.5	1.1	-1.1	-11.1	-16.1	12.1	-3.5	6.8	-1.1	-3.0	4.4	-23.1	-8.2	-10.1	-8.7	1.3	
STD ERROR	2.5	3.2	2.0	1.2	1.2	1.2	1.2	1.2	5.1	3.5	3.7	2.8	2.2	2.9	1.0	3.8	3.6	7.1	1.3	
BAL EFFECT	-3.1	-1.8	1.7	2.3	0.1	-0.1	-5.6	-1.5	8.5	-1.6	3.0	1.6	-1.6	-1.6	-3.3	-19.2	-7.2	-2.5	2.0	
STD ERROR	2.4	2.3	2.2	1.8	1.0	1.0	5.6	5.4	3.1	3.3	2.5	2.1	0.8	1.6	1.6	6.6	5.1	2.0	1.8	
<b>EPRR: 0630 NATL % 68.3</b> (Text for this exercise was not released)																				
UNADJ EFFECT	1.9	-8.9	0.9	-0.9	1.1	-1.8	-1.2	-1.2	12.1	-2.1	-6.1	0.9	5.9	-3.4	3.4	-16.2	-18.0	-7.0	-1.2	4.6
STD ERROR	2.2	2.5	2.5	0.3	0.3	1.2	1.2	1.2	5.0	3.5	3.5	2.6	2.5	2.5	0.9	5.0	5.5	5.1	2.6	
BAL EFFECT	3.1	-0.4	0.4	0.3	1.1	-1.1	-1.6	-1.6	9.5	-0.1	-0.1	5.6	-2.2	5.6	-8.6	-4.8	-12.2	-5.1	-0.7	
STD ERROR	2.4	2.3	2.4	1.2	1.2	1.2	1.2	1.2	1.6	1.6	1.6	1.6	0.6	2.4	0.6	3.7	4.6	4.8	1.6	

EXPR: 0631 WATL & 67.3 (Text for this exercise was not released)

UNADJ PPFCT	5.2	-6.8	8.2	-6.1	8.6	-5.3	-15.8	-31.2	10.6	-15.2	6.1	2.6	3.3	5.5	-21.2	-29.5	-10.9	-8.5	2.4	8.3	-6.2
STD PPFCT	2.0	3.3	2.6	2.9	1.1	1.3	7.0	3.7	3.4	5.0	3.1	2.6	3.0	0.9	2.8	5.2	5.1	5.0	2.3	1.7	1.7
STD ERROR	-2.9	1.1	-1.2	4.2	-8.8	-10.7	-17.6	5.8	-10.2	3.2	3.1	1.9	3.7	-12.7	-2.3	-8.0	-5.6	1.7	5.3	-2.9	
BAL PPFCT	2.1	3.6	2.5	2.8	1.0	1.3	8.7	3.8	3.2	3.9	3.1	2.6	3.2	0.8	4.2	5.6	4.4	5.0	2.3	1.4	
STD ERROR																					

EXPR: 0632 WATL & 66.5 (Text for this exercise was not released)

UNADJ PPFCT	3.7	-10.9	3.4	0.9	2.4	-2.8	-20.7	-20.6	18.6	-3.0	3.4	1.7	-0.7	4.6	-24.3	-13.3	-11.4	-6.7	4.4	6.8	-6.5
STD PPFCT	2.4	1.4	2.7	2.8	1.1	1.3	6.3	6.1	2.8	8.1	3.6	2.4	2.3	0.8	3.3	0.2	6.6	3.9	2.0	2.0	1.8
STD ERROR	-5.0	0.5	-5.0	0.9	2.7	2.0	-2.8	-15.3	-5.4	0.5	0.9	1.9	-2.3	3.7	-19.0	-12.0	-6.5	-2.5	5.1	3.8	-5.6
BAL PPFCT	2.6	2.5	2.5	2.6	1.0	1.2	8.6	5.8	2.9	3.1	3.4	2.5	2.3	0.7	8.8	4.3	5.8	8.2	1.9	2.0	1.9
STD ERROR																					

EXPR: 0633 WATL & 65.1 (Text for this exercise was not released)

UNADJ PPFCT	6.5	-13.1	0.3	3.1	7.1	-6.9	-5.0	-21.6	16.2	1.4	6.2	-0.9	-2.4	4.8	-25.1	-7.0	-11.8	-7.7	-0.4	11.9	-9.7
STD PPFCT	3.0	3.3	2.6	3.0	1.8	1.5	7.5	5.6	8.3	4.8	3.0	3.1	3.8	0.9	3.9	3.2	5.7	5.8	2.4	1.8	2.3
BAL PPFCT	4.9	-8.9	-0.1	2.0	6.8	-6.6	0.1	-6.5	8.8	-0.5	2.7	-0.6	-1.8	-1.8	-19.5	-5.4	-7.7	-7.1	0.1	10.1	-6.8
STD ERROR	2.7	3.1	2.6	3.2	1.3	1.4	7.3	5.0	8.6	4.3	3.1	2.8	3.6	0.8	3.3	8.1	5.0	6.2	2.2	2.1	
STD ERROR																					

EXPR: 0634 WATL & 63.1 (Text for this exercise was not released)

UNADJ PPFCT	3.8	-7.8	0.0	3.6	8.0	-8.0	-12.7	-28.3	14.3	0.3	5.3	-0.9	0.8	4.4	-27.0	-7.9	-16.5	-9.1	-1.3	10.4	-7.7
STD PPFCT	2.6	3.6	2.1	2.4	1.2	1.3	6.5	8.1	2.7	1.7	2.5	3.1	2.7	0.9	3.1	6.6	6.1	8.3	2.5	1.5	1.8
BAL PPFCT	1.1	-2.0	-2.0	3.0	7.5	-7.5	-8.3	-10.8	8.2	2.2	3.3	-1.8	-0.2	3.2	-19.8	-5.5	-10.8	-5.9	-0.8	8.3	-6.8
STD ERROR	2.6	2.2	2.1	2.1	1.2	1.2	4.9	4.0	2.8	3.1	2.6	2.8	2.4	0.7	3.2	8.3	5.7	8.2	2.2	1.4	
STD ERROR																					

EXPR: 0635 WATL & 61.9 (Text for this exercise was not released)

UNADJ PPFCT	-8.6	-9.0	8.6	8.9	0.8	-0.8	3.5	-23.6	2.9	-12.8	8.8	-1.8	6.7	3.1	-13.6	-12.3	1.7	-2.6	2.9	5.4	-6.6
STD PPFCT	2.5	2.5	2.1	2.1	1.2	1.3	5.3	8.8	3.9	5.2	2.6	2.2	3.1	0.7	3.6	3.7	8.9	5.8	2.0	2.0	1.8
BAL PPFCT	-9.2	-10.0	8.9	6.0	-0.9	2.2	-17.2	5.9	-12.8	0.7	-1.6	7.5	1.6	-6.0	-8.8	2.3	-0.7	2.5	3.4	-8.9	
STD ERROR	2.1	2.9	2.1	2.1	1.2	1.2	5.2	5.9	3.7	4.0	2.5	2.1	3.1	0.8	3.8	8.8	4.7	5.8	1.9	1.7	
STD ERROR																					

EXPR: 0636 WATL & 61.5 (Text for this exercise was not released)

UNADJ PPFCT	0.5	-6.8	-0.5	5.0	1.9	-1.9	-9.2	-18.0	11.6	-8.5	5.5	1.1	-6.3	3.3	-20.0	-1.9	-7.4	-1.5	3.2	1.7	-2.7
STD PPFCT	2.0	2.9	2.3	1.9	1.0	1.1	7.6	8.5	3.0	5.4	2.1	1.9	-3.1	0.7	2.8	3.2	8.7	8.7	2.5	1.9	1.5
BAL PPFCT	-2.3	-2.8	0.1	8.1	2.1	-2.2	-7.5	-6.6	10.4	-3.3	3.2	0.6	-4.2	2.5	-15.5	-0.9	-3.9	1.6	2.8	0.0	-1.8
STD ERROR	1.8	2.9	2.1	2.0	1.1	1.1	7.3	5.3	3.0	5.6	2.5	1.9	2.8	0.7	3.2	3.6	8.5	8.5	2.3	1.9	
STD ERROR																					

EXPR: 0637 WATL & 57.6 (Text for this exercise was not released)

UNADJ PPFCT	-0.1	-6.8	3.1	1.9	3.9	-3.8	5.1	-11.2	3.0	2.3	1.3	2.2	-5.9	1.2	-7.7	0.7	-10.3	-10.0	0.9	1.7	0.9
STD PPFCT	2.2	2.8	2.6	2.3	1.3	8.3	8.3	8.8	3.7	2.7	2.9	3.3	3.3	0.7	3.5	6.1	5.7	2.6	1.8	1.9	
BAL PPFCT	-0.4	-5.2	2.8	1.6	6.0	-3.9	7.8	-9.1	0.5	0.6	-0.3	3.1	-4.4	0.7	-4.8	1.9	-10.1	0.8	0.7	1.9	
STD ERROR	2.3	3.3	2.8	2.3	1.3	4.9	4.9	3.8	2.7	3.1	2.3	4.0	0.7	4.0	3.2	6.2	5.6	2.5	1.9		
STD ERROR																					

REGION	SEX	SIZE AND TYPE OF COMMUNITY	COLOR						HIGH SCHOOL EDUCATION								
			BLACK	BLACK	OTHER	NONE	SOME	GRADUATED	POST	UNKNOWN	BLACK	BLACK	OTHER	NONE	SOME	GRADUATED	POST
EAST S.EAST CENTRAL WEST	MALE	EXTREME RURAL INNER MEDIUM URBAN RURAL CITY APP SUB PRINCIPAL CITY CITY															
		(Test for this exercise was not released)															
EXPER: 0638 MALE \$ 56.5			-6.3	6.8	0.9	-0.6	1.3	-1.4	0.3	-6.1	3.1	-2.2	1.0	1.3	-8.8	-6.3	-9.3
MDAD EFFECT			2.8	2.9	2.3	2.8	1.3	1.3	0.9	3.7	6.6	2.7	0.4	0.6	5.3	5.9	5.4
STD PREDN			5.2	5.2	0.9	-0.8	1.4	-1.4	-0.3	1.1	2.0	-0.5	-2.1	0.8	1.3	9.4	2.8
BAL EFFECT			2.7	2.6	2.8	2.9	1.2	1.3	5.8	1.9	6.1	2.7	3.9	2.8	2.6	0.7	4.2
STD PREDN																	
EXPER: 0639 MALE \$ 58.4			(Test for this exercise was not released)														
MDAD EFFECT			-0.0	-1.8	-0.8	2.7	6.3	-6.4	-10.2	-20.1	19.6	-4.9	5.3	-2.2	0.9	-25.2	-3.9
STD PREDN			2.6	3.9	2.9	2.7	1.1	1.1	0.0	3.7	6.9	3.5	3.1	2.6	0.8	2.9	5.5
BAL EFFECT			2.7	3.6	-2.5	2.4	6.0	-4.0	-7.9	-6.0	13.8	-1.5	4.2	-3.5	-1.2	3.9	-21.2
STD PREDN			2.6	2.9	2.6	2.8	1.1	1.1	0.4	6.7	6.7	6.6	3.4	2.6	2.5	0.8	3.4
EXPER: 0640 MALE \$ 53.8			(Test for this exercise was not released)														
MDAD EFFECT			1.8	-6.8	-3.9	7.5	5.7	-6.5	-19.8	-11.2	6.7	-2.1	7.1	1.4	1.6	-16.5	-13.5
STD PREDN			1.1	4.2	3.1	3.8	1.1	1.2	5.6	5.0	6.1	3.4	6.1	6.6	0.7	3.6	5.5
BAL EFFECT			-0.4	-5.7	-5.1	10.0	5.8	-6.3	-10.8	-1.0	4.7	-5.9	-4.1	7.3	0.7	2.6	-10.2
STD PREDN			2.9	9.6	1.3	3.5	1.0	1.2	5.8	4.5	5.5	3.5	3.8	3.7	0.8	3.8	5.1
E-16			(Test for this exercise was not released)														
EXPER: 0641 MALE \$ 49.2			(Test for this exercise was not released)														
MDAD EFFECT			0.2	-2.7	-1.6	3.8	0.1	-0.1	-2.8	-14.0	8.3	-5.3	-1.7	3.5	2.5	3.0	-10.0
STD PREDN			2.1	3.0	2.5	2.8	1.4	1.4	6.5	6.5	6.2	6.3	2.3	2.2	2.5	0.6	3.0
BAL EFFECT			0.3	-3.5	-2.2	5.1	-0.2	0.2	0.9	3.6	-5.3	-2.7	6.8	2.6	1.8	2.5	-18.2
STD PREDN			2.2	3.3	2.6	2.4	1.5	1.3	6.5	3.8	4.1	2.2	3.1	2.4	0.7	3.6	4.1
EXPER: 0642 MALE \$ 48.3			(Test for this exercise was not released)														
MDAD EFFECT			3.9	-8.2	-1.5	1.5	1.4	-1.4	-2.7	-16.1	6.8	-2.3	8.7	-3.3	-1.6	1.5	-17.2
STD PREDN			2.0	2.4	2.1	2.6	1.3	1.3	7.6	6.2	3.2	3.3	2.8	2.5	2.5	0.7	3.8
BAL EFFECT			1.9	-0.7	-1.6	2.5	1.2	-1.2	1.2	1.2	0.3	-8.5	0.3	6.8	-4.0	-18.2	5.1
STD PREDN			1.8	1.9	1.9	2.3	1.2	1.2	8.8	3.9	3.3	3.2	2.2	2.3	2.1	0.7	4.4
EXPER: 0643 MALE \$ 41.6			(Test for this exercise was not released)														
MDAD EFFECT			2.6	-6.0	1.6	0.6	3.0	-3.2	6.6	-10.0	8.6	-1.6	-2.4	1.7	1.0	1.0	-7.7
STD PREDN			2.6	3.3	1.8	2.2	1.2	1.3	5.9	6.1	6.1	3.3	2.7	2.5	2.5	0.6	5.1
BAL EFFECT			3.5	-6.6	1.5	0.3	2.8	-2.9	6.6	-9.2	3.7	-2.3	3.9	-0.5	2.3	0.6	5.0
STD PREDN			2.6	3.1	1.8	2.4	1.2	1.3	6.5	6.1	6.3	3.2	2.7	2.3	2.3	0.7	5.0
EXPER: 0644 MALE \$ 41.3			(Test for this exercise was not released)														
MDAD EFFECT			2.4	-6.7	4.7	-3.2	3.2	-3.7	-16.2	-28.8	11.1	-6.7	1.9	2.1	5.2	3.9	-19.3
STD PREDN			3.0	3.9	3.1	2.9	1.2	1.4	5.8	5.3	5.1	5.3	3.6	3.1	3.1	0.8	5.8
BAL EFFECT			0.8	-8.1	3.2	-1.0	2.9	-3.3	-10.2	-18.7	7.8	-7.8	0.2	2.3	2.3	-10.0	6.8
STD PREDN			2.9	3.3	2.8	2.5	1.1	1.3	6.5	6.1	5.0	3.6	3.1	3.2	0.7	3.3	4.7

PIER: 0645 WATL % 40.2 (Test for this exercise was not released)

UNADJ APPCT	6.7	-10.7	-6.5	7.0	0.9	-0.9	-13.2	-18.2	22.8	-5.2	5.2	0.7	-3.2	2.3	-12.7	-2.8	-0.6	-12.1	-2.2	9.1	-5.8
STD PAVOR	3.5	3.1	3.0	2.8	1.3	1.3	3.8	3.9	6.9	3.9	3.6	3.6	3.2	0.8	3.8	3.8	8.7	8.3	2.2	1.8	1.4
BAL APPCT	6.8	-8.0	-3.6	5.7	0.6	-0.6	-8.5	-9.5	16.8	-6.7	3.5	0.6	-1.5	1.2	-6.3	-1.1	-1.7	-6.6	-1.3	7.3	-5.4
STD PAVOR	3.1	3.8	2.8	2.6	1.3	1.3	3.3	3.7	4.8	3.7	3.6	3.1	3.1	0.7	3.4	4.7	8.6	8.0	2.1	1.7	1.7

PIER: 0646 WATL % 38.7 (Test for this exercise was not released)

UNADJ APPCT	7.6	-12.0	-0.0	1.5	0.3	-0.3	-3.7	-7.3	7.0	-6.7	6.5	-0.9	-4.5	1.7	-11.0	-0.1	-7.2	-9.8	1.6	9.0	-6.8
STD PAVOR	2.9	3.1	2.4	2.7	1.3	1.4	3.9	3.8	5.4	5.2	5.3	3.8	3.2	0.6	3.3	4.6	5.2	5.3	2.6	1.6	1.4
BAL APPCT	7.1	-9.7	-0.3	0.5	0.0	-0.0	0.9	-3.8	5.0	-5.3	3.8	-1.2	-2.7	0.5	-6.7	3.1	-4.4	-6.8	1.1	8.2	-6.3
STD PAVOR	3.0	3.5	2.5	2.7	1.3	1.3	3.7	8.5	5.1	8.1	3.8	2.6	3.5	0.6	3.3	3.5	8.3	8.9	2.5	2.0	2.0

PIER: 0647 WATL % 36.7 (Test for this exercise was not released)

UNADJ APPCT	0.7	-7.6	-1.1	7.5	3.2	-3.2	-5.8	-15.7	10.3	-2.9	5.1	-2.7	1.3	2.1	-13.9	-1.2	-10.1	-1.8	-0.2	5.9	-6.7
STD PAVOR	3.0	2.6	2.3	2.2	1.3	1.3	5.8	3.1	6.3	4.3	2.8	2.7	2.7	0.7	2.7	5.6	6.6	4.2	2.4	1.6	1.6
BAL APPCT	-0.3	-5.1	-2.0	7.4	2.8	-2.8	-3.1	-10.5	7.5	-2.8	3.8	-2.8	1.5	1.1	-7.1	-1.6	-7.2	-0.1	0.6	6.1	-6.3
STD PAVOR	2.8	2.6	2.3	2.8	1.3	1.3	5.2	3.5	4.5	4.8	2.7	2.7	2.8	0.7	3.1	5.6	6.5	4.0	2.3	1.5	1.8

PIER: 0648 WATL % 37.6 (Test for this exercise was not released)

UNADJ APPCT	7.0	-6.2	0.4	-3.1	3.1	-3.5	-12.7	-8.7	17.5	-6.2	-1.0	-0.7	0.2	1.1	-12.8	-15.8	-21.1	-7.9	-0.8	9.1	-6.8
STD PAVOR	2.8	3.2	3.4	2.9	1.8	1.6	5.1	5.7	6.8	4.5	3.6	4.5	3.7	0.7	2.5	3.7	3.4	4.7	2.0	1.6	1.8
BAL APPCT	8.6	-6.6	-0.1	-1.5	2.9	-3.3	-5.2	-0.5	13.4	-8.1	-3.7	-0.9	0.3	0.3	-7.8	-9.2	-10.5	-8.8	-0.0	7.5	-6.3
STD PAVOR	2.8	3.1	3.0	2.8	1.4	1.6	4.7	6.0	4.1	5.1	3.6	4.1	3.3	0.7	3.5	4.1	7.8	3.9	2.0	1.5	1.7

PIER: 0649 WATL % 36.8 (Test for this exercise was not released)

UNADJ APPCT	6.7	-1.6	-8.6	2.1	-0.7	0.6	-7.4	-4.9	9.8	3.3	0.2	0.1	-1.4	0.8	-5.2	1.3	-5.8	-7.7	0.4	5.4	-6.2
STD PAVOR	2.7	3.8	2.4	2.6	1.2	1.2	6.1	4.3	6.8	5.0	3.0	3.0	3.7	0.6	2.9	6.2	6.6	4.9	2.0	1.7	1.8
BAL APPCT	3.9	0.8	-6.2	0.9	-0.8	0.8	-5.9	-2.2	6.1	3.1	0.1	-0.3	-0.7	0.6	-3.6	2.8	4.2	0.2	0.7	5.0	-6.2
STD PAVOR	2.8	3.5	2.3	2.7	1.2	1.2	4.5	5.1	4.9	5.1	2.8	2.6	3.7	0.7	3.2	4.7	6.5	8.8	2.0	1.7	1.7

PIER: 0650 WATL % 36.0 (Test for this exercise was not released)

UNADJ APPCT	8.2	-5.9	-1.9	3.8	1.1	-1.2	-10.6	-11.1	9.0	-3.8	-2.9	3.6	1.5	0.9	-6.7	-6.8	-2.5	-12.9	0.9	6.2	-5.1
STD PAVOR	2.8	2.9	3.3	3.1	1.3	1.3	6.2	6.2	6.0	5.8	5.1	5.8	5.2	0.6	4.5	6.3	6.0	6.8	2.2	1.9	1.9
BAL APPCT	1.6	-6.9	-0.9	3.6	0.9	-0.9	-7.0	-9.6	7.0	-3.9	-3.8	2.6	2.6	2.7	0.1	-1.8	-3.7	0.2	-9.7	1.5	-5.1
STD PAVOR	3.0	3.2	3.0	1.3	1.3	1.4	7.6	8.5	8.3	5.5	8.2	2.7	8.1	0.6	4.8	5.3	5.7	8.3	2.3	2.0	1.8

PIER: 0651 WATL % 38.2 (Test for this exercise was not released)

UNADJ APPCT	0.9	-3.2	1.9	0.3	-0.7	0.7	-7.1	-12.1	-2.3	-3.6	5.9	0.5	2.3	2.9	-14.9	-6.7	-1.7	-6.5	-1.9	5.8	-6.3
STD PAVOR	2.1	2.8	2.1	2.2	1.3	1.3	6.5	7.3	4.5	4.3	2.6	2.3	2.3	0.7	2.9	5.9	5.0	6.0	2.5	1.8	1.9
BAL APPCT	-0.5	-0.5	1.8	-0.7	-0.9	0.9	-5.6	-4.9	-5.2	-2.6	5.0	0.2	1.6	2.1	-1.6	-1.8	-1.7	-0.0	-5.1	2.1	-3.2
STD PAVOR	2.0	2.4	2.1	2.5	1.3	1.3	6.1	3.6	4.3	6.1	2.6	2.1	2.1	0.7	3.2	6.5	6.9	8.1	2.5	1.8	1.8

EXPERIMENT	NATL %	TEST	SEX	SIZE AND TYPE OF COMMUNITY	COLOR				HIGH SCHOOL EDUCATION																
					MALE	FEMALE	RURAL	URBAN	SMALL TOWNS	MEDIUM TOWNS	URBAN	SMALL CITY	WORK	BLACK	OTHER	NONE	SOME	GRADUATED	POST	JUNIOR					
EPR: U652	NATL % 33.4	(Text for this exercise was not released)			-1.6	1.0	0.8	0.7	-0.9	3.3	-5.6	-1.1	-2.6	2.0	-0.2	0.6	1.3	-2.6	-3.8	-1.8	0.0	-1.3			
UNADJ EFFECT	-0.8	2.6	2.0	2.2	1.0	1.0	1.0	3.2	2.5	2.5	1.9	2.6	2.2	0.4	2.6	3.1	5.3	4.3	2.3	1.9	1.8				
STD ERROR	1.7	0.5	0.5	0.9	0.7	0.7	0.7	2.9	2.9	2.9	1.8	2.7	2.5	0.8	2.8	5.4	5.3	4.3	2.3	1.9	1.7				
BAL EFFECT	-1.3	2.6	2.0	2.3	1.0	1.0	1.1	3.7	3.0	3.0	3.8	3.8	3.8	0.6	3.8	6.0	6.0	4.3	2.2	1.9	1.7				
STD ERROR	1.8	2.6	2.0	2.3	1.0	1.0	1.1	3.7	3.0	3.0	3.8	3.8	3.8	0.6	3.8	6.0	6.0	4.3	2.2	1.9	1.7				
EPR: U653	NATL % 21.9	(Text for this exercise was not released)			-2.2	8.2	-3.4	3.2	0.9	-0.9	-1.9	-1.6	0.0	-1.0	-4.9	3.0	1.0	-7.7	2.5	3.1	-0.8	-0.5	-1.7	1.6	
UNADJ EFFECT	-2.2	2.1	1.7	1.5	1.0	1.0	1.1	3.7	2.5	2.5	0.2	1.7	2.1	1.7	0.8	2.8	3.3	4.0	3.3	1.8	1.5	1.3			
STD ERROR	2.7	5.3	-3.2	2.7	1.3	-1.3	-1.3	-1.3	2.3	2.0	0.6	-4.1	2.8	1.8	1.6	-10.2	-0.3	2.2	-0.3	-0.6	-1.7	-1.9	1.2		
BAL EFFECT	1.6	2.0	1.8	1.5	1.0	1.0	1.1	3.6	3.1	2.7	0.1	2.0	1.6	0.5	-2.6	3.6	3.9	3.1	1.6	-1.6	-1.5	1.2			
STD ERROR	1.6	2.0	1.8	1.5	1.0	1.0	1.1	3.6	3.1	2.7	0.1	2.0	1.6	0.5	-2.6	3.6	3.9	3.1	1.6	-1.6	-1.5	1.2			
EPR: U654	NATL % 20.8	(Text for this exercise was not released)			-5.0	-5.0	-0.6	4.1	6.2	-6.0	-9.2	-10.2	12.9	-2.2	4.2	-5.7	1.9	2.0	-10.1	-6.6	0.8	-8.3	-5.2	8.8	-2.9
UNADJ EFFECT	1.2	2.1	2.4	2.3	2.0	2.0	1.0	3.9	3.4	3.4	5.0	5.0	3.5	2.6	3.0	2.6	0.6	2.5	6.2	5.4	3.2	1.7	2.0	1.4	
STD ERROR	0.0	2.0	-2.9	-0.7	3.6	5.7	-5.5	-5.4	6.4	8.2	-2.2	2.4	-5.0	2.4	3.1	1.2	-5.0	5.0	3.0	6.9	-4.2	6.4	-2.0	1.4	
BAL EFFECT	2.3	2.4	2.4	2.8	2.8	2.8	1.0	0.9	3.7	3.6	5.3	5.3	1.6	2.5	3.1	2.3	0.6	2.8	6.1	5.3	3.5	1.7	1.9	1.4	
STD ERROR	2.3	2.4	2.4	2.8	2.8	2.8	1.0	0.9	3.7	3.6	5.3	5.3	1.6	2.5	3.1	2.3	0.6	2.8	6.1	5.3	3.5	1.7	1.9	1.4	
EPR: U655	NATL % 18.5	(Text for this exercise was not released)			-0.6	-0.6	-0.6	4.1	6.2	-6.0	-9.2	-10.2	12.9	-2.2	4.2	-5.7	1.9	2.0	-10.1	-6.6	0.8	-8.3	-5.2	8.8	-2.9
UNADJ EFFECT	-0.7	-0.6	-0.6	-0.7	2.2	1.0	-1.0	-3.1	9.7	8.9	-3.4	-1.8	1.1	-1.1	-1.3	-0.3	2.6	-0.7	-3.6	1.3	-0.3	2.6	-1.8		
STD ERROR	1.9	1.7	1.9	1.7	1.9	1.8	0.9	0.9	3.1	4.0	8.7	8.7	1.9	1.7	1.6	2.2	0.8	2.6	2.5	3.9	3.7	1.6	1.4		
BAL EFFECT	-0.9	-0.9	-0.9	-0.3	1.7	0.8	0.8	-2.6	9.5	9.5	-2.9	-2.0	2.0	-1.0	-1.0	-0.1	1.8	-2.8	-3.1	1.7	-0.0	2.4	-1.9		
STD ERROR	1.9	1.8	1.8	2.0	2.1	2.1	0.9	0.9	3.2	4.8	5.0	5.0	2.0	1.8	1.7	-2.3	0.4	2.5	3.0	3.8	3.8	1.5	1.1		
EPR: U656	NATL % 12.7	(Text for this exercise was not released)			-0.6	-0.6	-0.6	0.3	0.9	-1.6	0.1	-0.1	3.3	-1.5	-0.5	1.3	0.6	-1.7	2.3	-0.1	-0.8	2.0	-3.0	0.3	
UNADJ EFFECT	0.2	0.3	0.3	0.9	-1.6	0.1	-0.1	3.3	-1.5	-1.5	0.5	1.3	0.6	-1.7	2.3	-0.1	-0.8	2.0	2.6	-3.0	0.3	1.1	-1.1		
STD ERROR	1.8	2.2	2.2	2.2	1.6	0.7	0.8	3.6	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.0	0.4	1.8	3.2	2.7	2.8	1.7	0.9		
BAL EFFECT	0.7	0.1	1.0	-2.3	-2.3	-0.0	0.0	3.8	-2.0	-0.5	0.1	0.4	0.4	-3.5	2.6	1.4	1.9	0.4	2.0	4.3	3.1	0.1	1.2	0.9	
STD ERROR	2.1	2.1	2.0	1.5	1.5	0.7	0.7	0.8	3.5	2.3	2.8	2.8	2.2	2.6	1.4	1.7	0.8	2.0	3.3	2.6	2.8	1.7	0.9		
EPR: U657	NATL % 11.6	(Text for this exercise was not released)			-2.3	1.1	-1.9	0.1	-0.1	3.3	-1.5	-0.5	1.3	0.6	-1.7	2.3	-0.1	-0.8	2.0	2.6	-3.0	0.3	1.1	-1.1	
UNADJ EFFECT	2.5	-2.3	1.1	-1.9	2.6	-2.7	4.5	0.6	-1.5	2.1	-4.6	3.0	-1.1	-0.1	-0.2	0.4	1.4	-2.5	3.8	0.8	-0.0	-0.7	0.9		
STD ERROR	1.8	1.7	1.6	1.5	0.8	0.8	0.8	5.1	2.9	2.5	3.3	1.6	1.7	2.0	0.4	0.4	2.6	2.7	1.5	3.3	1.6	0.9			
BAL EFFECT	3.5	-3.5	1.1	-1.9	2.5	-2.6	4.7	0.7	-0.4	2.3	-4.7	3.3	-1.9	-0.3	-0.4	1.1	2.8	-2.2	4.9	0.4	-0.4	-1.2	0.9		
STD ERROR	1.9	1.5	1.5	1.5	0.8	0.8	0.8	4.9	3.0	2.3	3.3	1.7	1.7	2.0	0.5	0.5	2.6	2.9	3.6	3.4	1.7	1.1			
OBJECTIVE:	Possess the ability and skills needed to engage in the processes of science.																								
EPR: U658	NATL % 95.6	(Text for this exercise was not released)			-3.7	1.0	0.1	-1.0	-0.4	1.1	-5.1	-11.6	4.8	0.1	-0.3	1.8	-11.5	0.5	0.5	-7.2	-5.8	1.7	1.9	-1.9	
UNADJ EFFECT	2.1	1.5	0.9	1.0	0.4	0.4	0.4	5.1	3.6	3.6	3.6	3.6	3.6	1.0	0.9	1.0	1.0	0.9	2.9	3.9	0.5	0.7			
STD ERROR	0.7	1.3	1.0	1.0	0.4	0.4	0.4	1.1	-3.5	-6.4	3.6	3.6	3.6	3.6	0.8	-0.9	1.4	-8.9	-5.9	1.1	-1.1	-0.7			
BAL EFFECT	1.3	1.2	1.0	0.8	0.8	0.8	0.8	0.4	-1.1	-0.4	0.4	0.4	0.4	0.4	0.9	0.9	0.9	0.9	0.9	2.8	3.5	0.5			
STD ERROR	0.7	1.0	0.8	0.8	0.8	0.8	0.8	0.4	-1.1	-0.4	0.4	0.4	0.4	0.4	0.9	0.9	0.9	0.9	0.9	2.8	3.5	0.5			

EPR: U659 MATL # 911.2 (Text for this exercise was not released)

UNADJ PPFCT	1.5	-8.6	1.6	0.1	-0.9	0.9	-7.9	-7.6	5.0	-0.3	0.6	1.7	1.1	2.0	-8.2	-7.5	-5.5	-1.6	0.6	3.7	-3.8
STD PNROR	1.2	1.9	1.3	1.2	0.8	0.7	8.7	3.0	1.4	2.2	1.8	1.1	1.4	0.8	1.9	2.5	3.8	2.4	1.1	0.9	1.1
BAL PPFCT	0.9	-3.6	1.4	0.1	-1.1	1.0	-6.2	-2.8	1.4	0.9	1.5	0.7	1.5	1.5	-6.3	-5.8	-3.1	-0.7	1.0	3.1	-3.4
STD PNROR	1.2	1.5	1.2	1.0	0.7	0.7	8.1	2.8	1.4	2.0	1.6	1.0	1.2	0.8	1.9	2.6	3.6	2.5	1.1	0.8	1.0

EPR: U660 MATL # 911.1 (Text for this exercise was not released)

UNADJ PPFCT	1.1	-3.1	2.5	-1.6	0.6	-0.7	-19.3	-6.7	9.1	0.3	1.7	3.3	0.9	2.6	-8.0	-16.7	-9.1	-10.9	0.9	3.1	-0.6
STD PNROR	1.5	1.8	1.8	2.5	0.7	0.8	8.0	8.0	1.6	2.3	1.9	1.2	1.5	0.9	2.2	7.8	4.2	5.0	1.0	1.0	1.0
BAL PPFCT	-1.0	-1.1	1.5	0.2	0.5	-0.5	-15.0	-1.1	2.0	1.2	0.4	2.6	0.6	1.9	-5.5	-12.5	-5.9	-7.0	1.1	0.7	-0.5
STD PNROR	1.2	1.7	1.5	1.3	0.7	0.8	6.4	3.8	1.8	2.6	1.7	1.4	1.3	0.7	2.3	5.4	3.2	3.5	1.0	0.7	0.8

EPR: U661 MATL # 971.1 (Text for this exercise was not released)

UNADJ PPFCT	2.8	-8.2	2.7	1.1	-0.8	0.8	-7.5	-15.0	7.5	0.7	5.6	-1.9	-2.3	4.3	-22.9	-6.7	-13.0	-10.0	2.6	8.3	-2.2
STD PNROR	1.8	3.6	2.0	1.8	0.8	0.8	8.1	6.2	2.3	3.7	2.0	2.6	2.6	1.0	3.4	4.1	6.9	6.6	1.3	1.3	1.1
BAL PPFCT	0.1	-2.8	1.8	0.3	-0.9	0.8	-1.3	-0.5	4.7	0.9	2.4	-2.3	-2.7	3.9	-20.8	-5.6	-10.5	-8.3	2.7	2.3	-2.2
STD PNROR	1.5	2.0	1.9	1.7	0.8	0.7	8.2	5.9	2.0	2.8	1.8	1.9	1.9	0.9	3.2	6.3	5.6	4.7	1.4	1.0	1.1

EPR: U662 MATL # 811.2 (Text for this exercise was not released)

UNADJ PPFCT	5.7	-13.0	5.7	-2.5	0.6	-1.0	-27.0	-20.1	8.7	-6.8	8.3	0.8	1.3	8.3	-19.9	-17.3	-21.0	-8.6	1.1	7.6	-3.9
STD PNROR	1.9	3.9	2.0	2.3	0.8	0.9	9.8	3.9	2.3	4.8	2.3	2.4	2.3	0.8	3.2	8.5	5.3	3.2	1.9	1.5	1.6
BAL PPFCT	2.8	-7.8	3.1	-0.6	0.8	-0.5	-19.8	-18.0	8.3	-6.0	5.8	1.3	0.8	2.6	-11.0	-12.0	-15.6	0.0	4.6	4.6	-2.8
STD PNROR	1.7	2.5	1.7	2.1	0.8	0.9	7.7	6.2	2.1	3.4	2.1	2.1	1.9	0.7	3.2	3.9	8.4	2.7	1.8	1.2	1.5

EPR: U663 MATL # 761.2 (Text for this exercise was not released)

UNADJ PPFCT	2.6	-5.9	2.2	-0.8	1.8	-1.7	-1.1	-28.2	4.5	6.1	0.6	0.2	8.5	8.7	-18.6	-19.6	-1.7	0.3	3.6	6.1	-6.7
STD PNROR	2.8	3.0	2.2	2.8	1.0	1.0	5.1	5.1	6.5	8.0	2.7	2.5	2.2	0.9	3.9	3.3	8.6	8.5	2.0	1.8	2.0
BAL PPFCT	2.5	-5.6	0.7	2.5	1.5	-0.5	2.1	-10.8	0.5	5.6	-2.9	-2.7	3.7	3.8	-13.8	-18.5	2.8	3.4	2.9	2.9	-5.8
STD PNROR	2.7	2.5	1.9	2.5	1.0	0.9	8.0	6.9	6.7	8.4	2.6	2.6	2.4	0.9	3.7	3.7	8.3	8.3	1.9	1.8	1.9

EPR: U664 MATL # 761.4 (Text for this exercise was not released)

UNADJ PPFCT	8.0	-11.8	2.8	1.1	0.3	-0.8	-18.8	-23.1	8.3	-5.3	6.9	0.6	3.7	8.9	-25.6	-15.8	-9.1	-3.5	8.1	6.2	-8.0
STD PNROR	2.0	2.5	2.3	2.8	1.1	1.3	3.6	3.1	2.1	3.7	2.4	2.8	2.3	0.8	1.9	6.6	5.6	3.5	1.9	1.8	1.7
BAL PPFCT	1.0	-8.3	1.9	3.0	-0.1	0.1	-11.1	-9.8	4.4	-8.4	3.4	-0.1	3.0	0.7	17.1	-12.7	-5.7	1.6	6.6	3.5	-7.2
STD PNROR	1.9	2.3	1.8	2.0	1.1	1.2	3.8	3.2	1.9	3.3	2.3	2.3	1.9	0.7	2.0	5.1	5.8	3.6	1.8	1.3	1.5

EPR: U665 MATL # 701.3 (Text for this exercise was not released)

UNADJ PPFCT	3.1	-7.5	5.8	-2.8	-1.3	1.3	-8.5	-35.7	13.8	1.8	6.1	-2.8	1.3	5.5	-27.3	-21.7	-23.3	-16.6	0.9	9.3	-6.0
STD PNROR	2.1	8.2	2.5	2.5	1.0	1.0	6.3	3.0	2.1	3.6	2.9	3.2	2.3	0.9	3.8	6.0	5.5	4.9	1.6	1.6	1.6
BAL PPFCT	0.3	-1.9	2.6	-1.6	-1.8	1.8	-21.2	0.6	4.0	3.5	-3.0	0.2	3.0	3.8	-19.1	-15.2	-19.0	-10.8	0.8	7.2	-6.4
STD PNROR	2.1	2.9	2.3	2.8	1.0	1.0	3.6	2.9	3.3	3.5	2.8	2.8	2.8	0.8	3.3	5.1	5.5	4.8	2.1	1.5	1.6

REGION	SEX	SIZE AND TYPE OF COMMUNITY										COLOR				HIGH SCHOOL EDUCATION				
		M-PIST	S-PIST	CENTRAL	WEST	MALE	FEMALE	EXTREME RURAL	INNER RURAL	URBAN	MEdN SMALL CITY	PRINCIPAL CITY	APP SUB	PRINC	CITY	NON BLACK	BLACK	OTHER HOME	SOME GRADUATED	POST UNKNOWN
RER: 0666 NATL S 66.5	(Text for this exercise was not released)																			
UNADJ EFFECT	1.8	-6.6	3.1	0.6	0.2	-0.2	0.9	-13.9	7.3	-6.0	2.3	-3.9	2.1	3.6	-17.7	-12.0	-5.5	-2.0	-0.1	
STD PARM	2.8	2.3	2.7	2.4	1.1	1.1	6.8	5.3	3.1	2.5	2.5	0.7	3.2	7.3	5.1	1.8	1.7	1.6		
BAL EFFECT	0.6	-4.1	1.5	1.2	-0.1	0.1	10.8	-0.2	3.8	-5.1	-1.0	-8.0	2.1	3.7	-16.4	-13.0	-3.8	-1.2	0.5	
STD PARM	2.3	2.3	2.5	2.3	1.1	1.1	3.8	6.1	2.9	8.7	2.9	2.1	2.5	0.7	3.3	8.4	7.1	5.0	1.8	
RER: 0667 NATL S 63.8	(Text for this exercise was not released)																			
UNADJ EFFECT	10.8	-6.9	6.8	-12.8	3.6	-8.1	-16.1	-33.1	13.3	-16.6	1.8	3.1	7.9	6.6	-29.2	-29.0	-8.5	-12.2	1.3	
STD PARM	2.1	3.3	1.9	2.6	1.1	1.3	6.2	6.8	3.6	4.5	2.6	2.4	2.2	1.0	3.4	6.5	4.1	0.6	1.9	
BAL EFFECT	7.8	-3.5	1.9	-0.6	3.0	-3.8	-9.2	-10.1	6.8	-10.2	-2.5	3.7	6.7	4.8	-20.8	-16.8	-1.6	-5.8	7.9	
STD PARM	2.1	2.2	1.8	2.1	1.0	1.3	8.6	6.2	3.2	4.0	2.2	2.3	1.8	0.9	8.0	8.8	3.7	8.8	1.7	
RER: 0668 NATL S 63.7	(Text for this exercise was not released)																			
UNADJ EFFECT	6.6	-12.0	5.0	-0.3	-0.9	0.8	-5.9	-23.5	7.2	-2.3	9.0	-3.5	-1.7	6.0	-27.9	-18.3	-16.8	-13.6	5.3	
STD PARM	2.3	3.2	2.6	2.3	1.1	1.1	9.8	4.6	4.6	5.8	2.6	2.5	2.7	1.0	3.2	9.7	6.2	0.8	2.5	
BAL EFFECT	1.9	-6.3	2.4	-0.7	-1.6	1.6	2.8	2.7	-1.5	6.3	-3.9	-1.8	-1.8	5.1	-22.9	-16.9	-12.5	-11.5	5.1	
STD PARM	2.0	2.2	2.3	1.9	1.1	1.1	5.6	8.3	3.5	8.5	2.3	1.8	2.3	0.9	3.5	8.9	5.5	8.3	2.5	
RER: 0669 NATL S 52.7	(Text for this exercise was not released)																			
UNADJ EFFECT	8.5	1.3	-0.5	-9.6	-1.5	1.5	-3.8	-7.9	11.9	-8.1	-1.3	-0.4	2.8	2.3	-8.8	-18.5	-12.3	2.6	-1.0	
STD PARM	2.8	3.2	2.8	3.2	1.3	1.3	7.8	5.5	6.8	3.8	3.9	2.3	3.5	0.7	3.8	5.2	6.8	6.3	2.8	
BAL EFFECT	7.8	2.6	-1.5	-8.9	-1.6	1.6	-0.5	-0.1	8.9	-2.2	-1.9	-1.7	1.3	1.7	-8.2	-7.2	-11.3	6.3	-1.5	
STD PARM	2.7	3.1	2.6	2.9	1.3	1.3	7.0	8.8	8.6	3.6	3.8	2.3	3.3	0.7	3.8	5.3	6.8	6.3	2.5	
RER: 0670 NATL S 87.9	(Text for this exercise was not released)																			
UNADJ EFFECT	0.8	-8.2	2.7	-0.4	3.9	-8.5	-7.2	-17.1	0.7	-6.5	5.0	0.4	3.1	2.9	-12.0	-13.7	-6.7	-0.2	2.8	
STD PARM	1.9	2.6	2.4	2.1	1.2	1.4	8.0	6.5	5.1	6.0	2.3	2.3	2.1	0.6	3.3	6.7	6.9	6.1	2.1	
BAL EFFECT	-0.9	-2.5	0.8	2.8	3.6	-8.2	-8.6	-8.3	-2.7	-5.7	3.6	0.7	2.0	0.7	-7.5	-11.5	-5.3	1.1	2.8	
STD PARM	1.7	2.2	2.3	2.5	1.1	1.3	6.6	5.8	5.1	3.8	2.1	2.3	2.7	0.7	3.6	5.1	6.9	6.3	2.0	
RER: 0671 NATL S 31.3	(Text for this exercise was not released)																			
UNADJ EFFECT	2.8	-10.3	6.0	-2.3	3.7	-3.8	-6.3	-18.6	-0.8	-0.0	9.8	-3.6	3.8	2.2	-8.8	-10.7	2.8	-1.6	-0.3	
STD PARM	2.2	2.2	3.1	2.8	1.1	1.2	5.3	2.5	3.7	3.6	6.1	2.6	2.8	0.6	2.6	3.3	6.0	4.8	2.5	
BAL EFFECT	1.9	-6.8	5.8	-1.9	3.3	-3.5	-5.9	-15.5	1.1	-0.7	6.0	-3.8	5.3	0.5	-1.7	-2.5	3.7	0.8	-0.9	
STD PARM	2.5	2.2	2.8	2.8	1.1	1.1	6.1	2.9	3.8	3.8	2.9	2.7	2.6	0.5	2.3	3.8	6.1	8.3	2.2	
RER: 0672 NATL S 19.2	(Text for this exercise was not released)																			
UNADJ EFFECT	1.0	-2.9	3.7	-2.8	0.8	-0.9	-8.6	-1.7	6.9	3.1	6.8	-3.9	-8.2	0.9	-3.3	-5.8	-9.0	-0.9	6.2	
STD PARM	1.7	2.5	2.0	1.6	0.8	1.0	3.5	3.3	4.7	2.8	2.7	1.9	1.6	0.5	2.5	3.1	3.8	2.5	1.1	
BAL EFFECT	-0.5	0.2	3.4	-3.0	0.6	-0.7	-2.8	0.9	1.0	3.3	3.5	-3.8	-4.1	0.8	-1.3	-8.6	-6.4	-0.8	-2.5	
STD PARM	1.8	2.5	2.1	1.7	0.9	1.0	3.3	3.5	5.1	2.8	2.8	2.1	1.6	0.5	2.6	3.2	3.6	2.5	1.3	

E22R: 0673 NATL # 11.8 (Text for this exercise was not released)

UNADJ. EFFECT	2.9	-0.2	-1.2	-1.2	1.3	-1.3	3.1	6.6	-1.8	0.5	-1.4	1.6	-2.7	-0.9	3.3	5.3	-0.3	6.2	0.3	-2.1	1.3	
STD. ERROR	1.6	2.1	1.7	1.4	0.7	0.7	3.5	2.5	2.8	1.9	1.9	1.9	0.5	2.0	0.5	3.9	3.0	3.6	1.4	1.0	1.1	
BAL. EFFECT	2.9	-0.6	-0.9	-1.2	1.8	-1.4	3.1	6.1	-0.7	0.5	-1.5	1.6	-2.7	-0.5	2.0	0.5	3.8	0.8	7.0	0.3	-1.6	0.7
STD. ERROR	1.6	2.2	1.6	1.5	0.7	0.7	2.3	3.3	2.6	1.8	1.8	1.8	0.5	2.0	0.5	4.0	2.8	3.6	1.4	1.0	1.1	

OBJECTIVE: Understand the investigative nature of science.

E22R: 0674 NATL # 93.8 (Text for this exercise was not released)

UNADJ. EFFECT	2.0	-8.0	2.8	-2.0	-0.6	0.9	-10.8	5.5	-3.6	1.8	1.8	1.8	0.5	2.1	-7.9	-11.5	-6.4	-7.3	1.7	3.5	-2.1
STD. ERROR	0.8	1.6	0.9	1.5	0.5	0.6	8.5	3.5	0.9	3.1	1.0	1.0	0.5	1.0	0.5	8.1	2.9	2.9	1.0	0.8	0.9
BAL. EFFECT	0.8	-1.8	1.3	-0.6	-1.0	1.1	-8.1	-5.8	3.4	-1.8	0.6	2.1	-0.1	1.8	-6.9	-6.6	-8.4	-5.9	1.5	2.3	-1.4
STD. ERROR	0.7	1.8	0.9	0.9	0.5	0.5	8.0	3.5	0.8	2.0	1.1	1.1	0.8	1.0	0.8	3.8	3.1	2.8	0.9	0.7	0.8

E22R: 0675 NATL # 75.1 (Text for this exercise was not released)

UNADJ. EFFECT	1.1	-8.7	8.2	-2.2	-2.1	2.8	-28.1	15.2	-8.9	3.0	5.0	3.0	7.0	-26.9	-37.3	-20.1	-19.7	1.2	10.2	-5.3	
STD. ERROR	2.8	2.6	2.3	3.8	0.9	1.0	9.0	5.9	2.8	3.2	2.8	2.8	1.3	2.8	7.1	5.5	6.3	1.4	1.2	1.7	
BAL. EFFECT	-3.6	-1.8	2.6	1.9	-2.8	2.6	-18.1	11.6	9.3	-2.2	-0.1	2.2	5.2	-19.3	-29.0	-14.3	-12.2	1.7	6.6	-6.1	
STD. ERROR	2.0	2.1	1.8	1.8	0.9	1.0	5.8	3.9	1.9	2.8	3.0	1.8	2.0	1.0	2.8	5.2	6.4	3.8	1.5	0.9	1.6

E22R: 0676 NATL # 81.7 (Text for this exercise was not released)

UNADJ. EFFECT	0.9	-2.8	-3.8	-0.1	-0.1	0.1	-8.0	-17.8	9.7	0.7	1.9	1.0	2.1	2.8	-11.8	-6.0	-2.8	-11.3	2.3	5.9	-5.6
STD. ERROR	3.3	2.9	2.5	2.8	1.3	1.2	5.8	3.3	5.5	3.0	6.1	2.6	3.0	0.7	7.1	6.6	6.6	6.6	2.3	1.6	1.6
BAL. EFFECT	6.8	-1.8	-6.0	-0.5	-0.3	0.3	-5.8	-11.5	4.9	0.8	0.8	0.8	2.9	1.3	-6.8	-2.1	-0.8	-9.9	2.0	5.1	-5.3
STD. ERROR	2.6	2.8	2.8	2.8	1.3	1.3	5.0	3.6	5.3	3.9	3.9	2.8	2.9	0.7	3.0	5.0	5.0	5.0	2.2	1.7	1.5

E22R: 0677 NATL # 33.4 (Text for this exercise was not released)

UNADJ. EFFECT	2.8	6.2	-5.6	-1.1	-1.4	1.4	-9.3	-2.2	6.1	2.8	0.8	2.3	-3.9	-0.2	-1.9	7.6	-7.0	-0.8	-2.0	7.2	-5.9
STD. ERROR	2.8	2.8	2.5	2.8	1.1	1.2	5.4	3.6	4.1	6.7	2.8	2.8	0.6	3.5	6.7	6.3	5.3	2.3	1.6	1.6	
BAL. EFFECT	7.8	-8.7	-3.8	-1.5	1.6	0.1	-8.1	-3.7	2.9	5.5	1.6	2.1	-3.7	-0.6	12.3	-8.3	-2.0	-1.8	7.3	-6.1	
STD. ERROR	2.1	2.1	2.7	3.1	1.1	1.1	4.0	3.5	3.5	3.7	2.9	2.9	0.7	3.8	6.7	6.4	5.4	2.2	1.7	1.5	

E22R: 0678 NATL # 26.1 (Text for this exercise was not released)

UNADJ. EFFECT	2.8	-2.8	2.2	0.6	-0.2	-3.5	3.7	-13.0	-11.8	5.6	-5.8	-0.8	3.8	3.8	1.2	-2.8	-11.7	-8.6	-11.2	-2.1	6.8	-3.5
STD. ERROR	2.1	2.8	2.1	2.1	1.3	1.3	3.8	3.7	4.0	4.0	3.2	2.7	0.5	2.5	0.5	8.5	3.0	3.0	1.7	1.6	1.7	
BAL. EFFECT	-3.7	1.8	1.5	0.5	-3.6	3.9	-13.1	-8.3	4.0	4.0	-3.6	-1.0	3.9	2.5	0.8	1.8	-2.6	-8.1	-9.5	-2.3	5.9	-3.1
STD. ERROR	2.0	2.3	1.9	2.4	1.2	1.3	3.8	3.8	4.0	4.0	3.1	2.6	0.5	2.5	0.5	8.2	2.6	3.0	1.7	1.6	1.7	

E22R: 0679 NATL # 22.1 (Text for this exercise was not released)

UNADJ. EFFECT	0.3	-2.8	2.0	-0.8	-0.3	0.3	-7.8	-11.5	8.9	-8.3	-1.7	3.0	0.6	2.8	-12.6	-13.1	-7.1	-1.8	-1.2	6.2	-8.7
STD. ERROR	2.1	2.8	2.5	2.8	2.1	0.9	1.0	2.5	2.0	6.4	2.8	2.8	0.8	2.8	0.8	6.3	6.3	6.3	2.0	1.5	1.4
BAL. EFFECT	-0.8	-2.9	3.0	0.2	-0.5	0.6	-5.8	-8.8	7.5	-2.4	-2.4	-2.4	0.6	1.8	0.6	-8.9	-11.0	-11.0	-1.2	0.8	-8.0
STD. ERROR	2.1	2.8	2.0	2.1	0.9	1.0	2.8	2.6	4.4	2.9	2.9	2.9	0.8	2.8	0.8	6.3	6.3	6.3	1.6	1.6	1.4

OBJECTIVE:	N.BEST S-BASE, CAPITAL, BEST	M.FIRST S-BEST, CAPITAL, BEST	SIX	SIZE AND TYPE OF COMMUNITY	COLOR				HIGH SCHOOL EDUCATION			
					EXTREME RURAL	INNER RURAL	URBAN MEDIUM	SMALL CITY	NON GRADUATED POST UNKNOWN			
									MORE	SOME	GRADUATED	POST UNKNOWN
<i>1.1.2 Have attitudes about and appreciation or scientists, science, and the consequences of science that stem from adequate understandings.</i>												
PIPER: 0681 NATL % 96.0	(Text for this exercise was not released)				-2.9	1.7	1.5	2.1	1.3	-2.2	-14.5	-5.4
UNADJ EFFECT	-2.8	-6.2	-2.1	4.5	-4.7	4.9	-9.5	-5.6	2.6	0.5	-4.0	-4.9
STD PERROR	1.7	2.3	2.2	1.5	1.1	1.1	5.7	2.0	3.2	3.2	3.3	-1.2
BAL APPRCT	2.2	-5.1	-1.7	3.8	-4.5	5.6	-5.3	-2.7	0.8	0.7	-12.5	-1.3
STD PERROR	1.7	2.3	1.8	1.8	1.0	5.7	3.0	3.5	2.6	0.5	3.3	-1.3
STD PERROR									1.8	1.6	3.6	1.0
PIPER: 0682 NATL % 72.0	(Text for this exercise was not released)				-0.5	0.8	5.7	-2.8	0.3	-10.7	-9.0	-5.9
UNADJ APPRCT	2.5	-6.8	3.0	-0.4	2.4	-2.5	-0.2	-32.7	13.2	4.4	-21.0	-18.4
STD PERROR	2.5	3.5	2.1	2.7	1.1	1.2	6.4	3.7	2.7	2.5	0.8	-5.4
BAL APPRCT	2.2	-6.2	1.7	1.2	2.1	-2.2	3.6	-22.6	8.4	-5.2	-1.2	-1.2
STD PERROR	2.3	3.0	2.1	2.1	1.2	1.2	5.4	3.9	3.0	4.0	2.5	-5.7
PIPER: 0683 NATL % 70.7	(Text for this exercise was not released)				-13.8	-0.5	0.8	-5.8	-5.8	-2.5	-18.4	-5.4
UNADJ APPRCT	3.6	-7.1	0.7	2.0	1.9	-2.0	-0.2	-32.7	13.2	4.7	-21.0	-18.4
STD PERROR	2.0	2.8	2.0	2.0	1.2	1.3	5.3	3.9	3.0	2.5	0.8	-5.4
BAL APPRCT	1.9	-7.3	1.5	2.2	1.7	-1.9	-3.5	-6.9	10.1	2.0	-13.0	-15.7
STD PERROR	1.9	2.1	1.9	2.0	1.2	1.3	3.9	4.4	3.4	3.0	0.7	-5.1
PIPER: 0684 NATL % 62.5	(Text for this exercise was not released)				12.1	1.2	0.7	1.6	-3.0	2.6	-12.5	-17.6
UNADJ APPRCT	6.7	-8.9	-1.7	0.1	0.6	-0.5	-13.8	12.1	1.2	1.9	2.9	0.4
STD PERROR	2.4	2.3	2.1	1.9	1.3	1.3	3.4	3.9	3.0	2.6	4.3	5.8
BAL APPRCT	3.0	-5.8	-2.6	5.7	0.4	-0.4	-6.2	-6.1	6.2	3.6	-7.9	-12.8
STD PERROR	2.4	2.6	2.1	1.8	1.4	1.3	3.9	4.1	3.7	3.2	0.6	5.7
PIPER: 0685 NATL % 46.5	(Text for this exercise was not released)				12.6	8.1	5.8	-1.1	-2.9	3.1	-11.6	-8.9
UNADJ APPRCT	-1.4	-11.8	4.4	6.5	-0.1	0.1	-12.5	10.1	-1.0	-0.8	3.5	-9.5
STD PERROR	2.2	-2.7	3.7	2.9	2.6	1.4	7.5	5.3	6.2	2.3	0.7	-3.5
BAL APPRCT	-1.3	-8.9	5.1	5.0	-0.5	0.3	-6.8	-6.6	7.0	-1.6	-7.8	-5.2
STD PERROR	2.6	3.6	2.5	2.6	1.3	1.3	5.8	5.1	3.2	2.6	0.7	-2.1
PIPER: 0686 NATL % 43.8	(Text for this exercise was not released)				10.1	-1.0	-0.8	3.0	1.5	3.4	-20.2	-0.7
UNADJ APPRCT	2.5	-5.2	3.4	-2.5	2.3	-2.3	3.0	-12.9	-1.0	-2.1	7.8	-9.9
STD PERROR	2.2	2.4	2.8	3.0	1.3	1.3	5.4	5.8	4.8	4.3	0.6	-3.5
BAL APPRCT	-3.7	-3.7	2.1	-1.8	2.0	-2.1	5.0	-8.0	-2.1	-4.3	-6.3	-2.3
STD PERROR	2.2	2.9	2.8	3.2	1.3	1.3	5.3	6.0	4.0	2.7	0.7	-2.7

EBER: 0687	MATL # 29.8	(Text for this exercise was not released)
UNADJ EFFECT	3.7	-8.8
STD ERROR	2.8	1.7
BAL EFFECT	2.9	-3.5
STD ERROR	2.2	1.8
		AGE 13

OBJECTIVE: Know the fundamental facts and principles of science.

EBER: R201 MATL # 90.5 A human baby comes from its mother's body.

UNADJ EFFECT	0.9	1.0	0.5	-2.5	0.2	-0.2	9.0	1.5	-0.3	1.1	-0.8	0.7	-0.6	-10.1	-8.1
STD ERROR	0.8	0.8	0.9	2.6	0.3	1.0	6.8	0.8	1.2	2.9	1.8	0.8	2.6	2.8	3.7
BAL EFFECT	0.6	1.5	0.2	-2.8	0.4	-0.3	-6.0	1.0	1.5	3.2	0.3	-2.4	0.7	-10.0	-7.2
STD ERROR	0.8	1.3	0.6	2.5	0.6	0.3	6.0	0.6	0.7	3.4	1.8	0.5	2.7	3.4	3.7

EBER: R202 MATL # 90.2 Teeth are brushed to keep them from decaying.

UNADJ EFFECT	0.5	-1.8	-0.5	1.3	-0.3	0.6	-8.1	-1.6	0.1	0.3	0.2	0.9	0.8	0.7	-2.7	-2.7	-1.0
STD ERROR	0.4	0.9	0.4	0.3	1.2	1.1	0.3	1.7	1.1	0.9	0.9	0.8	0.8	0.8	1.6	1.2	0.5
BAL EFFECT	0.2	-1.3	-0.8	1.3	-0.8	0.6	-3.0	0.0	-0.8	0.5	0.7	0.7	0.7	0.7	-2.6	-1.7	0.8
STD ERROR	0.8	0.6	0.4	0.5	0.3	0.2	1.4	1.2	0.8	0.6	0.6	0.5	0.5	0.3	-2.5	-1.6	1.1

EBER: R203 MATL # 92.7 Thick dark-grey clouds are more likely than others to bring rain on a summer day.

UNADJ EFFECT	0.5	-0.8	2.7	-2.5	1.0	-0.8	0.8	-2.1	-0.1	-2.8	1.5	-1.5	-0.2	1.0	0.7	-1.7	-2.4	-3.1
STD ERROR	1.0	1.0	1.2	1.2	0.6	0.5	2.3	1.9	1.6	1.9	1.4	1.4	1.0	0.3	1.7	2.2	1.9	0.9
BAL EFFECT	-0.8	-0.8	2.6	-2.6	0.6	-0.8	0.3	-1.0	-0.1	-2.2	0.9	-0.1	0.8	0.8	0.4	-2.8	-2.9	-2.0
STD ERROR	1.2	1.1	1.3	0.5	0.5	0.5	2.5	2.1	1.5	1.9	1.3	1.2	0.4	0.4	2.0	2.2	3.6	1.7

EBER: R204 MATL # 89.4 Choose from five alternatives, the best balanced meal.

UNADJ EFFECT	0.9	-8.4	2.7	-0.6	-2.3	2.0	-3.9	-7.7	8.4	-1.2	2.7	1.7	-1.8	2.8	-8.5	-16.1	-8.7	-1.2
STD ERROR	1.2	1.6	1.2	1.4	0.7	0.6	2.9	2.8	1.9	3.2	1.4	1.6	1.7	0.5	1.9	3.1	5.8	1.9
BAL EFFECT	-0.6	-2.6	1.6	-1.1	-1.8	1.7	-8.7	-0.7	2.3	1.6	0.8	1.7	1.9	5.3	-13.8	-3.6	-1.6	-1.1
STD ERROR	1.8	1.8	1.1	1.5	0.7	0.6	2.5	2.9	1.8	2.0	1.5	1.5	0.5	0.5	2.2	3.5	8.8	1.8

EBER: R205 MATL # 85.7 A school room is most comfortable around 70 degrees F.

UNADJ EFFECT	5.8	-10.6	5.0	-2.8	1.6	-1.8	-15.4	-15.0	7.3	2.0	2.3	5.2	-2.5	4.8	-23.8	-13.2	-16.3	-5.9	
STD ERROR	1.5	3.2	1.6	2.1	0.8	0.8	3.3	4.1	2.0	2.7	1.8	2.9	1.8	0.9	7.5	3.7	4.9	3.0	
BAL EFFECT	8.0	-8.5	3.1	-8.1	1.3	-2.2	-7.7	-0.8	2.9	8.2	1.5	-2.3	2.2	1.0	4.0	-19.9	-10.0	-3.3	-0.6
STD ERROR	1.1	2.2	1.1	1.7	0.8	0.7	3.8	4.0	1.8	2.7	1.8	2.1	1.8	0.9	3.7	8.3	8.2	2.6	1.2

EBER: R206 MATL # 78.5 Panning a fire makes it burn better because fanning increases the supply of oxygen to the fire.

UNADJ EFFECT	1.9	-9.0	3.7	1.7	3.6	-3.0	-12.3	-28.5	8.8	-8.5	1.9	5.4	6.6	2.5	4.8	-13.2	-10.3	-10.1	-6.5
STD ERROR	2.1	3.1	1.6	1.1	1.0	1.1	1.0	7.7	3.9	2.4	2.2	1.1	2.2	1.0	1.0	7.5	3.1	3.7	1.1
BAL EFFECT	1.0	-1.6	0.9	1.3	1.6	-3.6	-3.1	-7.8	2.2	-1.4	1.1	3.7	5.3	-21.9	-23.0	-5.0	-5.5	-1.0	2.2
STD ERROR	1.8	2.2	1.5	1.8	1.1	1.0	5.5	3.5	2.5	3.5	2.0	0.9	2.0	0.9	2.0	4.9	4.5	3.6	1.0

TEST	SEX	SIZE AND TYPE OF COMMUNITY							COLOR	HIGH SCHOOL EDUCATION										
		EXTREME URBAN	EXTREME SUBURBAN	MEDIUM URBAN	MEDIUM SUBURBAN	SMALL URBAN	SMALL SUBURBAN	CITY-CITY												
MALE	FEMALE								BLACK	BLACK	OTHER	NONE	SOME	GRADUATED	POST-UNIVERSITY					
EIER: R207 NATL & 77.9		Cancer is a disease that cannot, at present, be controlled by a vaccine.							-1.9	2.2	0.6	-9.9	-10.3	-7.5	-3.3	6.2	-7.7			
UNADJ EFFECT	1.6	-3.8	0.6	0.9	0.2	-0.1	-6.8	-18.9	8.6	-8.6	3.2	-17.3	-9.9	-6.2	1.2	2.7				
STD ERROR	2.1	1.8	1.6	1.6	1.0	0.1	5.2	2.5	3.3	2.1	0.9	0.6	3.8	6.2	1.5	2.6				
REL EFFECT	0.5	-0.6	-0.1	-0.1	-0.1	-0.1	-2.6	-6.7	5.8	-2.7	2.1	-1.6	-13.8	-7.3	-5.3	-3.2	-8.6			
STD ERROR	1.8	2.0	1.7	1.5	0.9	0.9	4.5	3.2	2.8	3.0	2.3	1.9	2.1	0.6	2.8	1.5	2.8			
EIER: R208 NATL & 78.7		Even without atmosphere on the moon, a rocket can be launched.							-3.9	1.7	0.7	-7.7	-10.1	-2.4	-0.9	1.5	3.4			
UNADJ EFFECT	0.5	-3.3	-0.8	3.5	3.8	-3.3	-2.5	-11.9	5.1	4.8	3.9	2.9	2.9	0.7	2.9	1.8	1.3	2.6		
STD ERROR	2.2	2.8	1.8	1.8	1.0	1.0	3.5	2.9	3.5	2.0	2.2	1.8	2.8	-1.2	-9.7	0.4	-1.0	0.2		
REL EFFECT	0.9	-0.3	-2.0	6.0	3.3	-3.1	0.3	-6.6	5.0	5.0	5.0	5.0	5.0	0.6	3.0	3.5	1.8	5.9		
STD ERROR	2.0	2.2	1.6	1.7	1.1	1.0	3.8	3.3	3.1	3.6	2.1	1.9	2.8	0.8	3.0	5.0	1.3	2.7		
EIER: R209 NATL & 65.1		Sedimentary rock is usually formed in layers.							-0.1	8.7	8.7	5.2	-28.5	-20.0	-10.3	-1.9	-3.3	6.4	-16.1	
UNADJ EFFECT	1.5	-1.8	1.9	-2.1	2.9	-2.6	-7.5	-30.6	11.9	-6.0	5.7	-0.1	3.5	0.7	2.9	5.6	1.0	1.6		
STD ERROR	3.0	1.5	1.4	2.9	1.0	1.0	5.7	8.7	4.8	5.5	5.0	3.0	3.6	0.7	13.8	4.9	1.6	4.0		
REL EFFECT	0.8	0.2	1.2	-2.0	2.6	-2.5	-6.8	-19.6	9.0	-2.7	2.9	-1.5	5.2	0.7	12.9	1.6	-3.9	4.4		
STD ERROR	1.0	3.5	2.9	2.8	1.0	1.0	5.8	5.3	4.6	4.1	2.9	3.6	0.7	2.8	6.2	2.8	1.1	3.4		
EIER: R210 NATL & 63.2		The earliest men on earth were probably small, hairy, and stooped.							-6.0	5.7	5.7	-2.8	-12.0	-3.1	-15.1	-8.5	-1.7	5.2	-5.6	
UNADJ EFFECT	1.5	-7.7	-1.1	0.2	0.2	-3.7	-13.6	-7.8	8.7	-7.8	5.6	5.5	-3.0	2.7	0.9	8.0	8.5	1.7	1.3	
STD ERROR	3.0	2.2	2.9	2.9	1.3	1.3	3.7	2.5	3.7	5.3	3.3	3.3	2.0	2.0	1.2	7.0	5.5	1.7	3.7	
REL EFFECT	2.5	-3.9	-1.5	0.6	0.6	0.6	-3.7	-9.7	3.7	2.1	6.6	3.6	3.6	-2.0	0.9	10.5	1.8	-2.2	8.0	
STD ERROR	2.2	2.6	2.1	3.2	1.3	1.2	3.1	3.1	3.2	3.9	5.1	3.2	2.5	2.5	0.9	4.2	4.9	3.1	1.6	
EIER: R211 NATL & 61.3		In hot water the molecules are moving faster than in cold water.							-0.8	1.0	0.8	6.5	-28.8	-10.7	-16.4	-9.2	-0.9	5.9	-9.1	
UNADJ EFFECT	2.5	-10.6	5.6	-0.7	0.6	-0.8	-15.1	-19.6	11.8	-2.7	0.8	1.0	0.8	0.7	3.1	5.3	5.3	1.5	4.1	
STD ERROR	2.8	2.8	2.7	2.8	1.6	1.3	6.9	5.6	5.8	4.1	2.4	2.5	2.6	-0.6	2.8	3.8	-10.6	-6.9	1.7	
REL EFFECT	5.5	-5.5	3.8	-1.7	0.3	-0.3	-8.6	-7.2	8.2	-1.0	-2.6	0.1	0.7	-0.5	8.8	-21.1	-11.8	-0.8	5.6	
STD ERROR	2.0	2.9	2.3	2.8	1.8	1.8	4.8	4.7	4.4	3.7	2.4	2.8	3.0	0.7	3.3	6.5	6.0	1.6	4.2	
EIER: R212 NATL & 55.8		The movement and characteristics of air masses are important in predicting weather.							-0.8	1.0	0.8	6.5	-25.2	-18.1	-19.2	-13.0	0.7	7.2	-11.9	
UNADJ EFFECT	3.9	-10.7	6.3	-3.3	0.9	-0.5	-6.2	-18.1	6.5	-6.6	4.2	2.5	-0.2	0.9	-2.6	5.8	4.4	1.5	4.1	
STD ERROR	3.0	3.0	1.9	2.2	1.1	1.0	5.7	4.1	3.2	4.1	2.1	2.6	-0.2	0.7	-0.5	8.8	-10.6	-6.9	1.5	
REL EFFECT	1.6	-8.9	3.8	-2.5	0.3	-0.3	1.7	-1.5	1.8	-2.5	0.1	0.1	0.7	-0.5	8.8	-21.1	-11.8	-0.8	5.6	
STD ERROR	1.7	2.5	1.8	2.0	1.1	1.0	4.8	3.3	3.1	3.6	1.9	2.1	2.1	0.9	2.6	8.7	4.7	0.4	1.5	
EIER: R213 NATL & 57.4		A human action such as draining a swamp can upset the ecology of a small area.							-5.5	6.0	6.0	2.7	1.1	1.1	1.1	3.8	3.8	7.8	12.1	-11.8
UNADJ EFFECT	5.1	-10.0	2.3	0.0	0.5	-0.8	-18.0	-30.2	12.3	-5.5	3.5	3.3	3.1	3.8	2.3	8.2	6.0	2.0	5.9	
STD ERROR	3.2	3.1	2.6	2.9	1.8	1.5	5.8	4.2	4.8	4.8	4.8	4.8	4.8	0.1	0.2	5.6	-16.2	-8.1	-11.9	
REL EFFECT	2.9	-8.4	1.6	-1.3	0.1	0.1	-2.9	-9.1	5.5	-1.0	1.7	1.7	1.7	-0.6	0.2	3.2	8.5	9.8	6.6	
STD ERROR	2.4	2.4	2.0	3.1	1.2	1.4	4.1	4.3	4.3	3.7	4.3	4.3	4.3	2.9	3.2	0.9	3.2	6.0	3.7	

EXPERIMENT: R214 MATL # 58.8 Determine the appropriate position for a weight on a beam in order to balance another weight.

UNADJ PPPCT	5.6	-9.5	9.0	-3.3	3.3	-2.7	-5.2	-25.1	12.6	-5.2	2.8	2.1	1.8	5.5	-27.6	-15.8	-20.6	-6.4	-1.8	7.2	-12.7	
STD ERROR	1.9	2.6	2.4	2.5	1.4	1.2	7.1	8.1	3.9	8.2	2.5	2.3	3.0	1.0	2.3	5.6	5.1	3.0	1.5	1.2	0.1	
BAL PPPCT	0.0	-8.3	1.7	-3.0	3.7	-3.4	-8.6	-8.6	0.1	-1.5	0.2	0.2	2.1	6.2	-21.2	-10.0	-16.8	-3.6	-1.8	4.6	-7.2	
STD ERROR	1.9	2.8	1.9	2.2	1.3	1.2	6.5	8.1	3.5	2.8	2.0	2.0	2.5	0.8	-2.6	5.0	4.9	2.8	1.5	1.1	0.1	
EXPERIMENT: R215 MATL # 52.7 Plover seeds develop from the ovules rather than leaves, petals, roots, or stems.																						
UNADJ PPPCT	-0.8	-6.3	5.6	-1.6	-8.5	8.5	-9.9	-22.8	12.8	-19.8	8.8	3.7	4.1	7.6	-32.1	-23.9	-27.0	-16.1	-0.7	6.4	-8.6	
STD ERROR	2.7	3.6	2.7	3.0	1.3	1.2	6.6	7.4	7.0	8.0	3.0	2.9	1.5	1.1	2.8	8.6	8.9	3.5	1.9	1.6	4.6	
BAL PPPCT	-3.0	0.9	2.2	-0.8	-5.3	8.9	-2.1	-7.3	6.8	-18.9	1.0	1.3	2.9	6.5	-28.1	-18.6	-12.6	-13.8	-2.3	6.1	-0.3	
STD ERROR	2.8	2.7	2.8	2.7	1.3	1.2	8.7	8.8	5.8	8.1	2.7	2.8	3.0	1.0	-3.0	8.2	8.1	3.3	1.8	1.4	4.0	
EXPERIMENT: R216 MATL # 51.0 The apparent bending of a spoon in a glass of water is explained by refraction of light.																						
UNADJ PPPCT	5.8	-2.6	0.8	-3.6	2.1	-1.9	-3.8	-17.8	10.8	-6.0	8.3	-0.1	-2.5	3.6	-17.0	-13.7	-11.8	-6.1	-3.9	6.1	-5.3	
STD ERROR	3.2	3.8	3.0	2.5	1.2	1.2	5.3	8.0	8.7	8.7	3.8	3.0	3.1	0.7	2.8	3.1	8.8	3.8	1.8	1.8	3.7	
BAL PPPCT	8.6	0.0	0.1	-8.2	1.8	-1.7	-1.9	-9.7	8.5	-9.3	5.3	-1.1	-1.9	2.8	-12.2	-8.2	-7.9	-3.5	-8.6	8.6	-3.5	
STD ERROR	3.2	3.7	3.0	2.8	1.2	1.2	8.9	8.0	3.6	8.1	3.5	3.6	3.2	0.7	-3.8	3.0	8.6	3.9	1.8	1.4	3.7	
EXPERIMENT: R217 MATL # 48.3 Rust of the chemical energy expended in an automobile engine is not used to move the car but is changed to heat.																						
UNADJ PPPCT	-3.0	6.7	-0.8	-2.8	1.8	-1.2	-1.6	-6.8	2.1	-9.3	-1.9	8.8	2.2	0.5	-1.2	0.4	2.5	-2.8	-1.5	1.4	-1.2	
STD ERROR	2.8	3.3	2.8	2.5	1.2	1.1	6.5	3.7	6.2	3.5	2.7	3.1	0.7	3.9	5.8	5.1	3.5	1.8	1.5	6.0		
BAL PPPCT	-9.0	7.8	-0.1	-2.7	1.6	-1.8	-5.0	-6.5	3.2	-8.6	8.6	1.0	-0.1	-2.1	5.6	0.9	-3.7	-1.1	1.1	1.1	1.6	
STD ERROR	3.0	3.6	2.7	2.7	1.2	1.0	5.3	8.1	4.8	3.6	3.0	2.9	0.8	6.1	5.2	3.5	1.8	1.5	1.5	3.9		
EXPERIMENT: R218 MATL # 45.2 Mercury can be used in a glass thermometer because when heated it expands more than the glass.																						
UNADJ PPPCT	1.7	-6.8	3.5	-0.8	10.0	-8.5	-1.7	-18.9	-0.8	-3.1	8.8	1.6	2.0	2.8	-15.2	-0.8	-3.2	-3.7	-0.8	3.2	-7.5	
STD ERROR	2.8	3.5	2.6	2.5	1.4	1.2	5.6	3.4	3.6	2.7	3.4	3.2	0.7	2.6	5.1	5.0	3.7	1.6	1.3	5.1		
BAL PPPCT	0.1	-3.3	3.8	-1.5	9.6	-8.7	-6.7	-3.7	-0.9	3.2	0.9	1.6	1.8	-12.0	1.5	-8.3	-2.2	-1.0	2.6	-6.9		
STD ERROR	2.6	3.3	2.8	2.8	1.4	1.2	5.8	6.3	3.6	2.5	3.2	3.0	0.8	3.8	5.3	3.7	1.5	1.2	3.8			
EXPERIMENT: R219 MATL # 40.8 Pasteurization of milk kills bacteria harmful to man.																						
UNADJ PPPCT	2.1	-6.0	3.3	-1.2	-2.7	1.7	-13.9	-18.5	11.6	-3.8	3.9	0.1	0.9	8.0	-19.8	-13.8	-10.8	-11.8	-5.5	7.5	-2.8	
STD ERROR	2.8	3.1	2.9	2.5	1.3	1.2	8.5	9.9	5.3	5.9	2.8	3.3	0.7	3.2	5.0	5.8	3.6	1.8	1.7	5.0		
BAL PPPCT	0.3	-0.9	2.1	-2.3	-2.8	1.6	-9.2	-7.7	8.8	-2.7	2.1	-1.1	0.2	3.2	-16.1	-10.3	-8.8	-8.8	-6.1	6.5	-0.5	
STD ERROR	2.3	3.1	2.6	2.4	1.3	1.2	8.8	5.5	5.1	8.7	2.8	2.5	1.1	0.7	3.1	8.6	6.5	3.8	1.7	4.8		
EXPERIMENT: R220 MATL # 39.0 A block of wood is more buoyant in salt water than in fresh water.																						
UNADJ PPPCT	3.3	-8.3	-2.9	3.8	7.1	-6.7	-12.5	-11.5	6.1	-9.4	4.8	3.7	1.0	2.5	-16.8	-2.8	-12.9	-15.5	-2.1	6.3	-2.9	
STD ERROR	2.8	2.8	2.1	2.3	1.4	1.2	8.2	2.5	2.5	2.7	2.1	0.5	2.2	3.6	4.5	3.6	1.9	1.5	3.8			
BAL PPPCT	2.8	-1.7	-3.1	2.0	6.6	-6.4	-10.6	-3.8	2.7	-7.7	2.1	1.7	-12.3	0.6	-11.6	-13.8	-1.7	5.1	-1.2			
STD ERROR	2.3	2.0	1.8	2.2	1.3	1.2	3.9	2.5	2.6	2.3	1.8	0.5	2.2	3.3	8.6	3.5	1.9	1.4	3.5			

ITEM	NATL %	SPEX	SIZE AND TYPE OF COMMUNITY	COLOR						HIGH SCHOOL EDUCATION											
				WEST	EAST	CENTRAL	WEST	MALE	FEMALE	PATRIOTIC	INNER CITY	APP SUB PRINC CITY	SMALL CITY	NON BLACK	BLACK	OTHER	ROSE SONG GRADUATED	POST UNIVERSITY			
WER: R221 NATL % 30.2	Most caves are formed by the action of underground water on limestone.																				
UNADJ EFFECT	-0.2	0.8	-1.8	1.7	3.2	-2.9	-8.1	-11.2	8.1	-13.9	3.4	1.2	6.9	2.5	-18.0	-8.1	-6.0	-7.7	-3.1	6.5	-10.6
STD ERROR	-2.7	2.9	-2.8	2.2	1.5	-1.2	2.8	5.0	5.3	3.1	2.8	3.3	2.9	0.5	7.1	5.2	5.5	3.1	1.6	1.5	2.6
BAL EFFECT	-2.5	4.5	-2.5	2.5	1.5	-3.1	-6.9	-0.5	-1.6	-1.6	0.6	2.6	3.0	5.7	-13.3	-2.3	-6.3	-7.5	-3.1	6.1	-6.9
STD ERROR	-2.5	2.5	-2.6	2.1	1.3	-1.1	3.4	5.0	5.1	-2.9	0.6	2.6	2.9	0.6	-2.5	4.8	5.0	2.9	1.6	1.4	3.3
WER: R222 NATL % 30.4	In terms of natural selection, choose the best explanation of why giraffes have long necks.																				
UNADJ EFFECT	-7.9	0.6	7.0	0.1	-1.2	1.3	-2.4	0.6	-2.6	-3.9	4.8	0.5	-0.6	-0.3	0.3	2.5	2.0	3.4	-3.6	2.3	-3.6
STD ERROR	-2.2	2.5	2.5	2.1	1.0	1.1	4.0	3.2	3.0	3.8	3.2	2.6	2.2	0.5	3.5	4.7	6.3	2.0	5.5	5.5	6.3
BAL EFFECT	-8.5	1.5	6.9	0.1	-0.9	1.0	-6.4	1.5	-1.5	-3.5	5.8	0.6	-0.8	-0.3	0.5	4.5	1.0	3.2	-3.4	2.2	-3.3
STD ERROR	-2.3	2.6	2.5	2.1	1.0	1.2	4.3	3.7	2.9	3.0	3.2	2.5	0.5	-2.6	3.4	4.9	4.4	1.9	1.4	4.2	
WER: R223 NATL % 36.1	A hairy covering of feathers distinguishes birds from all other animals.																				
UNADJ EFFECT	-0.5	-1.6	0.5	1.6	2.0	-2.2	-1.0	-15.0	13.1	-12.3	3.2	0.3	-0.1	3.0	-15.6	-6.7	-2.8	-6.5	-2.8	5.0	-6.8
STD ERROR	-2.8	2.7	2.2	2.1	1.1	1.0	4.0	3.4	3.4	3.1	3.0	2.6	2.2	0.6	2.3	4.2	5.0	5.0	2.9	1.7	3.1
BAL EFFECT	-2.1	1.9	-1.3	2.4	2.7	-2.5	-0.6	-5.4	9.0	-11.3	2.6	-0.8	-1.2	2.5	-13.0	-6.5	-5.2	-16.1	-3.9	4.6	-5.6
STD ERROR	-2.4	2.4	1.8	1.9	1.1	1.0	4.0	3.9	3.4	3.4	2.7	2.4	0.6	-2.6	2.9	4.2	5.4	2.9	1.3	3.0	
WER: R224 NATL % 33.9	Our knowledge of atoms is based on observation of how matter behaves.																				
UNADJ EFFECT	-2.5	-3.1	3.1	1.5	5.5	-8.9	-12.0	-10.8	8.2	-1.5	5.7	0.9	-3.6	1.6	-8.4	-7.6	-23.4	-6.0	-2.0	5.7	-5.5
STD ERROR	-2.5	2.5	2.8	3.2	1.8	1.8	5.2	5.0	4.8	5.8	3.7	2.9	3.2	0.5	3.2	4.4	3.4	3.0	1.7	1.2	2.8
BAL EFFECT	-5.2	1.9	2.3	1.2	5.4	-6.9	-8.1	-6.0	7.3	-1.1	5.8	0.0	-4.9	1.2	-5.2	-16.1	-3.9	-1.9	4.6	4.6	-5.6
STD ERROR	-2.8	2.5	2.5	3.2	1.8	1.3	5.5	5.5	5.6	3.3	2.6	2.7	0.5	3.2	4.2	3.2	2.8	1.7	1.3	2.6	
WER: R225 NATL % 31.5	A good thing to do when someone faints is to have him lie down and keep warm.																				
UNADJ EFFECT	3.2	-7.7	-0.5	8.0	2.7	-2.3	-1.3	-9.8	2.3	-8.8	8.8	1.6	-0.2	3.3	-15.8	-5.8	-8.9	-3.0	-2.3	6.9	-5.5
STD ERROR	2.5	2.6	2.1	2.0	1.2	1.0	5.0	4.2	4.5	3.6	2.0	3.2	2.6	0.6	2.2	3.3	5.2	2.7	1.6	1.6	2.7
BAL EFFECT	-8.3	-2.5	3.9	2.2	-2.1	2.5	-0.3	-2.8	-4.8	-4.4	2.2	-0.8	0.0	-2.6	3.1	-13.1	-6.2	-5.9	-1.9	3.5	-6.6
STD ERROR	2.5	2.7	2.0	1.9	1.1	1.1	3.9	3.7	4.2	3.8	2.2	3.1	2.6	0.7	2.5	3.1	4.9	2.7	1.7	1.3	2.6
WER: R226 NATL % 27.8	A different substance is formed when a candle burns.																				
UNADJ EFFECT	-0.6	-2.3	8.7	-2.2	8.1	-8.1	4.5	-7.7	3.7	-0.5	-1.9	3.0	-2.3	2.0	-9.7	1.7	0.2	-3.4	2.6	-0.2	-5.4
STD ERROR	2.2	2.6	2.7	2.3	1.0	0.9	4.2	2.2	3.8	1.7	2.7	3.2	2.5	0.6	2.2	3.2	5.7	2.9	1.3	1.3	3.0
BAL EFFECT	-0.6	-0.0	3.5	-3.0	3.9	-3.6	-1.9	2.2	-0.6	-2.3	2.1	-2.9	1.6	-8.6	-0.2	2.9	1.3	-3.3	2.0	0.3	-2.8
STD ERROR	-2.3	2.8	2.9	2.6	1.0	1.0	4.2	3.1	8.3	3.8	2.7	3.3	2.3	0.7	2.7	3.9	5.2	2.9	1.2	1.1	3.2
WER: R227 NATL % 25.9	In mammals the cerebrum is the center of memory and intelligence.																				
UNADJ EFFECT	1.1	4.4	-1.6	-2.9	-1.6	1.3	-2.4	-9.0	6.0	-6.3	0.2	1.6	0.6	-5.3	0.8	-12.3	-2.9	-0.3	3.1	-5.4	-5.4
STD ERROR	2.8	2.4	2.7	2.5	1.5	1.0	0.9	4.3	8.7	3.8	2.7	3.3	2.8	0.6	3.0	6.8	3.4	2.8	1.3	1.3	3.0
BAL EFFECT	0.6	6.7	-2.1	-3.8	-1.2	1.2	-2.2	-6.6	8.9	-8.1	0.1	1.3	1.1	-6.2	0.1	-16.1	-3.7	0.1	2.7	-2.7	-2.8
STD ERROR	2.8	2.6	2.9	2.3	1.0	0.9	4.5	5.4	5.9	3.9	2.7	3.4	2.7	0.7	3.4	6.3	3.8	2.8	1.3	1.3	3.2

EXPER: R228 NATL # 25.9

The presence of an ocean fish fossil on a mountain outcrop is best explained by the hypothesis that the mountain was

RAWDJ EFFECT	-0.2	-6.1	5.4	0.0	3.4	-3.1	-3.2	-11.9	5.1	-2.3	-0.4	4.2	1.5	3.4	-11.7	-8.3	-2.0	5.6	-2.2	
STD ERROR	2.3	2.2	2.1	1.6	1.2	1.1	2.6	2.6	3.0	4.4	2.6	2.6	1.6	1.8	8.4	8.5	2.3	1.5	3.4	
BAL EFFECT	-1.0	-2.5	3.8	-0.6	2.6	-2.7	-0.6	-3.1	1.0	-2.1	-1.9	2.6	1.3	2.4	-11.1	-8.1	-6.4	-1.8	4.4	
STD ERROR	2.1	2.1	2.0	1.7	1.1	1.1	2.7	3.2	3.5	3.9	2.5	1.9	2.6	0.6	1.9	6.6	8.4	2.2	1.6	3.2

OBJECTIVE:

Possess the abilities and skills needed to engage in the processes of science.

EXPER: R229 NATL # 92.2 Given a table listing the weights of several elements in the human body, choose the most common element (oxygen).

RAWDJ EFFECT	2.0	-3.3	1.9	-1.1	1.8	-3.1	-6.8	9.5	2.1	1.2	-0.5	1.6	1.2	0.4	1.3	3.3	3.8	1.9	0.8	-3.4
STD ERROR	1.0	1.0	0.9	1.0	0.6	0.6	2.2	2.3	1.3	1.8	1.1	1.0	1.2	0.4	1.3	3.3	3.8	1.9	0.8	2.1
BAL EFFECT	1.8	-2.1	1.3	-1.0	-1.7	1.6	-2.0	-2.0	3.5	2.8	0.0	-1.6	1.4	1.3	-0.4	-6.6	0.3	-0.7	1.8	-3.3
STD ERROR	1.0	1.0	0.9	0.9	0.6	0.5	2.0	2.3	1.3	1.6	1.0	1.0	1.3	0.4	1.6	3.3	3.6	2.0	0.8	2.1

EXPER: R230 NATL # 92.9 Wind or sun are the most likely causes that paint on one side of a house does not last as long as paint on the other sides.

RAWDJ EFFECT	-0.1	-10.1	6.7	6.1	0.4	-0.1	-3.0	-20.2	11.5	-6.1	1.1	1.9	1.5	5.4	-28.1	-18.0	-7.2	-1.1	6.3	-12.2
STD ERROR	1.6	2.4	1.4	1.2	1.1	1.0	4.1	6.4	1.9	6.8	1.8	1.7	1.8	0.8	3.0	5.5	6.6	1.5	0.9	3.7
BAL EFFECT	-0.6	-8.3	2.6	0.9	0.1	-0.1	-1.2	-8.8	8.0	-3.5	-2.8	-0.2	2.5	0.2	-17.5	-19.9	-10.6	-2.9	6.0	-6.4
STD ERROR	1.2	1.6	1.4	1.6	1.0	0.9	2.9	3.9	1.6	2.3	1.5	1.4	1.5	0.6	2.8	6.3	8.7	2.7	0.8	3.1

EXPER: R231 NATL # 80.9 Given a table listing the weights of several elements in the human body, choose the least common element.

RAWDJ EFFECT	6.7	-11.6	3.9	-0.8	0.2	0.5	-9.0	-13.0	10.1	-0.8	2.7	7.2	-3.8	5.5	-22.4	-16.9	-25.8	-7.6	-1.7	7.5
STD ERROR	1.9	3.8	2.0	1.9	1.5	1.1	6.6	6.0	2.9	4.3	2.2	1.9	2.5	1.3	4.3	5.2	6.1	3.0	1.3	3.9
BAL EFFECT	4.0	-5.5	1.7	-1.1	-0.9	0.9	-0.1	2.3	5.0	0.1	-1.0	3.6	8.5	0.5	-18.2	-13.0	-18.6	-3.7	-1.8	5.8
STD ERROR	1.6	2.2	1.7	1.5	1.0	1.0	2.7	6.8	2.6	3.7	1.7	2.0	1.5	2.0	4.0	5.6	2.5	1.3	1.1	3.5

EXPER: R232 NATL # 75.1 From pictures showing three solids of the same size floating, determine which is the heaviest.

RAWDJ EFFECT	2.2	-2.6	0.8	-1.1	2.2	-1.5	6.1	-3.0	1.8	-5.1	0.8	-0.1	0.5	2.2	-10.9	-2.0	-3.3	3.0	-3.8	2.5
STD ERROR	1.6	2.8	1.7	2.3	1.1	1.0	2.2	3.3	3.7	3.7	2.5	2.2	2.4	0.7	3.0	3.5	6.2	3.0	1.6	3.1
BAL EFFECT	2.1	-1.5	0.4	-1.0	1.5	-1.4	6.8	1.9	-0.2	-3.8	-1.2	-0.8	0.5	2.2	-11.2	-2.9	-1.2	3.0	-4.0	2.1
STD ERROR	1.8	2.6	1.8	2.6	1.1	1.0	2.8	3.6	3.9	3.6	2.6	2.1	2.1	0.8	3.2	3.8	6.2	3.0	1.6	3.0

EXPER: R233 NATL # 70.9 Interpret a graph showing the effect of different diets on the weight of guinea pigs.

RAWDJ EFFECT	6.3	-13.8	2.1	2.7	-2.4	2.1	-18.0	-25.7	16.1	-7.2	5.6	2.7	-0.4	6.2	-38.1	-13.4	-20.4	-19.5	-3.4	10.8
STD ERROR	2.2	3.0	2.8	2.2	1.2	1.1	6.2	6.2	3.1	6.0	2.6	2.6	2.9	0.9	8.2	8.3	7.1	3.8	3.3	3.1
BAL EFFECT	3.8	-6.4	0.4	1.8	-2.2	2.0	-3.9	-7.1	7.9	-6.8	-0.1	-1.0	5.0	-28.0	-10.6	-11.6	-15.3	-6.3	6.6	-7.8
STD ERROR	1.7	2.5	2.1	1.8	1.1	1.0	8.2	5.8	3.0	6.2	2.8	1.9	2.1	0.8	3.9	3.9	6.3	3.5	1.5	3.1

RAWDJ EFFECT	6.8	-18.1	2.9	-1.3	6.6	-5.1	-11.3	-18.8	-6.2	16.8	0.3	7.0	-0.6	6.8	-23.3	-5.0	-12.5	-2.3	-6.0	6.1
STD ERROR	3.5	8.1	8.1	4.5	2.3	2.0	8.7	7.3	7.2	6.9	3.7	3.8	5.1	1.2	5.6	9.3	12.2	6.1	2.9	6.9
BAL EFFECT	5.9	-9.7	3.0	-1.7	5.0	-6.4	-9.5	-3.1	-8.9	15.7	4.5	1.1	3.3	-19.3	-6.5	-6.2	-0.4	-3.6	4.4	-9.9
STD ERROR	3.8	8.4	3.9	6.6	2.3	1.9	8.6	8.2	6.9	8.0	3.9	3.7	9.2	1.3	5.6	9.3	19.0	6.1	2.3	7.9

EXAM	NATL %	STATE	SECTION	SPI	SIZE AND TYPE OF CONCRETE						COLOR	HIGH SCHOOL EDUCATION						
					SMALL CITY	MEDIUM CITY	LARGE CITY	URBAN RURAL	INDUS PRINCIPAL	NON CITY			NONE	SOME	GRADUATED	POST	UNKNOWN	
<b>EXAM: R235 NATL % 62.1</b> Given data from four weight experiments, determine which one provides strongest evidence that one object is heavier than another.																		
UNADJ. EFFECT	3.2	-8.0	5.7	-3.9	-0.7	0.8	-7.0	-15.0	9.0	-11.0	3.0	6.9	0.8	-10.2	-8.0	-2.8	-21.7	
STD ERROR	2.2	-2.6	2.0	2.5	1.2	1.1	5.1	6.3	2.7	2.8	2.5	2.9	0.8	-12.7	-8.5	3.2	1.1	
BAL. EFFECT	0.6	-8.9	3.4	-0.7	-0.0	0.0	-0.2	-0.9	3.3	-6.2	0.4	3.0	0.6	-13.3	-22.0	-9.8	-1.1	
STD ERROR	1.7	2.0	1.7	2.0	1.1	1.0	0.3	1.5	3.3	6.4	2.2	2.1	0.8	-1.0	4.0	5.2	3.1	
<b>EXAM: R236 NATL % 60.7</b> Use a graph and tabular data to determine the food needs of a dog.																		
UNADJ. EFFECT	6.7	-13.8	8.5	-3.1	1.5	-1.8	-13.1	-25.0	13.2	-1.6	8.7	5.2	-0.6	6.6	-30.0	-12.6	-3.6	
STD ERROR	2.3	3.7	2.3	2.5	1.3	1.2	5.7	8.1	2.7	8.5	2.2	2.3	1.0	1.3	3.2	8.9	5.6	
BAL. EFFECT	3.7	-6.3	6.7	-5.3	0.7	-0.6	-9.0	-9.5	7.9	-0.9	5.2	1.5	-0.3	8.3	-20.0	-8.7	-6.3	
STD ERROR	1.7	2.6	2.1	2.8	1.1	1.1	9.7	8.8	3.5	8.2	1.9	2.0	2.3	1.1	3.0	9.7	3.5	
<b>EXAM: R237 NATL % 35.5</b> Time 10 swings of a pendulum.																		
UNADJ. EFFECT	0.8	1.5	-1.8	-0.1	3.9	-8.0	-1.9	-8.0	-2.0	-3.7	-5.1	6.6	2.5	1.1	-2.8	-18.8	-8.8	1.7
STD ERROR	0.1	8.1	3.9	8.1	2.1	2.3	7.7	5.8	5.6	6.2	8.6	8.7	0.9	5.2	6.2	6.2	5.6	-3.8
BAL. EFFECT	0.2	1.1	-1.9	1.1	3.7	-8.1	-0.9	1.1	-3.8	-3.2	6.3	5.9	3.2	0.9	-1.6	-18.8	-15.1	7.0
STD ERROR	0.3	8.6	3.9	8.1	2.1	1.9	7.6	7.2	6.2	6.2	8.9	8.6	0.6	1.1	6.8	7.0	5.8	-3.4
<b>EXAM: R238 NATL % 35.6</b> Select the correct apparatus necessary to determine the boiling point of water.																		
UNADJ. EFFECT	5.5	-6.8	3.8	-8.9	8.7	-8.0	-17.9	-21.1	8.8	-7.8	7.7	5.3	-1.5	3.2	-18.1	-18.1	-16.5	-7.5
STD ERROR	2.7	2.8	2.3	2.3	1.3	1.2	3.8	3.2	5.6	3.8	2.6	3.0	0.7	0.7	3.6	3.7	4.4	-6.7
BAL. EFFECT	3.7	-1.3	2.7	-6.3	8.6	-4.0	-16.4	-16.6	6.7	-5.4	6.6	3.8	-0.7	1.0	-0.6	-2.8	-12.7	-4.2
STD ERROR	2.5	2.8	2.2	2.8	1.3	1.2	3.8	8.4	5.2	3.8	2.7	2.8	0.8	3.9	3.9	4.5	3.7	-6.0
<b>EXAM: R239 NATL % 26.6</b> Select the best line graph showing average normal height increases in children as a function of their age.																		
UNADJ. EFFECT	3.7	-7.6	2.0	0.1	2.3	-2.1	-7.2	-13.0	7.1	-9.8	8.5	3.7	-2.8	2.9	-18.6	-8.8	-15.6	-8.7
STD ERROR	2.8	2.1	2.2	2.1	1.3	1.2	7.8	3.0	2.9	2.1	3.5	2.7	2.1	2.2	0.6	2.3	4.0	-5.1
BAL. EFFECT	3.3	-5.1	2.5	-1.1	2.2	-2.1	-5.5	-5.3	8.7	-6.8	2.7	2.0	-2.0	1.8	-8.6	-5.2	-11.8	-3.6
STD ERROR	2.3	1.6	1.7	1.9	1.3	1.2	6.8	3.5	2.9	2.1	3.2	2.0	0.5	1.9	4.0	3.6	4.1	-1.1
<b>EXAM: R240 NATL % 4.2</b> Determine the density of a wood block using a beam balance.																		
UNADJ. EFFECT	1.9	-1.9	0.6	-0.9	1.1	-0.9	-2.6	-14.2	8.5	5.6	-2.9	2.2	-2.2	0.9	-4.2	-4.2	7.8	-2.7
STD ERROR	1.8	1.7	1.6	1.6	1.0	0.9	1.8	0.9	2.8	5.3	1.2	1.7	0.2	0.9	0.9	10.9	1.6	-4.2
BAL. EFFECT	1.3	-1.0	0.3	-0.9	0.9	-0.8	-2.6	-0.4	4.3	6.6	-3.7	1.7	-2.4	0.9	-1.7	-3.2	10.4	1.2
STD ERROR	1.7	1.3	1.8	1.8	0.9	0.8	1.6	1.0	2.6	5.5	1.8	2.0	1.1	0.3	1.3	2.3	11.2	1.3
<b>EXAM: R241 NATL % 79.0</b> Select the skill which is most useful to scientific research.																		
UNADJ. EFFECT	5.9	-10.8	2.0	-0.2	-0.5	0.4	-2.6	-15.1	9.4	-7.7	3.1	2.7	-1.7	4.6	-22.9	-19.0	-16.6	-9.9
STD ERROR	1.6	3.0	2.3	2.8	1.0	0.9	8.5	3.8	2.3	6.8	2.6	2.3	0.9	2.4	8.5	6.6	3.0	0.0
BAL. EFFECT	4.1	-6.2	-0.7	1.3	0.2	-0.2	-0.8	-0.1	4.7	-0.9	1.0	-0.9	-0.9	1.0	-10.9	-12.8	-6.2	3.7
STD ERROR	1.6	2.3	2.1	1.8	0.9	0.9	3.9	3.6	2.5	6.7	2.6	2.1	0.8	0.8	7.2	5.1	2.7	0.9

			RECOGNIZE THAT THE STATEMENT "MY DOG IS BETTER THAN YOUR DOG" IS NOT A SCIENTIFICALLY TESTABLE STATEMENT:
MEAN: R282 NATL X 72.5	DEADJ EFFECT	3.9	-6.5
	DEADJ EFFECT	2.6	0.2
	STD ERROR	2.4	2.3
	BAL EFFECT	6.0	0.1
	STD ERROR	2.8	2.3
MEAN: R283 NATL X 68.6	RECOGNIZE THAT REPEATED MEASURES OF THE SAME OBJECT WILL USUALLY YIELD SIMILAR RESULTS BUT NOT EXACTLY THE SAME:		
MEAN: R283 NATL X 68.6	DEADJ EFFECT	-3.8	0.5
	DEADJ EFFECT	2.3	1.8
	STD ERROR	2.1	2.3
	BAL EFFECT	0.5	0.9
	STD ERROR	2.1	1.8
MEAN: R284 NATL X 56.4	RECOGNIZE A SIMPLE DEFINITION OF A SCIENTIFIC THEORY:		
MEAN: R284 NATL X 56.4	DEADJ EFFECT	6.3	-9.3
	DEADJ EFFECT	2.6	4.1
	STD ERROR	4.3	-2.7
	BAL EFFECT	2.0	2.7
	STD ERROR		
OBJECTIVE: HAVE ATTITUDES ABOUT AND APPRECIATION OF SCIENTISTS, SCIENCE, AND THE CONSEQUENCES OF SCIENCE THAT STEM FROM ADEQUATE UNDERSTANDINGS.			
MEAN: R285 NATL X 93.4	BELIEVE THAT WOMEN CAN BE SUCCESSFUL SCIENTISTS:		
MEAN: R285 NATL X 93.4	DEADJ EFFECT	-0.3	-0.8
	DEADJ EFFECT	1.0	1.1
	STD ERROR	-1.7	0.4
	BAL EFFECT	-1.2	-1.2
	STD ERROR	0.8	0.9
MEAN: R286 NATL X 90.6	DO NOT BELIEVE THAT SCIENTISTS ALWAYS WORK IN LABORATORIES:		
MEAN: R286 NATL X 90.6	DEADJ EFFECT	2.5	-5.9
	DEADJ EFFECT	2.0	2.0
	STD ERROR	0.8	-3.0
	BAL EFFECT	0.9	1.4
	STD ERROR		
MEAN: R287 NATL X 7.6	FREQUENCY PERSON ASKS QUESTIONS ABOUT WHY THINGS IN NATURE ARE THE WAY THEY ARE:		
MEAN: R287 NATL X 7.6	DEADJ EFFECT	-0.5	3.6
	DEADJ EFFECT	1.3	1.5
	STD ERROR	0.2	2.0
	BAL EFFECT	0.2	-2.7
	STD ERROR	1.3	1.4
OBJECTIVE: KNOW THE FUNDAMENTAL FACTS AND PRINCIPLES OF SCIENCE.			
MEAN: 0701 NATL X 98.9	(TEXT FOR THIS EXERCISE WAS NOT RELEASED)		
MEAN: 0701 NATL X 98.9	DEADJ EFFECT	-0.6	-0.5
	DEADJ EFFECT	1.9	1.2
	STD ERROR	-1.5	1.8
	BAL EFFECT	-1.5	1.2
	STD ERROR	1.7	1.0

REGION	SEX	SIZE AND TYPE OF COMMUNITY										COLOR				HIGH SCHOOL EDUCATION			
		1.EAST	2.EAST	3.EAST	4.EAST	5.EAST	6.EAST	7.EAST	8.EAST	9.EAST	10.EAST	11.EAST	12.EAST	13.EAST	14.EAST	15.EAST	16.EAST	17.EAST	
<b>EXER: 0702 NATL &amp; 98.7</b> (Test for this exercise was not released)																			
UNADJ EFFECT	0.6	-2.5	-0.8	2.0	1.1	-1.0	-0.1	-7.6	2.7	-2.3	-0.9	2.1	1.2	1.7	-9.2	-0.3	-3.9	0.1	
STD ERROR	0.9	1.2	1.0	0.8	0.6	0.5	2.2	2.8	1.1	1.2	0.9	1.3	0.4	1.6	-2.8	2.3	0.6	-0.9	
BAL EFFECT	0.3	-0.9	-1.2	2.0	1.2	-1.1	-1.2	-2.9	1.2	-1.8	-1.1	1.4	1.0	1.5	-7.7	-0.7	-3.2	-0.1	
STD ERROR	0.9	1.0	0.8	0.8	0.6	0.5	1.8	2.8	1.1	1.7	1.1	0.8	1.0	0.4	-1.7	2.4	2.3	0.6	
<b>EXER: 0703 NATL &amp; 93.7</b> (Test for this exercise was not released)																			
UNADJ EFFECT	-0.6	-2.8	2.8	0.2	0.7	-0.5	-2.1	-7.8	0.7	-5.8	1.3	0.7	3.9	2.3	-10.0	-9.8	-9.1	0.9	
STD ERROR	0.8	1.3	0.8	0.9	0.5	0.6	3.2	3.8	1.8	3.6	1.2	1.0	0.7	0.4	1.9	4.0	2.0	0.5	
BAL EFFECT	-0.7	-2.3	1.8	0.8	0.5	-0.5	-2.8	-0.7	-6.3	0.1	0.1	0.0	3.9	1.7	-7.6	-6.9	-2.9	0.4	
STD ERROR	0.8	1.3	0.8	1.1	0.8	0.5	2.9	2.8	1.2	2.5	1.2	1.0	0.7	0.4	-1.9	4.0	2.1	0.6	
<b>EXER: 0708 NATL &amp; 93.6</b> (Test for this exercise was not released)																			
UNADJ EFFECT	1.7	-8.5	0.6	1.5	0.5	-0.5	-6.6	-11.5	8.3	-1.1	1.1	0.1	2.0	2.2	-11.5	-7.1	-8.8	-3.8	
STD ERROR	1.0	1.6	1.0	1.1	0.6	0.5	8.8	8.6	1.0	2.1	1.2	1.3	1.0	0.5	2.3	2.3	1.9	0.9	
BAL EFFECT	1.1	-2.2	-0.7	1.7	0.6	-0.6	-2.2	-5.5	2.8	-0.6	0.2	-0.9	1.6	1.8	-8.5	-6.7	-5.5	-2.6	
STD ERROR	1.0	1.1	0.9	1.0	0.6	0.5	3.7	8.3	1.2	1.6	1.2	1.2	1.0	0.4	-2.1	2.5	3.2	1.8	
<b>EXER: 0705 NATL &amp; 93.2</b> (Test for this exercise was not released)																			
UNADJ EFFECT	1.1	-8.3	1.0	1.5	-1.3	1.2	0.5	-8.8	-5.0	2.7	0.8	-2.0	1.5	2.2	1.9	-10.4	-2.5	-0.8	
STD ERROR	1.1	2.6	1.2	1.2	0.5	0.5	2.9	2.3	1.8	1.7	2.3	1.1	1.8	0.8	8.3	2.3	2.8	0.9	
BAL EFFECT	0.9	-2.9	0.8	1.2	-1.8	1.3	-0.6	1.9	0.8	-3.2	0.9	2.2	0.0	1.8	-8.6	-3.4	0.2	-2.7	
STD ERROR	1.1	2.3	1.0	1.1	0.5	0.5	3.8	2.3	0.9	1.8	2.5	0.9	1.8	0.8	4.0	2.5	2.6	0.7	
<b>EXER: 0706 NATL &amp; 85.7</b> (Test for this exercise was not released)																			
UNADJ EFFECT	1.8	-2.9	2.8	-1.7	2.8	-2.1	-0.1	-3.3	2.0	-4.5	-1.3	1.8	1.8	2.6	-9.4	-14.6	-8.8	-2.9	
STD ERROR	1.5	2.1	1.5	1.5	0.6	0.6	8.3	3.9	2.6	3.3	2.8	1.5	1.6	0.5	2.2	3.1	4.1	2.1	
BAL EFFECT	1.6	-2.2	0.9	-0.6	2.3	-2.2	-0.1	4.1	0.6	-2.0	-1.8	0.4	1.6	2.3	-9.0	-12.0	-6.9	-1.2	
STD ERROR	1.5	2.1	1.8	1.6	0.6	0.6	8.3	2.9	2.0	2.5	2.8	1.3	1.6	0.5	2.5	3.0	3.9	2.1	
<b>EXER: 0707 NATL &amp; 88.6</b> (Test for this exercise was not released)																			
UNADJ EFFECT	8.1	-8.7	-0.2	-0.8	-1.1	1.1	-2.9	-22.9	8.5	-10.3	6.0	0.7	1.0	5.1	-25.4	-15.4	-20.0	-6.5	
STD ERROR	2.1	2.5	2.8	2.3	0.8	0.9	8.0	3.9	1.8	5.8	2.1	3.1	0.8	3.3	4.1	4.0	2.6	1.5	
BAL EFFECT	2.7	-0.8	-0.7	-1.4	-1.5	1.7	8.5	8.8	8.8	-7.2	3.5	-1.6	0.5	2.5	-2.5	-11.5	-8.5	0.3	
STD ERROR	1.8	2.3	2.8	2.6	0.8	0.9	3.7	8.7	2.2	4.7	2.1	2.8	0.9	1.7	4.6	4.7	2.5	1.8	
<b>EXER: 0708 NATL &amp; 82.5</b> (Test for this exercise was not released)																			
UNADJ EFFECT	8.5	-6.5	2.5	-2.8	2.8	-2.6	-7.5	-18.7	8.0	-11.6	5.1	2.8	0.7	1.3	-17.1	-8.1	-12.1	-5.2	
STD ERROR	1.5	2.7	1.9	1.8	0.9	0.8	8.5	3.3	1.9	8.8	2.0	2.1	0.6	2.8	5.1	4.8	2.6	-1.0	
BAL EFFECT	2.1	-2.5	1.8	-2.5	3.2	-2.9	-7.2	-5.0	5.1	-8.6	3.2	1.7	0.9	2.4	-11.5	-3.5	-8.8	1.2	
STD ERROR	1.5	2.7	2.0	1.8	1.5	0.9	8.0	3.5	0.9	1.7	1.8	2.1	0.6	0.6	-2.9	4.4	4.7	2.5	

EXPR: 0709 NATL & 80.9	(Text for this exercise was not released)											
UNADJ PPFCT	3.5 -19.3	4.3 3.0	5.5 -8.7	-21.1 -19.2	8.6 -0.0	7.0 1.1	2.5 5.3	-26.7 -7.2	-23.5 -13.8	-0.8 -0.8	7.2 -7.2	-4.5 -4.5
STD ERROR	1.9 3.2	1.8 2.1	1.0 0.9	0.6 0.5	2.8 3.5	8.1 2.0	2.8 2.3	1.0 3.3	5.5 5.7	3.0 3.0	1.6 1.6	1.2 1.2
NAL PPFCT	1.1 -6.7	2.2 1.7	4.9 4.9	-0.5 -13.7	-9.6 3.2	1.0 3.3	0.4 2.8	3.7 1.0	-3.5 -15.2	-8.4 -8.4	-2.0 -2.0	5.1 5.1
STD ERROR	1.5 2.3	1.8 1.9	0.9 0.8	2.5 2.5	3.0 2.2	3.2 1.6	1.7 1.8	0.8 3.1	4.2 4.6	3.0 3.0	1.5 1.5	0.9 0.9
EXPR: 0710 NATL & 79.2	(Text for this exercise was not released)											
UNADJ PPFCT	0.3 -5.6	1.6 2.6	3.3 -3.1	-10.0 -5.2	10.1 -9.3	3.9 -0.3	0.2 2.6	-11.0 2.6	-8.8 3.6	-13.5 3.6	-0.6 0.6	5.0 5.0
STD ERROR	1.5 2.3	2.2 1.9	1.1 1.1	0.6 0.6	3.2 2.9	5.6 2.2	2.3 2.3	0.6 0.6	3.6 3.3	6.1 6.1	2.9 2.9	1.8 1.8
NAL PPFCT	-1.3 -2.0	0.4 2.6	3.3 -3.1	-7.4 -7.4	0.8 6.9	2.4 2.4	0.9 0.9	1.9 1.9	-6.9 -6.9	-1.7 -1.7	-0.9 -0.9	3.7 3.7
STD ERROR	1.7 2.5	2.1 2.0	1.1 1.0	6.0 6.0	3.4 2.8	5.4 2.3	0.6 2.1	2.4 2.3	3.7 3.7	4.5 4.5	2.9 2.9	1.5 1.5
EXPR: 0711 NATL & 76.9	(Text for this exercise was not released)											
UNADJ PPFCT	5.7 0.4	1.2 -8.4	1.7 -1.7	-6.6 -15.9	5.3 -2.9	6.7 0.7	3.5 -0.5	2.6 2.6	-11.6 12.7	-17.6 12.7	3.6 3.6	-8.0 -8.0
STD ERROR	1.6 2.1	1.8 2.3	1.2 1.1	0.6 0.6	5.9 2.5	3.6 2.1	2.3 2.3	0.5 0.5	3.3 3.3	6.0 6.0	6.9 6.9	3.8 3.8
NAL PPFCT	4.7 2.3	0.8 -9.0	1.8 -1.6	-0.9 -9.6	6.4 6.4	-1.1 -1.1	-0.6 -0.6	1.8 1.8	-9.2 -6.1	-18.2 -18.2	4.8 4.8	-8.6 -8.6
STD ERROR	1.6 2.0	1.7 2.2	1.2 1.2	1.1 3.5	5.8 2.8	3.4 2.0	2.0 2.2	0.6 0.6	3.3 3.3	8.0 8.0	7.7 7.7	3.3 3.3
EXPR: 0712 NATL & 76.0	(Text for this exercise was not released)											
UNADJ PPFCT	-0.4 -6.9	5.8 1.0	5.2 -8.7	-2.7 -19.9	6.4 -10.3	3.2 2.3	4.5 4.5	8.2 -22.9	-11.7 -22.8	-10.8 -10.8	-2.0 -2.0	6.5 6.5
STD ERROR	2.2 3.0	1.7 1.9	1.0 0.9	0.9 0.5	5.2 3.6	5.2 3.6	2.1 2.1	0.9 0.9	3.3 3.3	6.9 6.9	4.8 4.8	3.0 3.0
NAL PPFCT	-0.6 -5.0	5.0 0.1	8.5 -8.3	-0.8 -11.8	3.8 3.8	-9.5 0.5	1.3 1.3	5.7 5.7	2.7 2.7	-15.8 -5.1	-19.4 -19.4	-7.8 -7.8
STD ERROR	2.1 2.8	1.5 2.0	0.9 0.9	0.9 0.3	5.7 3.3	4.1 2.3	1.7 2.0	0.7 0.7	3.1 3.1	4.9 4.9	2.8 2.8	1.5 1.5
EXPR: 0713 NATL & 78.4	(Text for this exercise was not released)											
UNADJ PPFCT	4.7 -8.9	2.9 -0.5	1.6 -1.4	-15.8 -21.9	18.7 -5.0	-0.0 6.8	0.1 0.1	4.7 -26.0	-6.2 -17.7	-11.0 -11.0	-5.0 -5.0	8.7 8.7
STD ERROR	1.9 2.7	2.2 2.3	1.3 1.1	0.7 0.7	8.6 2.2	8.3 2.5	1.9 2.5	0.8 0.8	2.8 2.8	3.5 3.5	5.8 5.8	3.3 3.3
NAL PPFCT	3.1 -2.3	1.8 -3.2	1.6 -1.4	-8.1 -9.8	9.3 -3.0	-9.8 3.0	2.3 2.3	0.8 0.8	2.9 2.9	1.8 1.8	-15.4 -15.4	-7.8 -7.8
STD ERROR	1.6 1.9	1.9 1.9	1.3 1.1	1.1 0.2	3.9 2.9	3.8 2.8	1.6 2.2	0.8 0.8	3.1 3.1	3.7 3.7	5.7 5.7	3.4 3.4
EXPR: 0714 NATL & 71.5	(Text for this exercise was not released)											
UNADJ PPFCT	2.2 -2.7	1.8 -1.6	4.0 -8.0	-11.2 -11.2	-1.6 6.0	2.7 5.4	-0.7 0.7	3.1 -16.1	-6.2 -17.8	-2.1 -2.1	-1.3 -1.3	3.8 3.8
STD ERROR	2.0 3.3	2.2 2.1	1.5 1.5	3.1 3.2	3.7 3.7	2.3 2.3	2.0 2.0	0.9 0.9	3.8 3.8	6.1 6.1	3.0 3.0	1.5 1.5
NAL PPFCT	-0.6 2.8	0.7 -2.2	3.8 -3.6	-9.6 -2.1	-8.0 8.3	1.9 1.9	3.7 3.7	-1.6 -1.6	2.8 2.8	-11.7 -11.7	-0.3 -0.3	-2.6 -2.6
STD ERROR	1.8 2.2	2.0 1.6	1.4 1.4	1.4 0.2	3.9 3.7	3.4 2.2	1.8 2.5	0.9 0.9	3.4 3.4	8.1 8.1	6.0 6.0	2.6 2.6
EXPR: 0715 NATL & 69.7	(Text for this exercise was not released)											
UNADJ PPFCT	8.1 -4.6	1.1 -6.9	-1.1 0.7	-12.3 -4.3	7.4 -5.1	4.6 0.5	0.2 0.2	3.0 3.0	-10.0 -19.2	-13.3 -13.3	-5.4 -5.4	-0.1 -0.1
STD ERROR	2.1 2.8	2.6 2.6	1.3 1.3	1.2 1.2	3.7 3.1	8.9 2.5	2.9 2.9	0.8 0.8	3.3 3.3	6.5 6.5	6.8 6.8	3.7 3.7
NAL PPFCT	5.9 -1.8	0.8 -5.8	-0.3 0.3	0.3 -12.3	5.5 5.3	1.2 1.2	1.3 1.3	-1.2 -1.2	2.5 2.5	-9.1 -9.1	-15.2 -15.2	1.5 1.5
STD ERROR	1.8 2.6	2.2 2.7	1.3 1.1	3.5 3.5	4.1 3.3	6.6 2.6	3.1 3.1	0.8 0.8	3.8 3.8	5.3 5.3	6.6 6.6	1.3 1.3

REGION	SEX	SIZE AND TYPE OF COMMUNITY										COLOR	HIGH SCHOOL EDUCATION
		URBAN CITY	INNER CITY	RURAL	INDUSTRIAL CITY	URBAN PRINCIPAL CITY	URBAN SUBPRINCIPAL CITY	SMALL CITY	NON BLACK	BLACK	OTHER		
<b>EIRR: 0716 NATL &amp; 68.0 (Text for this exercise was not released)</b>													
URBAN EFFECT	3.3	-0.6	0.5	-0.5	0.5	-6.6	-5.9	3.9	1.8	-1.8	7.3	-6.3	2.1
STD ERROR	1.9	2.0	1.8	2.0	1.2	1.0	3.3	2.9	6.1	2.2	1.8	2.1	0.5
BAL EFFECT	1.8	2.3	-0.2	-3.9	0.9	-0.9	-7.5	2.1	2.8	-5.8	2.1	-6.8	3.1
STD ERROR	1.8	2.2	1.9	2.0	1.1	1.0	3.8	3.8	2.3	1.8	2.1	0.6	2.9
<b>EIRR: 0717 NATL &amp; 63.1 (Text for this exercise was not released)</b>													
URBAN EFFECT	7.8	-11.6	1.8	1.0	0.3	-7.9	-8.7	-18.8	12.0	3.7	1.9	-2.8	6.3
STD ERROR	2.7	4.0	3.0	3.1	1.5	1.3	5.1	6.8	5.2	3.3	3.1	3.8	1.2
BAL EFFECT	5.0	-3.1	-2.0	-0.4	7.6	-7.3	0.2	3.6	3.9	-2.0	2.8	-2.3	5.5
STD ERROR	2.3	2.9	2.5	2.6	1.8	1.2	6.0	6.9	5.2	2.7	2.8	3.1	1.0
<b>EIRR: 0718 NATL &amp; 61.7 (Text for this exercise was not released)</b>													
URBAN EFFECT	-3.2	2.8	7.1	-6.6	0.6	-0.7	-8.3	-22.8	2.1	-8.1	5.9	-0.1	8.9
STD ERROR	3.7	6.2	3.0	3.5	1.1	1.2	7.1	3.7	6.3	3.3	3.6	1.1	3.1
BAL EFFECT	-2.5	6.1	6.5	-7.2	0.8	-0.8	-7.8	-8.3	-6.2	3.1	2.8	6.8	-19.5
STD ERROR	3.5	3.1	2.8	3.6	1.1	1.1	5.6	6.2	6.3	3.2	3.1	6.5	5.8
<b>EIRR: 0719 NATL &amp; 61.6 (Text for this exercise was not released)</b>													
URBAN EFFECT	6.1	-6.1	0.6	-0.5	0.5	-0.5	-18.7	-20.2	13.8	-2.2	5.6	-0.6	3.2
STD ERROR	2.3	2.3	2.5	2.4	1.3	1.2	6.8	6.2	6.0	2.5	2.5	0.7	8.4
BAL EFFECT	8.5	-2.2	-0.6	-2.3	0.8	-0.7	-12.5	-12.9	11.2	-1.3	2.1	0.9	-13.5
STD ERROR	2.2	2.2	2.3	2.1	1.3	1.2	6.5	6.3	6.8	3.8	3.1	2.7	6.0
<b>EIRR: 0720 NATL &amp; 61.6 (Text for this exercise was not released)</b>													
URBAN EFFECT	2.5	-7.0	1.6	2.0	1.2	-0.8	-21.1	11.5	-5.9	6.6	7.5	-1.8	5.7
STD ERROR	2.5	3.9	2.7	2.1	1.3	1.2	5.2	6.7	3.9	2.3	2.8	3.5	1.1
BAL EFFECT	-0.1	-1.1	-0.7	1.8	0.6	-0.5	-6.7	6.2	-3.2	2.8	3.7	-2.8	6.6
STD ERROR	2.2	2.8	2.6	2.0	1.2	1.1	6.1	5.3	3.7	2.3	2.7	3.3	1.1
<b>EIRR: 0721 NATL &amp; 60.8 (Text for this exercise was not released)</b>													
URBAN EFFECT	2.1	-3.5	-2.3	3.9	2.7	-2.5	-2.1	-15.8	10.1	0.5	2.1	-7.5	3.1
STD ERROR	3.2	3.8	6.5	2.8	1.8	1.2	5.8	5.0	2.9	3.9	3.7	6.0	0.7
BAL EFFECT	-0.3	0.6	-2.6	3.3	3.1	-2.8	6.0	-5.7	6.5	1.6	2.8	-7.0	2.9
STD ERROR	2.9	3.5	3.6	2.8	1.3	1.2	6.7	5.7	3.6	3.0	3.2	5.1	0.7
<b>EIRR: 0722 NATL &amp; 58.2 (Text for this exercise was not released)</b>													
URBAN EFFECT	0.6	-3.0	1.9	-0.5	-1.5	1.4	-7.1	-15.7	6.0	-5.7	-0.8	6.7	2.3
STD ERROR	2.3	2.8	2.1	2.7	1.3	1.2	6.8	5.1	3.9	2.2	2.2	0.8	1.0
BAL EFFECT	-0.1	-0.4	1.3	-1.4	-1.5	1.4	-3.7	-12.8	5.3	-5.3	-1.9	1.1	-6.2
STD ERROR	2.0	2.5	1.8	2.6	1.3	1.2	6.8	6.6	3.8	3.1	2.1	0.9	6.2

REB# 0723 HATL # 58.5 (Test for this exercise was not released)

GRADJ EFFECT	-2.1	-6.2	6.7	-0.4	3.1	-3.4	-16.1	-27.4	6.2	3.9	4.4	2.7	2.7	4.4	-23.3	-10.3	-5.2	-15.4	-1.5	6.7	-18.7	
STD ERROR	3.0	3.5	2.8	2.8	1.8	1.5	-0.1	3.6	3.8	6.5	3.7	2.5	2.6	0.7	2.8	5.7	5.7	3.6	1.9	1.8	8.3	
BAL EFFECT	-0.3	-1.2	6.2	6.2	-1.8	3.1	-3.4	-10.3	-15.0	6.7	6.4	2.4	0.9	0.8	2.6	-15.7	-2.0	-0.5	-13.3	-0.7	6.8	-16.1
STD ERROR	2.7	2.9	2.3	2.0	1.2	1.4	-3.5	3.7	3.0	5.3	3.2	3.2	2.5	0.6	2.9	5.8	5.8	3.8	1.8	1.5	3.9	

REB# 0728 HATL # 58.6 (Test for this exercise was not released)

GRADJ EFFECT	4.4	-12.6	1.9	6.0	0.2	-0.2	-16.4	-23.2	17.5	-9.1	5.9	3.5	-2.7	5.1	-26.3	-19.7	-26.3	-17.5	-2.5	9.1	-9.5
STD ERROR	2.9	2.8	2.9	2.9	1.3	1.2	3.8	7.2	5.2	5.8	3.3	2.7	2.9	0.8	3.2	5.0	7.7	5.6	2.6	1.3	3.7
BAL EFFECT	1.1	-6.3	0.5	6.0	0.4	-0.4	-6.5	-9.7	11.7	-9.7	3.3	1.8	-2.9	3.9	-17.4	-16.4	-15.0	-13.1	-3.1	7.0	-5.2
STD ERROR	2.7	2.6	2.6	2.6	1.2	1.1	6.3	5.3	6.9	5.3	4.2	3.1	2.8	0.7	3.4	8.7	7.3	6.0	2.6	1.3	3.6

REB# 0725 HATL # 58.2 (Test for this exercise was not released)

GRADJ EFFECT	0.1	-5.2	1.0	3.0	3.9	-8.4	-15.3	-20.4	16.7	-7.3	9.1	0.6	-2.9	3.3	-16.5	-9.0	-23.8	-18.2	-6.0	10.6	-6.7
STD ERROR	2.8	2.7	2.7	2.8	1.3	1.3	-0.3	3.5	2.9	6.7	3.4	3.1	3.2	0.7	2.8	5.3	8.6	3.6	1.9	1.6	8.0
BAL EFFECT	-2.8	0.8	1.4	0.5	3.9	-8.4	-11.8	-12.5	11.3	-6.2	7.6	-0.3	-2.9	1.2	-7.9	0.0	-19.4	-12.2	-0.3	8.6	-6.2
STD ERROR	2.4	2.6	2.4	2.8	1.1	1.3	6.1	3.8	4.4	3.1	2.8	3.1	0.7	3.6	5.3	8.6	3.5	2.6	1.7	3.9	

REB# 0726 HATL # 56.5 (Test for this exercise was not released)

GRADJ EFFECT	2.1	-10.9	7.0	-1.3	5.1	-5.0	-11.6	-20.2	3.0	-0.9	8.0	2.8	0.8	3.2	-17.8	-18.0	-8.1	-9.0	-6.8	8.3	-5.8
STD ERROR	2.8	2.5	3.1	2.5	1.2	1.3	3.8	3.2	3.3	6.8	8.0	3.1	3.1	0.8	2.8	8.3	5.7	4.3	2.0	1.3	3.8
BAL EFFECT	0.8	-8.1	6.8	-1.6	6.9	-5.5	-5.9	-11.6	0.2	0.1	4.8	1.2	1.3	2.2	-2.3	-2.5	6.8	6.6	6.6	6.6	-2.1
STD ERROR	2.7	2.4	2.9	2.4	1.2	1.3	3.6	3.7	3.0	4.2	3.8	3.0	2.8	0.8	3.7	8.4	5.7	4.3	2.0	1.3	3.6

REB# 0727 HATL # 53.2 (Test for this exercise was not released)

GRADJ EFFECT	2.3	-3.5	-1.0	1.6	0.0	0.2	-9.5	-18.5	7.8	-6.8	1.6	8.5	-1.5	8.7	-26.6	-9.1	-2.9	-6.8	-0.1	2.8	-5.9
STD ERROR	3.0	4.0	2.6	2.3	1.0	0.0	8.6	5.8	6.6	3.7	6.3	2.8	2.7	0.8	3.2	8.5	5.3	3.8	2.0	1.2	3.3
BAL EFFECT	-0.3	1.3	-1.0	0.8	0.1	-0.1	-8.3	0.7	3.2	-3.2	-0.3	2.9	-3.1	8.5	-26.1	-7.0	0.8	-6.7	1.0	1.0	-2.0
STD ERROR	2.6	3.5	2.4	2.3	1.1	1.0	8.6	5.8	6.3	3.2	4.0	3.8	2.8	0.8	3.1	8.7	5.0	3.2	1.6	1.2	3.5

REB# 0728 HATL # 53.3 (Test for this exercise was not released)

GRADJ EFFECT	7.8	-3.9	3.1	-8.6	1.7	-1.5	-15.0	-25.2	6.1	-7.8	2.1	9.7	0.9	8.5	-15.9	-25.6	-17.8	-10.2	-8.1	8.8	-18.8
STD ERROR	3.8	6.0	3.8	3.6	1.3	1.3	-1.5	5.7	5.1	7.1	6.3	3.8	3.8	0.9	3.0	8.9	5.9	3.8	2.0	1.8	3.8
BAL EFFECT	6.4	0.1	1.5	-9.1	1.8	-1.6	-9.5	-16.1	2.9	-3.0	0.3	6.3	1.8	2.1	-7.0	-13.2	-18.1	0.8	-6.8	7.1	-9.6
STD ERROR	3.2	3.5	3.3	3.6	1.3	1.2	7.1	5.1	6.7	4.0	3.5	3.6	0.8	3.2	5.1	5.5	3.8	1.6	1.3	3.3	

REB# 0729 HATL # 51.7 (Test for this exercise was not released)

GRADJ EFFECT	0.0	0.8	-0.6	0.2	-0.3	0.6	-6.8	-6.3	13.3	-10.1	-6.8	-2.6	2.2	2.0	1.3	-3.9	-7.1	-8.6	-10.3	-0.9	4.7	-3.2
STD ERROR	2.7	3.8	3.3	2.9	1.2	1.1	8.6	8.5	8.6	3.8	4.5	2.6	2.6	0.7	3.5	8.3	6.3	3.6	1.7	1.5	3.3	
BAL EFFECT	-0.8	2.3	-1.2	-0.8	-0.6	-0.6	-5.1	-6.0	11.8	-9.1	-5.1	-3.7	2.1	0.6	-1.7	-3.6	-7.6	9.7	-0.8	3.7	-0.9	
STD ERROR	2.5	3.1	2.9	3.0	1.2	1.1	8.8	8.7	8.8	3.8	4.7	2.8	2.8	0.7	3.6	8.8	5.8	3.6	1.6	1.5	3.4	

EXER:	NATL %	50.5	SIZE AND TYPE OF COMMUNITY												HIGH SCHOOL EDUCATION						
			WEST			CENTRAL			APP.			INNER CITY			OUTER PRINCIPAL CITY			NON-BLACK			
			MIN.	MID.	MAX.	MIN.	MID.	MAX.	MIN.	MID.	MAX.	MIN.	MID.	MAX.	MIN.	MID.	MAX.	SOME	GRADUATED	POST HIGHER	
<b>EXER: 0730 NATL % 50.5 (Text for this exercise was not released)</b>																					
UNADJ EFFECT	-0.8	-8.3	5.2	2.1	1.1	-0.9	-8.3	-26.5	7.9	-11.8	-2.1	9.0	5.7	5.3	-26.0	-14.3	-3.1	-12.1	-8.5	7.8	-12.6
STD ERROR	2.5	2.9	3.1	2.6	1.5	1.4	3.9	8.1	3.2	3.7	2.3	3.0	0.9	2.7	6.7	5.8	3.8	1.9	1.6	3.2	
BAL EFFECT	-1.7	-5.3	4.0	1.8	1.1	-1.0	-1.3	-11.6	2.1	-11.2	-4.5	6.2	6.0	3.8	-17.1	-8.2	-0.5	-9.2	-8.1	5.8	-5.3
STD ERROR	2.3	2.3	2.4	2.1	1.5	1.3	3.6	4.0	3.0	3.5	2.3	2.8	2.7	0.7	3.0	8.7	5.2	4.1	1.7	3.1	
<b>EXER: 0731 NATL % 49.7 (Text for this exercise was not released)</b>																					
UNADJ EFFECT	2.1	-8.9	3.9	-1.6	3.8	-3.5	-19.5	7.8	-9.6	7.1	-1.9	4.6	5.0	5.0	-21.8	-22.3	-14.5	-8.4	0.8	6.7	-11.0
STD ERROR	2.5	2.6	2.2	2.2	1.2	1.1	5.5	4.8	3.6	3.7	3.5	2.2	0.7	3.2	3.6	5.7	3.2	1.5	1.8	6.7	
BAL EFFECT	1.1	-3.2	2.1	-0.8	3.5	-3.4	-2.3	-8.5	5.1	-6.9	3.9	-3.6	8.7	3.8	-16.3	-17.8	-8.5	-8.9	-0.2	2.9	-5.2
STD ERROR	2.1	2.1	2.2	2.0	1.2	1.1	3.5	3.1	2.7	2.9	2.3	2.1	0.7	3.1	8.1	5.6	3.2	1.5	1.8	6.1	
<b>EXER: 0732 NATL % 49.5 (Text for this exercise was not released)</b>																					
UNADJ EFFECT	2.2	-13.2	6.3	1.9	4.6	-4.0	-15.6	-21.7	13.0	-0.0	2.3	1.1	3.5	3.9	-19.3	-10.5	-19.9	-9.0	-2.9	7.8	-10.4
STD ERROR	3.3	2.6	2.9	2.9	1.3	1.3	5.8	5.8	5.4	4.6	3.6	3.6	0.8	2.8	6.9	5.8	5.0	1.7	3.8	3.8	
BAL EFFECT	1.6	-8.6	8.9	-0.0	4.4	-3.9	-8.3	-12.7	6.0	0.1	-0.2	-0.9	5.1	1.0	-9.2	-3.4	-15.6	-5.1	-2.9	5.8	-6.3
STD ERROR	3.2	2.8	2.7	2.6	1.4	1.3	4.6	4.8	6.0	4.3	3.5	3.3	0.8	1.3	8.6	4.6	3.8	1.6	1.8	3.7	
<b>EXER: 0733 NATL % 47.1 (Text for this exercise was not released)</b>																					
UNADJ EFFECT	-2.8	-3.0	6.2	-3.1	8.2	-7.6	-11.4	-12.7	3.9	-7.6	3.4	0.6	5.4	3.2	-11.6	-18.3	-12.9	-1.4	-1.5	6.6	-7.7
STD ERROR	2.3	3.1	2.3	2.6	1.3	1.2	8.5	8.5	3.4	3.7	3.8	3.1	0.9	3.7	6.3	5.3	3.3	1.9	1.6	3.0	
BAL EFFECT	-3.6	-3.6	5.1	-2.7	8.2	-7.6	-10.6	-6.5	1.7	-6.0	2.3	0.2	6.6	1.9	-7.1	-7.6	5.3	1.9	-2.8	4.0	-6.3
STD ERROR	3.0	2.1	2.5	1.3	1.2	1.2	4.5	4.1	3.5	3.3	2.8	2.7	0.8	4.0	3.9	4.9	3.3	1.9	1.5	1.4	
<b>EXER: 0734 NATL % 47.5 (Text for this exercise was not released)</b>																					
UNADJ EFFECT	1.3	-6.1	1.4	1.8	11.6	-13.2	-10.0	-19.9	5.9	-1.3	4.1	1.6	1.8	4.3	-23.1	-9.1	-12.9	-3.1	-2.8	6.0	-10.7
STD ERROR	1.9	2.3	2.8	2.4	1.2	1.1	8.3	8.3	3.1	2.9	2.6	2.6	0.8	2.6	5.5	5.8	5.1	1.6	1.3	3.7	
BAL EFFECT	-1.8	-1.8	1.6	1.2	1.1	1.1	6.6	6.7	3.9	0.1	1.3	0.2	0.7	3.1	-17.6	-7.2	-8.3	-9.1	-9.0	4.2	-9.0
STD ERROR	1.7	2.0	2.4	2.8	1.3	1.2	1.8	1.8	3.3	2.6	2.9	2.4	0.8	3.2	4.1	4.6	4.3	1.5	1.2	3.3	
<b>EXER: 0735 NATL % 45.5 (Text for this exercise was not released)</b>																					
UNADJ EFFECT	3.8	-7.6	5.9	-6.1	3.6	-3.1	-9.4	-17.5	0.1	-1.8	-0.1	8.6	1.1	3.9	-17.1	-16.8	-11.0	-12.0	-0.2	6.9	-7.8
STD ERROR	2.8	3.3	3.0	2.5	1.3	1.1	4.4	4.5	3.2	4.5	2.6	2.6	3.7	3.8	3.0	4.6	4.8	3.6	2.2	1.6	8.5
BAL EFFECT	2.2	-8.4	8.5	-3.9	3.3	-2.9	-3.8	-7.8	-3.5	-2.6	-2.1	6.2	2.0	2.4	-11.0	-8.1	-8.3	-9.1	-0.8	3.6	-3.7
STD ERROR	3.1	2.5	2.8	2.4	1.3	1.1	5.0	5.0	3.4	4.8	2.7	3.5	3.0	0.7	3.5	4.9	5.2	3.8	2.1	4.5	
<b>EXER: 0736 NATL % 44.1 (Text for this exercise was not released)</b>																					
UNADJ EFFECT	0.3	-10.1	8.7	3.6	-0.3	0.5	-3.9	-9.2	1.1	-2.8	-2.3	6.1	3.2	2.8	-10.6	-9.9	-14.8	-6.9	-1.8	6.6	-9.9
STD ERROR	2.5	3.1	2.2	2.0	1.3	1.3	4.8	4.8	5.3	4.5	2.6	2.6	3.3	4.5	0.6	3.1	3.5	7.1	3.9	1.8	3.5
BAL EFFECT	0.6	-10.0	3.6	4.2	0.8	0.7	-2.1	-3.8	0.9	-2.0	-2.1	5.1	4.9	3.8	1.5	-4.5	-9.1	-11.3	-1.2	3.2	-8.3
STD ERROR	2.6	3.2	3.3	2.3	1.3	1.2	6.1	5.0	4.9	4.1	2.6	3.2	4.6	0.8	3.7	4.2	6.0	3.9	1.5	3.6	

EXER: 0737	NATL \$ 42.5	(Test for this exercise was not released)																			
UNADJ EXPECT	0.7	-8.7	5.0	-1.5	7.9	-7.7	1.1	-9.7	10.6	-2.3	1.9	-5.8	0.7	2.9	-12.2	-18.1	-9.8	-5.5	-1.1	4.5	-9.0
STD ERROR	2.3	2.5	2.4	1.4	1.4	7.3	4.5	3.5	3.8	2.7	2.6	3.0	0.6	2.9	3.5	5.0	2.9	1.8	1.4	3.4	3.1
BAL. EXPECT	0.8	3.6	3.6	-1.1	7.9	-7.7	1.2	-3.0	8.8	1.3	-6.4	1.2	2.3	2.3	-11.6	-4.9	-1.8	-1.6	1.4	3.1	-5.9
STD ERROR	2.3	2.6	2.3	1.4	1.4	1.7	8.0	3.8	3.1	2.6	2.6	3.1	0.6	3.8	3.8	8.9	2.9	1.8	1.3	3.5	

EXER: 0738	NATL \$ 40.5	(Test for this exercise was not released)																			
UNADJ EXPECT	0.2	2.0	0.1	-1.8	8.4	-5.0	-10.5	-16.4	0.8	3.5	-0.8	6.2	1.9	-20.1	-10.1	-0.6	-12.9	-3.8	6.5	-5.0	
STD ERROR	2.8	3.0	2.5	2.4	1.5	1.6	5.5	3.8	3.7	3.5	3.0	3.3	0.7	2.4	8.2	5.6	3.5	1.6	1.1	6.7	3.7
BAL. EXPECT	-1.9	5.9	-0.5	-2.0	8.4	-6.1	-4.9	-3.5	-2.1	3.4	2.2	4.4	3.3	-18.3	-6.7	2.7	-12.8	-3.5	5.5	-2.7	
STD ERROR	2.6	2.8	2.3	2.2	1.4	1.6	5.0	3.6	3.8	3.0	3.9	2.9	0.7	2.6	8.6	5.5	3.6	1.6	1.2	6.6	

EXER: 0739	NATL \$ 38.7	(Test for this exercise was not released)																			
UNADJ EXPECT	2.8	-1.6	3.3	-8.6	0.4	-0.5	-1.8	-15.0	6.1	0.1	-0.8	5.6	-1.5	3.4	-10.6	-19.0	-17.7	-8.3	-2.2	7.2	-5.7
STD ERROR	2.6	3.5	2.5	2.2	1.6	1.5	1.5	3.8	4.5	5.1	6.5	2.6	2.5	0.7	2.6	4.6	4.9	3.6	1.8	1.4	6.4
BAL. EXPECT	1.6	1.8	1.8	-6.7	0.2	-0.2	-0.2	0.8	-6.9	3.9	1.2	-2.3	3.9	-1.9	2.2	-6.8	-11.9	-18.3	-6.9	1.4	6.4
STD ERROR	2.4	3.4	2.2	2.1	1.5	1.5	3.5	5.0	6.6	6.2	2.5	2.5	2.9	0.7	3.7	8.9	5.0	3.6	1.7	1.4	6.2

EXER: 0740 NATL \$ 37.0 (Test for this exercise was not released)

UNADJ EXPECT	0.9	-8.6	8.9	-2.7	8.0	-3.5	-13.1	-12.7	12.3	-6.1	0.5	-0.1	2.6	2.8	-12.9	-5.7	-13.6	-13.8	-0.9	6.9	-10.9
STD ERROR	2.6	2.8	2.7	2.6	1.8	1.3	8.5	8.3	6.9	3.8	2.8	2.7	0.6	2.8	8.1	8.8	3.5	1.8	1.6	3.2	
BAL. EXPECT	-0.6	0.7	3.2	-4.1	3.9	-3.6	-7.9	-6.2	11.8	-2.8	-0.5	-1.6	1.7	1.4	-6.1	-1.0	-9.3	-12.3	-1.1	6.2	-9.7
STD ERROR	2.6	2.8	2.4	2.4	1.8	1.2	8.9	8.2	6.0	2.9	2.6	2.7	0.5	2.6	3.9	5.5	4.1	1.8	1.7	3.5	

EXER: 0741 NATL \$ 38.6 (Test for this exercise was not released)

UNADJ EXPECT	7.8	-3.2	-3.1	-1.5	3.0	-2.7	8.2	6.7	-2.2	0.5	6.6	-1.2	-7.1	-0.2	1.3	-0.1	6.7	0.1	-1.2	0.3	-0.6
STD ERROR	2.2	2.3	2.0	2.3	1.8	1.3	8.8	4.6	4.6	3.1	2.8	2.3	0.5	2.3	3.9	6.3	3.9	1.8	1.8	1.4	3.4
BAL. EXPECT	6.6	-2.7	-3.8	-0.7	2.7	-2.5	6.5	6.3	-1.7	2.1	4.6	-1.9	-5.9	0.3	-0.3	-3.1	8.4	1.1	-1.1	0.3	-3.1
STD ERROR	2.0	2.4	1.9	2.4	1.8	1.3	8.5	6.8	3.1	2.9	2.6	2.4	0.6	2.6	8.9	6.6	4.0	1.8	1.6	3.8	

EXER: 0742 NATL \$ 28.4 (Test for this exercise was not released)

UNADJ EXPECT	6.2	-5.5	3.3	-8.1	3.0	-2.8	-0.5	-13.8	2.7	-9.8	5.7	0.9	0.8	8.2	-18.1	-12.0	-17.2	-15.2	0.5	5.9	-8.5
STD ERROR	3.3	3.0	3.2	2.6	1.2	1.1	6.4	3.5	5.4	3.5	4.4	3.0	0.8	0.8	2.3	3.5	2.9	2.6	1.9	1.3	5.9
BAL. EXPECT	2.6	-0.9	1.6	-4.2	2.8	-2.6	5.4	-0.8	-7.5	3.0	-0.5	0.8	3.0	-18.4	-5.5	-13.8	-11.8	-0.8	5.2	-0.3	
STD ERROR	3.2	3.2	3.2	2.9	1.2	1.1	6.0	3.0	6.1	3.0	4.3	3.0	0.7	2.5	3.9	2.8	2.6	1.9	1.3	5.8	

EXER: 0743 NATL \$ 29.0 (Test for this exercise was not released)

UNADJ EXPECT	0.7	-5.5	1.7	3.7	-0.1	0.1	-9.3	-15.3	12.2	-7.9	-0.1	5.0	0.2	3.3	-15.0	-11.1	-7.1	-10.8	-6.8	7.8	-10.3
STD ERROR	2.7	2.5	2.7	2.5	1.1	1.0	8.5	2.8	4.7	3.8	3.1	2.6	0.6	2.0	3.4	4.8	4.0	2.6	1.5	2.9	
BAL. EXPECT	-1.8	-2.1	0.7	3.0	0.1	-0.1	-8.4	-0.3	-7.7	7.7	-1.6	3.2	0.3	2.0	-9.0	-6.9	-8.7	-6.7	3.9	5.6	
STD ERROR	2.5	2.4	2.3	2.3	1.1	1.0	8.7	2.8	9.2	8.1	2.9	2.8	0.6	2.3	3.6	8.7	2.5	1.6	1.2	3.1	

EXER:	NATL %	TEST FOR THIS EXERCISE WAS NOT RELEASED)	SEX	SIZE AND TYPE OF COMMUNITY							COLOR	HIGH SCHOOL EDUCATION				
				MALE	FEMALE	RURAL	URBAN	INDUS.	MDIUM	SMALL			NONE	SOME	GRADUATED	POST-UNIVERSITY
E-365	0748	NATL % 28.4	(Test for this exercise was not released)	0.5	0.2	-1.5	-1.2	-3.0	-10.2	3.9	-3.5	0.5	-3.0	2.3	-10.0	-5.1
UNADJ EFFECT	3.3	-8.7	2.3	2.3	1.7	1.3	1.3	6.7	2.9	8.2	1.0	2.5	2.2	2.2	3.6	-2.5
STD ERROR	1.9	2.3	-0.1	-0.6	1.1	-1.0	-0.5	-6.3	0.6	-6.1	-2.4	7.5	-1.9	1.1	5.9	0.8
BAL EFFECT	2.7	-2.7	-0.1	-0.6	1.1	-1.0	-0.5	-6.3	0.6	-6.1	-2.4	7.5	-1.9	1.1	5.9	1.5
STD ERROR	1.8	2.2	2.1	2.0	1.3	1.3	0.9	3.3	3.9	2.7	2.4	2.3	0.6	4.4	2.0	2.2
E-366	0749	NATL % 28.9	(Test for this exercise was not released)	0.5	0.2	-2.5	-3.2	-2.2	-1.7	-1.9	0.6	1.8	-7.5	-7.1	-0.1	-3.2
UNADJ EFFECT	0.1	-0.5	0.8	-0.6	0.4	-3.7	-3.2	5.5	3.6	3.0	3.6	2.1	0.5	2.2	5.5	-6.8
STD ERROR	2.6	2.8	2.2	2.2	1.3	1.1	2.6	6.3	3.0	0.7	0.2	-2.7	0.5	1.7	1.8	1.2
BAL EFFECT	-0.4	0.7	-1.0	0.1	0.1	-3.8	-1.7	3.9	3.0	0.7	0.2	-2.7	0.5	1.7	2.0	1.5
STD ERROR	2.5	2.5	2.3	2.1	1.2	1.0	2.8	6.6	3.6	2.8	3.3	2.2	0.6	3.5	5.6	1.2
E-367	0746	NATL % 21.1	(Test for this exercise was not released)	0.6	0.4	-2.5	-3.2	-2.2	-1.7	-1.9	0.6	1.8	-7.5	-7.1	-0.1	-3.2
UNADJ EFFECT	-0.6	-8.1	3.0	0.6	3.2	-3.6	-8.3	6.8	-7.2	6.8	-2.8	1.8	-0.8	1.5	-5.0	-5.0
STD ERROR	1.9	2.0	2.1	2.1	1.1	1.2	2.6	3.1	2.5	2.5	2.4	2.1	0.4	2.1	8.2	-6.8
BAL EFFECT	-1.9	-0.8	3.0	-0.7	3.4	-3.8	-6.2	-6.2	-1.7	5.2	-1.8	-1.8	-1.2	0.5	5.4	-6.7
STD ERROR	1.8	2.2	1.8	1.9	1.1	1.2	2.8	6.6	3.2	2.3	2.6	2.1	0.4	2.3	3.8	1.2
E-368	0747	NATL % 8.1	(Test for this exercise was not released)	0.6	0.4	-1.6	0.3	-0.3	-1.4	5.0	-8.0	-0.7	1.1	1.9	-1.3	-0.8
UNADJ EFFECT	0.3	0.8	1.5	1.8	1.2	0.8	0.8	2.2	2.1	1.7	2.1	1.8	1.8	1.8	1.6	1.7
STD ERROR	1.6	1.5	1.4	1.4	0.6	-1.5	-0.3	-0.3	-1.8	2.7	-3.5	-1.4	2.2	-0.8	1.6	2.7
BAL EFFECT	-0.2	1.4	0.6	1.4	1.2	0.8	0.8	2.2	2.9	1.7	2.1	1.8	1.8	1.8	0.9	1.6
STD ERROR	1.8	1.7	1.8	1.2	1.2	0.8	2.2	6.8	3.2	2.3	2.6	2.1	0.4	2.0	3.5	2.6
E-369	0748	NATL % 92.5	(Test for this exercise was not released)	0.6	0.4	-1.6	0.3	-0.3	-1.4	5.0	-8.0	-0.7	1.1	1.9	-1.3	-0.8
UNADJ EFFECT	1.9	-8.3	3.3	-1.2	0.7	-0.3	-5.5	-9.5	6.8	-6.8	5.3	0.7	0.7	0.2	0.2	1.7
STD ERROR	1.1	2.9	1.1	1.6	0.6	0.5	3.1	7.1	1.8	4.4	1.1	2.7	1.3	1.6	2.2	2.7
BAL EFFECT	2.1	-4.0	1.5	-0.8	0.1	-0.1	-0.1	-0.1	-0.8	1.5	-6.3	2.3	-0.6	-0.8	1.1	0.8
STD ERROR	0.8	1.6	1.0	1.8	0.6	0.5	2.1	6.6	3.2	2.8	3.5	0.8	0.9	3.3	0.9	1.6
E-370	0749	NATL % 90.4	(Test for this exercise was not released)	0.6	0.4	-1.6	0.3	-0.3	-1.4	5.0	-8.0	-0.7	1.1	1.9	-1.3	-0.8
UNADJ EFFECT	2.2	-3.7	2.6	-1.7	2.6	-1.1	1.0	-7.0	-11.0	8.3	-1.3	2.1	2.6	-1.6	-8.7	-0.5
STD ERROR	1.1	2.3	1.8	1.8	1.1	0.7	0.6	3.9	3.2	1.9	1.7	1.8	1.3	0.5	2.7	0.6
BAL EFFECT	0.9	-0.7	-2.1	-2.1	0.9	0.8	-2.1	-0.6	0.6	0.6	0.6	0.7	1.0	2.3	-12.3	3.0
STD ERROR	0.9	1.6	1.2	0.8	0.6	0.6	0.6	6.6	3.2	3.3	1.9	1.2	0.5	2.7	2.5	2.3
E-371	0750	NATL % 79.3	(Test for this exercise was not released)	0.6	0.4	-1.6	0.3	-0.3	-1.4	5.0	-8.0	-0.7	1.1	1.9	-1.3	-0.8
UNADJ EFFECT	5.5	-9.5	-0.1	2.6	-3.5	3.0	-21.6	-22.5	13.1	-9.6	3.2	2.2	6.5	5.1	-25.9	-8.2
STD ERROR	1.9	2.8	1.9	1.9	1.1	0.7	0.6	4.2	4.7	2.3	1.9	1.8	1.3	0.6	3.3	1.1
BAL EFFECT	3.6	-3.8	-2.8	-2.3	1.6	1.0	0.9	-13.5	-5.8	9.3	-7.0	0.9	-0.1	4.1	8.0	-4.9
STD ERROR	2.0	2.8	2.1	1.6	1.0	0.9	0.9	3.5	4.3	2.8	0.5	2.6	2.2	0.7	3.0	1.1

OBJECTIVE: Possess the ability and skills needed to engage in the processes of science.

EXER: 0748 NATL % 92.5 (Test for this exercise was not released)

UNADJ EFFECT	1.9	-8.3	3.3	-1.2	0.7	-0.3	-5.5	-9.5	6.8	-6.8	5.3	0.7	0.7	0.2	0.2	1.7
STD ERROR	1.1	2.9	1.1	1.6	0.6	0.5	3.1	7.1	1.8	4.4	1.1	2.7	1.3	1.6	2.2	2.7
BAL EFFECT	2.1	-4.0	1.5	-0.8	0.1	-0.1	-0.1	-0.1	-0.8	1.5	-6.3	2.3	-0.6	-0.8	1.1	0.8
STD ERROR	0.8	1.6	1.0	1.8	0.6	0.5	2.1	6.6	3.2	2.8	3.5	0.8	0.9	3.3	0.6	1.6
EXER: 0749 NATL % 90.4 (Test for this exercise was not released)	0.6	0.4	-1.6	0.3	-0.3	-1.4	5.0	-8.0	5.3	-0.8	2.1	2.6	-1.6	-8.7	-0.5	8.8
UNADJ EFFECT	2.2	-3.7	2.6	-1.7	2.6	-1.1	1.0	-7.0	-11.0	8.3	-1.3	2.1	2.6	-1.6	-8.7	-0.5
STD ERROR	1.1	2.3	1.8	1.8	1.1	0.7	0.6	3.9	3.2	1.9	1.7	1.8	1.3	0.5	2.7	0.6
BAL EFFECT	0.9	-0.7	-2.1	-2.1	0.9	0.8	-2.1	-0.6	0.6	0.6	0.6	0.7	1.0	2.3	-12.3	3.0
STD ERROR	0.9	1.6	1.2	0.8	0.6	0.6	0.6	6.6	3.2	3.3	1.9	1.2	0.5	2.7	2.5	2.3
EXER: 0750 NATL % 79.3 (Test for this exercise was not released)	0.6	0.4	-1.6	0.3	-0.3	-1.4	5.0	-8.0	5.3	-0.8	2.1	2.6	-1.6	-8.7	-0.5	8.8
UNADJ EFFECT	5.5	-9.5	-0.1	2.6	-3.5	3.0	-21.6	-22.5	13.1	-9.6	3.2	2.2	6.5	5.1	-25.9	-8.2
STD ERROR	1.9	2.8	1.9	1.9	1.1	0.7	0.6	4.2	4.7	2.3	1.9	1.8	1.3	0.6	3.3	1.1
BAL EFFECT	3.6	-3.8	-2.8	-2.3	1.6	1.0	0.9	-13.5	-5.8	9.3	-7.0	0.9	-0.1	4.1	8.0	-4.9
STD ERROR	2.0	2.8	2.1	1.6	1.0	0.9	0.9	3.5	4.3	2.8	0.5	2.6	2.2	0.7	3.0	1.1

**RPT#:** 0751 **HATL § 73.8** (Text for this exercise was not released)

GRADJ_EPPCT	3.9	-2.8	-3.2	1.8	8.2	-6.0	-5.9	-8.6	7.8	-15.5	7.6	3.8	-2.3	2.5	-8.3	-15.6	-6.7	-8.0	-3.2	5.1	-7.8
STD_EPRCT	2.3	2.3	2.3	2.1	1.1	1.1	2.5	8.3	2.5	2.3	1.9	2.1	0.6	3.1	3.6	8.7	3.2	1.8	2.8	1.1	-2.8
BAL_EPPCT	2.8	-1.6	-3.2	2.0	3.9	-3.8	-8.9	-2.7	5.7	-13.0	5.8	-1.3	1.8	-8.5	-13.7	-2.6	-1.8	-2.9	3.4	-6.0	-6.0
STD_EPROR	2.6	2.3	2.0	2.3	1.1	1.1	7.5	6.4	2.3	6.7	1.9	2.2	0.6	3.4	3.3	8.6	3.2	1.7	1.0	3.0	3.0

**RPT#:** 0752 **HATL § 72.2** (Text for this exercise was not released)

GRADJ_EPPCT	-3.0	-7.7	6.8	-0.6	3.3	-3.8	-6.5	-30.8	5.8	-5.1	6.3	8.1	3.2	6.3	-27.0	-12.0	-18.2	-8.1	-1.0	9.1	-22.2
STD_EPRCT	8.3	2.8	2.5	2.7	1.2	1.3	6.5	10.5	3.2	8.5	2.6	3.0	1.8	5.8	3.7	8.8	3.3	2.2	1.6	8.1	8.1
BAL_EPPCT	-2.3	-8.3	6.3	-1.8	2.9	-3.0	-8.6	-11.1	1.5	-1.9	2.9	1.8	1.2	-18.8	-6.7	-18.3	-1.1	-2.5	6.5	-11.5	-11.5
STD_EPROR	2.3	2.3	2.0	2.3	1.1	1.1	6.1	7.0	3.1	8.0	2.2	2.5	1.2	3.7	8.6	5.2	3.1	1.8	1.1	8.8	8.8

**RPT#:** 0753 **HATL § 69.9** (Text for this exercise was not released)

GRADJ_EPPCT	-3.7	-5.6	7.6	-0.6	1.1	-1.1	-8.1	-36.8	10.7	-6.2	9.3	-0.6	5.8	6.3	-38.7	-18.2	-28.6	-5.8	1.0	9.3	-27.3
STD_EPRCT	8.2	8.1	2.5	3.1	1.3	1.3	6.7	6.3	3.5	8.7	3.0	3.4	2.8	1.6	3.8	8.6	6.6	3.6	2.2	2.0	7.1
BAL_EPPCT	-2.8	-0.8	8.1	-1.3	0.6	0.6	-0.7	-9.8	5.9	-1.8	8.0	2.5	1.6	-26.9	-11.5	-20.7	-3.8	-0.6	7.0	-18.8	-18.8
STD_EPROR	2.4	2.6	1.7	2.5	1.1	1.2	3.0	3.6	3.3	3.3	2.6	2.1	1.2	3.1	5.0	5.8	3.3	1.8	1.6	8.0	8.0

**RPT#:** 0754 **HATL § 63.0** (Text for this exercise was not released)

GRADJ_EPPCT	7.9	-6.9	-0.6	-1.6	1.8	-1.7	-4.5	-23.9	15.2	2.3	4.1	7.6	-7.2	5.8	-24.8	-15.3	-18.9	-10.3	-4.7	11.2	-11.8
STD_EPRCT	3.9	3.9	3.3	2.8	1.3	1.3	6.0	5.1	6.0	6.3	3.3	2.6	8.8	1.1	3.2	5.1	5.8	3.8	1.6	1.3	8.8
BAL_EPPCT	5.8	0.9	-2.9	-3.5	1.3	-1.3	-0.3	-7.7	9.0	6.1	0.9	3.5	7.5	6.8	-19.6	-9.8	-12.9	-6.7	-8.8	9.3	-10.9
STD_EPROR	2.4	2.8	3.0	2.0	1.2	1.2	3.8	5.9	3.6	8.5	3.0	2.2	4.0	1.0	2.9	6.5	5.6	2.6	1.7	1.2	3.8

**RPT#:** 0755 **HATL § 59.1** (Text for this exercise was not released)

GRADJ_EPPCT	3.0	-12.6	5.0	1.1	7.8	-5.5	-6.1	-18.8	-5.3	15.1	-2.8	5.6	0.9	3.2	-19.8	-1.6	-9.1	-12.6	-2.8	7.6	-19.8
STD_EPRCT	3.9	3.9	3.6	8.2	2.6	2.1	8.5	7.7	7.2	6.8	8.5	6.1	8.9	1.2	9.0	12.3	6.8	3.2	7.0	7.0	7.0
BAL_EPPCT	0.3	-6.3	6.5	1.1	-5.8	-5.1	-8.7	-5.2	8.5	18.3	-6.1	8.7	2.3	-15.1	-9.1	-6.8	-11.9	-1.9	6.3	-18.0	-18.0
STD_EPROR	4.1	4.5	3.5	8.2	2.3	2.0	8.6	8.0	6.9	7.6	4.8	3.9	4.8	1.3	5.8	9.3	18.3	6.7	3.1	2.6	7.2

**RPT#:** 0756 **HATL § 55.0** (Text for this exercise was not released)

GRADJ_EPPCT	6.0	-12.6	5.1	-0.5	1.4	-1.1	-6.5	-23.2	17.1	-6.8	6.7	-8.5	6.2	-25.3	-18.2	-18.6	-18.9	-2.9	9.7	-5.7	
STD_EPRCT	2.7	6.2	2.6	2.3	1.8	1.2	5.4	6.6	5.7	3.2	2.7	3.3	1.3	8.2	5.1	8.9	6.0	1.6	1.7	5.5	
BAL_EPPCT	3.6	-5.8	2.9	-1.7	0.6	-0.5	-2.1	-8.8	11.2	-5.8	3.1	3.8	-8.0	1.1	-16.9	-12.2	-11.5	-10.8	-2.5	7.0	-8.2
STD_EPROR	2.3	3.1	2.8	1.9	1.2	1.1	6.6	5.7	3.3	5.2	2.9	2.3	2.6	1.2	8.3	8.9	8.9	3.8	1.5	4.8	4.8

**RPT#:** 0757 **HATL § 52.2** (Text for this exercise was not released)

GRADJ_EPPCT	-0.4	-3.9	2.0	1.2	7.5	-7.7	-8.8	-6.8	2.6	-3.0	0.8	-0.1	3.9	2.4	-9.8	-5.5	-20.9	-8.8	3.0	6.1	-12.8
STD_EPRCT	3.0	3.1	3.2	2.7	1.3	1.5	1.6	6.6	4.1	5.2	3.7	2.6	0.8	2.6	5.3	8.5	8.1	1.8	1.8	3.3	
BAL_EPPCT	-0.3	-1.9	0.6	1.1	7.2	-7.6	-2.6	3.0	0.0	-1.1	-0.7	3.8	-2.0	3.8	-6.9	-3.7	-19.8	-2.8	2.3	3.5	
STD_EPROR	2.6	2.9	2.8	1.3	1.4	5.0	6.3	3.9	5.3	3.4	2.5	3.1	0.8	3.2	5.5	8.9	8.0	1.8	1.9	3.2	

EXPERIMENT	REGION	SEX	SIZE AND TYPE OF COMMUNITY										COLOR	HIGH SCHOOL EDUCATION					
			SMALL TOWN	MEDIUM TOWN	LARGE CITY	NON-BLACK	BLACK	OTHER	HIGH SCHOOL GRADUATED	HIGH SCHOOL SOME	HIGH SCHOOL NONE	POST-HIGH SCHOOL GRADUATED							
<b>EPRN: 0758 NATL &amp; 49.9 (Text for this exercise was not released)</b>																			
UNADJ. EFFECT	14.5 STD. ERROR	-18.2 0.3	-5.0 3.8	2.5 2.2	1.8 -7.9	-1.6 0.6	-22.2 -0.7	-26.7 -10.1	24.1 19.8	-7.5 -8.8	6.2 1.1	-0.1 -1.9	-1.3 0.6	-35.6 -23.8	-9.7 -8.1				
STD. ERROR	3.9 3.8	0.3 3.7	4.2 2.2	3.8 2.2	2.2 2.2	2.5 2.5	7.9 7.8	5.1 6.0	6.0 7.2	7.3 8.3	8.7 8.3	0.9 1.0	3.9 8.6	8.3 7.9	8.2 8.1	6.6 6.5			
<b>EPRN: 0759 NATL &amp; 47.0 (Text for this exercise was not released)</b>																			
UNADJ. EFFECT	4.5 STD. ERROR	-9.6 1.6	2.0 2.3	1.2 2.5	6.5 1.3	-6.1 -0.2	-4.1 -6.6	-22.6 -1.5	16.1 5.5	-3.8 3.1	11.1 2.9	-1.7 -0.8	-5.4 6.3	-29.9 -2.4	-26.1 -3.5	-23.5 -4.5	-16.9 -3.1		
STD. ERROR	3.0 2.0	1.6 4.2	0.3 0.3	1.4 1.4	6.1 6.1	-5.9 -2.0	-2.0 -6.6	-1.2 11.3	5.1 0.0	6.4 -8.1	5.1 -4.6	-2.0 -2.7	-2.7 2.6	-2.7 0.6	-19.6 -2.1	-11.2 -1.2	-10.9 -2.1		
STD. ERROR	2.8 2.7	0.8 2.1	2.8 2.2	1.2 1.2	1.2 1.2	1.2 1.2	5.7 5.7	5.1 3.4	3.4 2.8	7.2 2.8	8.3 2.7	0.6 0.6	3.8 2.7	8.5 3.8	8.5 3.8	8.5 3.8	8.5 3.8		
<b>EPRN: 0760 NATL &amp; 42.2 (Text for this exercise was not released)</b>																			
UNADJ. EFFECT	15.0 STD. ERROR	-13.3 4.2	-5.7 4.7	2.0 8.1	2.8 8.5	-3.0 2.3	-17.3 2.7	-28.2 8.5	30.4 6.9	-10.8 6.0	9.4 0.0	-2.8 -8.9	-4.6 -8.9	5.9 0.9	-18.9 -3.3	-18.6 -6.6	-8.3 -8.1	-26.6 -5.4	
STD. ERROR	12.6 12.6	-6.0 -6.0	-6.6 -0.8	-0.8 2.2	-2.5 -2.5	-2.5 -2.5	-17.6 -17.6	-27.1 -27.1	-7.6 -7.6	-6.3 -6.6	-3.8 -4.9	-2.3 -3.4	-23.3 -23.3	-11.0 -11.0	-18.2 -18.2	-18.2 -18.2	-18.2 -18.2	-18.2 -18.2	
STD. ERROR	4.2 4.2	4.9 4.9	4.2 4.2	4.2 4.2	2.1 2.1	2.1 2.1	R <sub>1</sub> R <sub>1</sub>												
<b>EPRN: 0761 NATL &amp; 41.2 (Text for this exercise was not released)</b>																			
UNADJ. EFFECT	3.2 STD. ERROR	-10.6 2.5	3.9 2.7	2.0 1.8	-0.4 2.3	0.6 1.4	0.6 1.3	-18.0 3.9	11.0 3.8	-9.1 5.1	4.2 5.3	-4.4 2.6	3.4 2.2	1.4 2.8	-16.7 2.3	-2.6 5.7	-4.8 6.2	-10.4 3.8	
STD. ERROR	2.8 2.8	-6.3 -6.3	3.0 3.0	-0.1 -1.2	-1.2 1.1	1.1 1.1	3.1 3.1	-7.1 5.1	5.1 5.1	-8.0 -8.0	1.7 1.7	-3.0 -3.0	1.9 2.0	-10.6 -2.5	0.9 0.8	-1.9 -2.7	-1.9 -6.6	-1.9 -6.6	
STD. ERROR	2.1 2.1	2.8 2.8	1.9 1.9	2.5 2.5	1.3 1.3	1.3 1.3	3.0 3.0	3.8 3.8	3.0 3.0	2.6 2.6	2.0 2.0	2.5 2.5	2.0 2.0	2.7 2.7	5.9 5.9	3.6 3.6	3.6 3.6	3.6 3.6	
<b>EPRN: 0762 NATL &amp; 22.4 (Text for this exercise was not released)</b>																			
UNADJ. EFFECT	-3.7 STD. ERROR	2.8 3.2	3.4 2.5	-2.0 2.8	1.0 2.3	-0.2 2.0	10.9 8.5	-8.1 6.6	-8.1 6.1	-2.8 5.6	5.2 5.6	-8.1 -8.5	2.8 2.1	3.2 3.1	1.3 0.7	-6.9 3.8	-3.9 6.8	0.7 10.0	
STD. ERROR	-3.2 -3.0	2.7 2.8	2.4 2.3	-1.2 0.4	0.4 -0.3	9.7 2.0	-1.8 -0.8	-3.9 -6.2	7.2 6.5	-8.5 -8.0	1.6 1.6	-7.0 -7.0	1.4 1.4	-4.1 -5.1	-10.1 -10.1	-10.1 -6.5	-10.1 -10.1	-10.1 -10.1	
STD. ERROR	3.0 3.6	3.9 3.7	2.8 3.6	0.3 1.9	2.3 1.9	2.0 1.7	8.6 5.0	6.5 6.5	6.5 6.5	3.5 4.0	3.5 4.0	3.5 4.0	3.1 3.1	1.0 1.0	7.1 5.1	7.1 7.1	7.1 7.1	7.1 7.1	
<b>EPRN: 0763 NATL &amp; 16.6 (Text for this exercise was not released)</b>																			
UNADJ. EFFECT	2.7 STD. ERROR	-1.8 2.9	1.1 3.8	-3.1 3.0	4.1 2.0	1.0 1.8	-1.0 -0.8	-11.6 -3.5	0.1 8.7	-4.5 -5.2	2.6 3.7	-1.1 -2.5	2.6 4.1	4.1 4.1	1.8 0.7	-8.3 3.6	-7.2 3.7	-7.2 3.7	-7.2 3.7
STD. ERROR	1.6 1.6	-0.7 -0.7	0.9 0.9	-2.3 -2.3	3.5 2.3	3.5 2.0	-3.1 -0.8	-6.2 -6.2	-6.5 -6.5	-8.5 -8.5	2.2 2.2	-2.9 -2.9	4.6 4.6	4.6 4.6	0.8 0.8	-3.8 -3.8	-8.8 -8.8	-8.8 -8.8	-8.8 -8.8
STD. ERROR	3.6 3.7	3.6 3.6	3.6 3.6	3.3 3.3	1.9 1.9	1.9 1.7	5.0 5.0	4.9 4.9	5.0 5.0	5.6 5.6	4.0 4.0	4.0 4.0	4.0 4.0	4.0 4.0	0.8 0.8	6.0 6.0	5.2 5.2	5.2 5.2	5.2 5.2
<b>EPRN: 0764 NATL &amp; 13.0 (Text for this exercise was not released)</b>																			
UNADJ. EFFECT	2.3 STD. ERROR	-5.6 2.5	-1.5 3.0	8.3 1.5	-1.9 1.6	1.6 1.6	-9.2 -9.2	-10.1 -10.1	6.5 6.5	-3.7 -3.7	3.1 3.6	0.7 0.7	-0.1 -0.1	1.5 2.7	-6.7 3.4	-8.3 6.3	-8.3 6.3	-8.3 6.3	-8.3 6.3
STD. ERROR	1.3 1.6	-0.7 -0.7	1.9 0.9	4.2 -1.9	4.2 -1.9	1.8 1.8	-1.8 1.6	-6.7 -6.7	5.9 5.9	-3.8 -3.8	2.7 2.7	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6	0.6 0.6

EXER: 0765 NATL # 12.8 (Text for this exercise was not released)

UNADJ EFFECT	2.5	-6.3	-1.4	4.5	-1.7	1.8	-9.0	-10.0	6.7	-3.5	3.3	0.9	-0.9	1.5	-8.5	-4.1	-6.7	-8.8	0.6	3.0	-8.8
STD ERROR	2.8	2.4	3.0	3.5	1.5	1.6	6.6	4.1	3.6	2.7	3.4	0.6	2.4	6.3	4.4	3.1	4.4	2.4	2.0	3.5	
BAL. EFFECT	1.5	-8.5	-1.7	8.4	-1.6	1.8	3.8	-6.3	3.2	1.5	1.3	0.1	0.7	2.6	-4.5	0.7	1.6	-2.3	1.6	2.0	-2.3
STD ERROR	3.0	2.3	2.9	2.9	1.4	1.6	3.5	1.0	5.9	4.0	3.8	2.8	1.6	2.6	5.9	3.3	1.0	2.0	1.9	1.9	3.8

EXER: 0766 NATL # 11.2 (Text for this exercise was not released)

UNADJ EFFECT	3.8	-6.7	3.3	-2.7	2.0	-1.9	-9.5	9.6	-4.0	3.5	1.5	-3.7	1.6	-8.0	-4.7	-5.2	-10.5	1.0	3.4	-11.2	
STD ERROR	3.0	2.3	2.8	2.4	1.7	1.5	9.4	1.8	5.3	3.0	2.8	3.1	2.7	0.5	2.3	6.3	1.6	3.6	1.6		
BAL. EFFECT	2.2	-8.5	3.8	-2.7	2.6	-2.3	-9.1	-7.0	9.7	-4.5	2.5	1.5	-2.8	0.4	2.0	-1.3	-2.6	-8.8	1.8	1.9	-7.9
STD ERROR	3.0	2.6	2.7	2.7	1.8	1.5	4.7	2.6	5.2	3.1	2.9	2.9	0.5	2.8	4.8	5.8	1.8	2.3	1.6	1.9	

**OBJECTIVE:** Understand the investigative nature of science.

EXER: 0767 NATL # 89.0 (Text for this exercise was not released)

UNADJ EFFECT	-0.5	-1.0	4.9	-6.3	-1.1	1.2	-9.5	-3.5	-3.0	1.2	-0.3	4.3	1.4	-8.0	-10.1	-1.9	-2.7	-0.9	2.5	-8.8	
STD ERROR	1.8	1.6	1.1	1.6	0.8	0.8	1.8	2.3	2.3	1.9	1.8	1.4	0.4	1.9	3.8	8.2	2.4	0.9	2.0	2.0	
BAL. EFFECT	0.4	-1.9	5.1	-3.7	-1.1	1.2	3.3	-8.1	-2.3	0.1	-0.3	4.8	0.5	-0.7	-6.6	-1.7	-2.6	-1.4	2.0	-1.0	
STD ERROR	1.6	1.7	1.2	1.8	0.8	0.8	1.5	3.6	2.1	2.0	1.7	1.6	0.5	1.9	3.7	4.2	2.1	1.0	0.9	2.4	

EXER: 0768 NATL # 67.6 (Text for this exercise was not released)

UNADJ EFFECT	0.4	-7.1	5.8	-1.3	-1.8	2.1	-6.3	-20.1	9.2	-3.1	1.5	-0.9	4.1	8.5	-21.7	-15.1	-20.6	-15.3	-1.6	9.0	-13.2
STD ERROR	2.5	2.6	2.1	2.3	1.2	1.4	3.9	3.8	3.3	3.7	2.3	2.2	0.8	2.9	3.8	5.2	3.7	1.2	5.5		
BAL. EFFECT	-0.2	-3.7	5.1	-2.6	-2.1	2.4	1.1	-7.0	5.7	-0.2	1.1	-3.2	3.2	3.2	-16.5	-8.5	-16.8	-13.0	-1.8	7.5	-10.5
STD ERROR	1.9	2.2	1.6	2.1	1.1	1.2	2.9	3.9	3.4	3.4	3.1	1.8	2.0	0.8	3.2	8.4	5.1	3.8	1.6	1.3	8.5

EXER: 0769 NATL # 66.6 (Text for this exercise was not released)

UNADJ EFFECT	0.4	-2.9	-1.0	0.9	2.9	-2.2	1.9	0.5	-5.8	4.1	-1.8	1.9	2.3	0.3	-2.2	0.2	16.3	-1.1	-1.2	1.7	-8.1
STD ERROR	2.3	2.4	2.0	2.2	1.3	1.1	4.2	4.2	5.4	5.4	2.5	2.1	2.3	0.5	3.1	8.2	8.2	2.2	1.2	2.9	
BAL. EFFECT	-2.8	-1.9	0.6	3.6	-2.1	1.9	0.4	-5.4	-6.6	5.6	-1.2	2.0	1.5	0.2	-0.5	1.3	13.6	-1.4	-1.3	1.7	-7.3
STD ERROR	2.2	2.5	2.2	2.8	1.2	1.1	0.1	0.1	5.5	5.9	2.4	2.0	2.5	0.6	3.4	8.5	2.9	2.2	1.3	3.0	

EXER: 0770 NATL # 45.9 (Text for this exercise was not released)

UNADJ EFFECT	1.7	-8.3	4.9	-2.7	-1.7	1.6	-0.8	-7.2	2.8	-3.5	3.8	-2.8	3.2	3.8	-16.0	-13.6	-16.5	-1.3	0.2	8.2	-11.5
STD ERROR	2.6	2.8	2.4	2.7	1.5	1.4	6.4	3.6	3.8	3.0	2.8	3.2	0.7	2.9	5.3	5.1	3.4	1.7	1.4	3.4	
BAL. EFFECT	1.3	-2.6	2.8	-1.9	-1.7	1.6	0.4	0.6	1.6	0.9	-3.9	3.2	0.7	2.8	-8.9	-11.3	-1.7	-0.8	3.7	-8.6	
STD ERROR	2.4	3.0	2.6	2.7	1.5	1.4	5.4	3.9	3.8	3.0	2.7	3.2	0.7	2.8	5.0	5.3	3.3	1.6	1.4	3.5	

**OBJECTIVE:** Have attitudes about and appreciation of scientists, science, and the consequences of science that stem from adequate understandings.

EXER: 0771 NATL # 93.8 (Text for this exercise was not released)

UNADJ EFFECT	-0.5	-2.3	1.5	1.0	-0.8	1.1	-2.1	-5.0	4.9	-3.2	1.0	-0.9	3.4	-1.3	1.4	-6.6	-2.1	-0.1	-3.3	-0.0	-4.3
STD ERROR	1.4	1.4	0.6	0.6	0.5	1.9	1.1	1.0	3.6	-2.3	1.0	0.9	2.6	1.2	0.8	-1.3	1.1	-0.2	2.3	0.8	2.4
BAL. EFFECT	-0.7	1.3	0.5	-1.2	1.2	1.0	-1.6	0.5	1.8	2.1	1.8	1.2	0.9	1.2	0.4	-1.6	1.2	1.2	-2.3	0.1	-3.8
STD ERROR	1.2	1.0	0.9	0.5	0.5	1.8	2.1	1.8	1.8	2.6	1.2	0.9	1.2	1.5	2.2	2.6	2.1	0.8	0.7	2.5	

EXPERIMENT	SEX	REGION	SIZE AND TYPE OF COMMUNITY										COLOR	HIGH SCHOOL EDUCATION								
			INNER CITY	EXTREME RURAL	INNER RURAL	APP.	SUB.	PRINC.	CITY	CITY	SMALL	HIGH										
			UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT	UNADJ. EFFECT								
STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR	STD. ERROR								
EPR: 0772 NATL & 92.0	(Text for this exercise was not released)		-0.3	1.2	0.3	2.2	-1.9	-2.2	0.1	-1.7	2.1	1.0	-0.3	0.6	-2.8	-1.6	2.6	1.1	-0.9	-0.2	1.6	
UNADJ. EFFECT	1.1	1.2	1.1	0.6	0.6	1.8	2.0	2.0	1.2	1.1	1.3	0.7	1.6	2.2	1.1	1.6	1.6	0.9	0.6	1.6		
STD. ERROR	0.4	1.1	0.7	2.2	-1.9	-2.6	2.3	-1.8	-4.1	2.2	0.9	-0.7	0.7	-3.4	3.2	3.3	1.3	-1.0	-0.5	2.6		
BAL. PPFCT	1.1	1.2	1.0	1.4	0.7	0.6	1.9	2.2	2.1	2.8	1.3	1.1	1.4	0.4	1.8	3.3	2.3	1.6	0.9	0.6		
STD. ERROR																						
EPR: 0773 NATL & 37.9	(Text for this exercise was not released)		-12.0	5.8	-1.9	3.5	-3.7	-3.6	-13.2	8.0	-1.1	6.3	0.2	-2.6	3.9	-18.6	-18.6	-21.7	-11.8	-3.7	10.5	-11.6
UNADJ. EFFECT	2.7	2.8	2.2	1.3	1.5	1.5	4.5	3.9	8.5	3.4	3.0	2.5	0.8	2.8	3.8	3.6	3.2	1.8	1.8	2.7	0.5	
STD. ERROR	0.3	7.9	3.8	-2.3	3.4	-3.5	1.1	-2.9	3.3	1.0	3.2	-1.8	2.0	2.6	-9.7	-9.2	-10.9	-7.3	-4.7	6.9	-7.5	
BAL. PPFCT	2.8	2.5	2.1	2.3	1.4	1.4	2.3	3.7	3.6	3.4	2.9	2.6	2.6	0.6	2.3	3.7	3.4	3.3	1.7	1.5	3.0	
STD. ERROR																						
EPR: 0774 NATL & 19.0	(Text for this exercise was not released)		-3.0	-1.2	6.4	-6.9	-1.6	-1.6	-1.9	-2.8	-2.3	2.0	-2.1	8.1	0.5	0.5	0.1	-0.2	8.3	-3.9	1.8	
UNADJ. EFFECT	1.1	8.3	-1.0	1.2	1.1	1.2	3.5	3.5	2.5	2.5	3.3	1.9	1.7	2.1	0.5	2.1	0.5	0.5	5.7	3.8	1.8	
STD. ERROR	1.7	2.1	1.8	1.7	1.1	1.2	6.8	-1.3	-1.1	-1.5	-2.1	2.1	2.8	3.9	-0.2	1.2	0.4	1.6	-4.3	1.4	0.5	
BAL. PPFCT	0.8	6.1	-2.6	-0.9	6.6	-6.8	-2.8	-2.0	-0.4	-1.7	3.0	2.4	1.9	1.8	0.5	3.1	3.9	5.6	3.3	1.4	4.2	
STD. ERROR	1.8	2.3	1.8	1.6	1.1	1.2	3.3	3.0	2.4	3.4	3.0	2.4	2.2	0.5								
EPR: 0775 NATL & 5.3	(Text for this exercise was not released)		-3.0	-1.2	6.4	-6.9	-1.6	-1.6	-1.9	-2.8	-2.3	2.0	-2.1	8.1	0.5	0.5	0.1	-0.2	8.3	-3.9	1.8	
UNADJ. EFFECT	1.8	-0.6	0.8	2.3	2.3	-2.1	-2.5	-0.1	1.2	2.8	0.9	0.9	0.6	-2.9	0.0	0.0	0.1	-1.1	-3.9	-0.9	-1.9	
STD. ERROR	1.0	1.0	1.1	0.8	0.6	0.5	1.2	2.7	2.2	1.8	1.0	1.1	0.6	0.6	0.3	1.5	1.5	1.6	0.5	0.7	1.8	
BAL. PPFCT	1.3	0.2	0.9	-2.8	2.2	-2.0	-2.0	-1.7	-0.4	2.6	0.5	0.6	0.6	-2.7	-0.3	0.4	0.4	-2.5	-0.3	-1.1	0.6	
STD. ERROR	1.0	1.0	1.1	0.9	0.6	0.6	1.3	2.8	2.3	1.7	0.9	1.1	0.9	0.3	1.4	1.8	1.6	1.6	0.6	0.7	1.7	
EPR: 0776 NATL & 97.6	Identify groups of animals and plants which would be found in a desert community.		-0.6	-2.1	1.3	0.9	0.2	-0.2	1.2	-2.6	1.7	-1.7	0.9	1.2	-1.0	0.8	-5.0	0.9	-0.8	-3.3	-0.0	
UNADJ. EFFECT	1.1	1.7	0.6	0.8	0.6	0.6	0.6	0.6	0.9	2.2	0.8	0.8	0.8	1.8	0.8	0.8	2.1	1.0	1.5	2.3	0.6	
STD. ERROR	0.8	-1.3	1.1	0.9	0.1	0.0	1.3	-0.9	0.7	0.5	1.6	0.2	1.0	0.6	-0.6	0.6	-3.9	0.6	-0.6	-2.8	0.0	
BAL. PPFCT	1.0	1.5	0.7	0.7	0.6	0.6	1.0	2.6	0.6	1.6	0.7	1.0	1.0	1.4	0.5	2.6	1.1	1.4	2.3	0.6	1.0	
STD. ERROR																						
EPR: R302 NATL & 93.7	Choose from five alternatives, the best balanced meal.		-3.4	0.2	1.0	2.6	-1.8	1.7	-16.2	-5.5	6.0	-1.2	4.9	1.1	-1.4	1.3	-0.9	-1.8	-6.1	-7.3	2.6	
UNADJ. PPFCT	2.7	2.1	2.1	1.5	1.2	1.0	1.1	10.7	5.8	1.3	2.6	2.0	0.7	4.2	4.2	4.2	6.2	3.7	1.8	3.7	-21.6	
STD. PFRB	-8.2	4.1	0.3	0.8	-2.0	1.9	-15.7	-0.2	5.9	-0.6	6.3	0.1	-1.9	1.0	-9.2	2.3	-5.2	6.2	1.3	8.8	2.7	
BAL. PPFCT	2.6	2.7	1.9	0.9	1.0	1.0	10.3	5.4	1.7	2.2	1.3	1.6	2.3	0.7	4.6	4.7	4.9	3.2	1.5	7.6	1.0	
STD. ERROR																						

OBJECTIVE: Know fundamental facts and principles of science.

EPR: R301 NATL & 97.6	Identify groups of animals and plants which would be found in a desert community.	-0.6	-2.1	1.3	0.9	0.2	-0.2	1.2	-2.6	1.7	-1.7	0.9	1.2	-1.0	0.8	-5.0	0.9	-0.8	-3.3	-0.0	1.5	-97.6
UNADJ. EFFECT	1.1	1.7	0.6	0.8	0.6	0.6	0.6	0.6	0.9	2.2	0.8	0.8	0.8	1.8	0.8	0.8	2.1	1.0	1.5	2.3	0.6	
STD. ERROR	-0.8	-1.3	1.1	0.9	0.1	0.0	1.3	-0.9	0.7	0.5	1.6	0.2	1.0	0.6	-0.6	0.6	-3.9	0.6	-0.6	-2.8	0.0	
BAL. PPFCT	1.0	1.5	0.7	0.7	0.6	0.6	1.0	2.6	0.6	1.6	0.7	1.0	1.0	1.4	0.5	2.6	1.1	1.4	2.3	0.6	1.0	
STD. ERROR																						
EPR: R302 NATL & 93.7	Choose from five alternatives, the best balanced meal.	-3.4	0.2	1.0	2.6	-1.8	1.7	-16.2	-5.5	6.0	-1.2	4.9	1.1	-1.4	1.3	-0.9	-1.8	-6.1	-7.3	2.6	3.7	-21.6
UNADJ. PPFCT	2.7	2.1	2.1	1.5	1.2	1.0	1.1	10.7	5.8	1.3	2.6	2.0	0.7	4.2	4.2	4.2	6.2	3.7	1.8	3.7	2.6	
STD. PFRB	-8.2	4.1	0.3	0.8	-2.0	1.9	-15.7	-0.2	5.9	-0.6	6.3	0.1	-1.9	1.0	-9.2	2.3	-5.2	6.2	1.3	8.8	2.7	
BAL. PPFCT	2.6	2.7	1.9	0.9	1.0	1.0	10.3	5.4	1.7	2.2	1.3	1.6	2.3	0.7	4.6	4.7	4.9	3.2	1.5	7.6	1.0	
STD. ERROR																						

EXPR: R103 NATL & 91.8 Nearly all gasoline at the present time comes from petroleum.

UNADJ PPPCT	-5.2	2.5	2.8	0.5	3.5	-1.8	2.1	-9.5	6.3	-0.6	-6.8	0.4	4.4	2.1	-8.5	-17.2	-2.9	-7.8	3.6	1.6	-0.9	
STD PRROR	3.0	1.9	1.5	2.5	1.5	1.4	2.6	4.4	1.6	3.0	5.1	3.2	1.7	1.5	1.0	3.6	13.2	5.9	5.6	1.6	1.8	7.3
BAL PPPCT	-5.6	1.0	3.0	-0.1	1.7	-1.5	0.4	-7.1	6.6	0.9	-6.3	-0.7	3.5	1.9	1.9	-16.1	-2.6	-6.4	3.4	1.4	-0.7	5.6
STD PRROR	2.5	1.9	1.7	2.8	1.3	1.1	2.5	4.3	2.2	2.5	4.3	3.0	1.4	1.0	1.0	1.5	11.9	4.0	4.2	1.4	1.6	5.6

EXPR: R104 NATL & 68.1 Given five animals found as fossils, select dinosaurs as the only one not seen alive by man.

UNADJ PPPCT	1.6	-1.3	-2.0	2.3	2.0	-1.8	-11.4	-16.0	3.2	7.2	3.4	3.1	-1.0	2.0	-11.8	-7.0	-9.2	-7.1	2.1	4.4	-2.7
STD PRROR	2.6	2.6	2.3	1.8	1.3	1.1	7.6	5.0	3.3	2.9	2.7	0.6	4.0	5.3	6.0	3.5	1.6	1.3	6.7	1.6	6.7
BAL PPPCT	0.6	1.6	-1.3	-0.2	1.8	-1.6	-9.7	-11.0	1.0	7.9	1.6	2.4	-0.6	1.3	-8.3	-2.8	-7.7	-5.0	2.0	3.1	-2.4
STD PRROR	2.7	2.8	2.2	1.7	1.2	1.0	7.8	5.5	1.3	2.0	2.2	2.7	0.7	4.2	6.5	5.7	3.2	1.6	1.1	6.0	

EXPR: R105 NATL & 76.4 The movement and characteristics of air masses are important in predicting weather.

UNADJ PPPCT	0.2	-9.7	7.1	-0.9	2.8	-0.5	-2.9	-15.3	10.3	-8.1	0.8	4.8	-1.2	5.5	-10.5	-12.1	-10.5	-10.2	0.0	7.2	-19.1
STD PRROR	3.1	2.3	2.0	3.1	1.4	1.2	7.9	5.8	2.3	3.5	3.6	2.7	1.1	1.9	10.2	5.3	3.9	1.9	1.6	12.1	1.6
BAL PPPCT	-0.9	-5.2	5.9	-2.3	0.2	0.2	2.4	-6.1	5.1	-6.2	-1.1	2.5	0.6	4.6	-26.9	-10.9	-8.0	-7.1	-0.4	5.8	-19.1
STD PRROR	2.5	2.5	2.0	2.9	1.3	1.0	5.9	4.6	2.5	3.2	2.7	2.6	3.1	1.1	4.4	10.4	4.5	4.0	1.8	1.5	10.1

EXPR: #306 NATL & 66.9 Recognize that outlawing the use of insecticides does not help to increase the total amount of food available to the human race.

UNADJ PPPCT	1.8	-12.1	3.8	3.9	4.1	-3.5	-5.3	-31.3	5.9	0.9	4.0	0.6	2.4	3.5	-26.8	-9.7	-11.8	-16.0	0.6	9.8	-23.5	
STD PRROR	3.8	9.3	3.0	2.7	1.7	1.5	9.1	5.9	5.1	4.1	4.9	2.9	3.1	0.9	4.2	9.1	8.9	3.6	2.2	2.0	9.8	
BAL PPPCT	1.9	-8.3	2.2	2.2	2.2	-2.7	1.4	-23.0	1.0	0.6	2.5	2.5	0.9	3.9	2.0	-13.5	-7.1	-8.3	-12.9	-0.2	8.3	-27.9
STD PRROR	3.3	4.5	2.8	2.6	1.8	1.4	8.4	6.9	4.4	4.3	4.6	2.8	2.8	0.7	4.8	8.0	8.5	3.6	-2.1	1.9	8.9	

EXPR: R107 NATL & CR.0 Galaxies contain many stars.

UNADJ PPPCT	6.6	-8.9	-1.7	-0.6	1.9	-2.1	-3.1	-5.2	-2.3	6.9	5.4	-2.7	-2.0	2.0	1.5	-10.9	0.9	-11.6	-10.1	3.0	4.1	5.5
STD PRROR	2.5	2.6	2.6	2.3	1.5	1.3	7.1	6.7	3.7	3.0	2.6	2.8	2.8	0.8	0.1	8.8	6.3	3.8	1.8	1.6	7.6	7.6
BAL PPPCT	6.2	-0.7	-2.8	-2.6	2.2	-1.9	-1.6	-0.2	-5.0	7.5	3.1	-4.8	0.5	1.3	-8.8	0.2	-10.5	-9.6	2.6	3.8	6.7	6.7
STD PRROR	2.3	2.8	2.6	2.3	1.4	1.2	6.8	5.3	3.7	3.0	2.4	2.7	0.8	4.6	7.1	6.4	1.8	1.8	1.7	8.8	8.8	

EXPR: R108 NATL & 65.3 An electric current in a copper wire involves the movement of electrons.

UNADJ PPPCT	-3.3	0.4	4.2	-2.3	5.6	-5.6	0.2	-2.6	6.0	-3.2	0.2	0.4	-0.3	1.6	-4.5	-10.9	-10.7	-8.5	2.9	4.9	-19.5	
STD PRROR	2.5	2.6	2.5	2.2	1.6	1.5	6.5	6.5	3.5	4.8	3.6	2.8	2.8	0.8	4.1	6.4	6.4	1.7	8.8	1.7	8.8	
BAL PPPCT	-3.7	1.9	4.1	-3.1	5.7	-5.6	0.8	-0.3	4.4	-3.2	-1.3	0.8	0.0	0.7	0.7	-9.7	-9.8	-2.3	5.1	-18.7	5.1	-18.7
STD PRROR	2.6	2.8	2.5	2.8	1.5	1.5	6.0	5.0	3.7	4.7	3.3	2.7	0.9	4.6	6.7	6.7	3.3	1.8	1.7	9.7	9.7	

EXPR: R109 NATL & 65.6 The idea of natural selection is usually associated with Darwin's theory of evolution.

UNADJ PPPCT	0.5	-14.3	3.1	8.4	4.9	-2.4	-10.4	-23.6	3.7	8.6	0.4	5.4	-3.2	6.7	-12.2	-22.3	-25.9	-20.0	6.0	11.0	-14.7	
STD PRROR	3.5	3.3	3.1	2.6	1.9	1.5	6.9	5.8	5.6	3.6	5.2	3.7	3.7	1.1	1.1	1.7	9.3	5.5	3.6	2.3	2.1	9.5
BAL PPPCT	-0.6	-8.3	1.8	5.9	1.5	-1.2	-1.7	-10.9	-5.4	A.1	-2.4	2.3	2.1	5.3	-24.8	-20.7	-21.1	-16.8	5.5	9.1	-36.0	
STD PRROR	3.0	3.5	2.9	2.8	1.6	1.3	5.3	5.3	5.1	2.5	4.5	1.3	3.4	1.1	4.0	8.9	5.5	3.5	2.0	1.9	10.7	

EXPR: R110 NATL & 67.1 Conversion of limestone to marble or of soft coal to hard coal is brought about by heat and pressure below the earth's surface.

UNADJ PPPCT	4.5	-2.2	-0.9	-1.8	9.1	-6.7	-2.9	-8.5	3.1	-0.7	-7.0	2.5	3.1	3.9	-12.4	-29.4	-6.0	-8.8	-1.6	5.9	-0.7
STD PRROR	2.8	3.0	2.4	2.1	1.5	1.5	5.7	5.1	4.2	3.5	4.7	3.1	2.4	1.0	4.2	7.9	4.3	3.7	2.1	2.1	12.6
BAL PPPCT	5.8	-2.2	-1.4	-2.2	7.4	-6.4	-0.9	-1.4	-1.4	0.0	-1.4	5.1	2.7	2.5	1.1	-8.1	-28.6	-3.6	-7.2	-1.7	6.6
STD PRROR	2.5	2.8	2.2	2.1	1.5	1.4	5.9	5.9	4.0	3.3	4.0	3.3	2.7	1.1	4.3	8.7	5.0	3.6	2.0	1.9	12.3

REGION	N.EAST S.EAST CENTRAL WEST	SEX	SIZE AND TYPE OF COMMUNITY					COLOR	HIGH SCHOOL EDUCATION	
			EXTREME RURAL	INNER RURAL CITY	INNER URBAN CITY	MEDIUM URBAN CITY	SMALL CITY			
<b>R311 NATL # 62.5</b> The solid, liquid, and gaseous states of water differ in the average speed with which their molecules are moving.										
MEAN DPPCT	7.9	-6.7	-1.1	-1.8	3.8	-2.8	2.8	-0.8	6.8	2.2
STD ERROR	3.3	5.3	3.1	2.5	1.6	5.7	5.5	3.6	5.0	2.1
BAL DPPCT	7.9	-6.7	-1.0	-2.2	2.5	-2.2	5.5	-0.5	4.5	2.7
STD ERROR	3.0	4.2	3.2	2.7	1.5	7.5	5.0	3.5	5.0	2.0
<b>R312 NATL # 59.8</b> Certain wavelengths of light can be detected by the unaided human eye.										
MEAN DPPCT	3.9	-7.6	-2.8	5.8	6.5	-6.1	-12.8	-28.5	2.7	5.7
STD ERROR	3.6	3.4	2.8	2.9	1.6	1.2	6.6	4.8	3.1	3.2
BAL DPPCT	1.3	0.1	-3.1	2.5	5.8	-4.6	-18.3	-3.6	5.4	4.5
STD ERROR	2.7	3.3	2.5	2.7	1.8	1.1	6.1	4.6	2.9	3.8
<b>R313 NATL # 56.8</b> Research into the nature of matter shows that it is made up of individual moving particles.										
MEAN DPPCT	2.8	-10.6	1.9	6.2	-1.2	1.1	-6.1	-12.1	9.9	3.5
STD ERROR	2.9	2.8	2.3	2.4	1.5	0.9	8.0	3.9	5.0	5.0
BAL DPPCT	1.8	-10.0	2.2	3.9	-2.5	-2.2	-2.5	-7.1	5.0	3.7
STD ERROR	3.0	2.0	2.2	2.6	1.6	1.5	6.6	4.2	4.9	3.0
<b>R314 NATL # 56.8</b> In terms of natural selection, choose the best explanation of why giraffes have long necks.										
MEAN DPPCT	3.6	-8.3	2.3	0.1	0.6	-0.2	-6.8	-16.8	7.1	8.5
STD ERROR	3.6	8.4	2.8	2.9	1.6	1.5	6.7	7.9	5.6	5.5
BAL DPPCT	2.9	-6.6	1.2	-0.3	-0.2	-0.2	-2.4	-16.2	5.4	2.6
STD ERROR	3.7	8.7	3.1	3.1	1.5	1.4	8.1	6.2	3.7	3.0
<b>R315 NATL # 56.1</b> The temperature of 2 pints of water at 40 degrees mixed with one pint of water at 100 degrees will be about 60 degrees.										
MEAN DPPCT	-0.2	-9.8	4.0	3.8	2.6	-1.3	-11.6	3.1	6.3	-8.3
STD ERROR	2.7	1.6	2.1	2.4	1.5	1.3	6.5	5.3	3.2	3.4
BAL DPPCT	-1.3	-7.1	3.7	3.4	1.4	-1.2	-8.4	9.1	3.9	2.9
STD ERROR	2.0	3.1	2.2	2.4	1.5	1.3	5.6	5.1	3.2	3.3
<b>R316 NATL # 53.9</b> Adrenalin acts as a stimulant to the heart.										
MEAN DPPCT	8.7	-10.7	-2.3	7.9	5.0	-4.5	-11.1	-17.5	20.0	3.4
STD ERROR	3.6	4.3	1.3	2.9	1.8	1.6	6.4	6.2	3.9	4.1
BAL DPPCT	2.5	-8.1	-2.0	3.7	3.9	1.4	-1.6	-5.8	4.0	2.2
STD ERROR	3.0	3.5	2.8	2.4	1.6	1.4	6.0	6.5	4.6	3.2
<b>R317 NATL # 55.8</b> Mercury can be used in a glass thermometer because when heated it expands more than the glass.										
MEAN DPPCT	2.8	-9.1	0.1	5.2	12.4	-11.0	-3.5	-18.7	1.6	6.0
STD ERROR	2.9	3.6	2.6	2.5	1.8	1.2	5.8	6.8	4.5	4.3
BAL DPPCT	1.3	-7.4	0.6	2.2	12.8	-10.4	0.6	-9.9	4.0	2.1
STD ERROR	2.5	3.8	2.7	2.4	1.6	1.2	5.5	6.8	4.3	3.5

EXPERIMENT: R119 NATL & 51.6												
UNADJ P/PCT	7.0	-9.1	-1.9	4.2	1.8	-3.5	-7.0	-16.0	18.0	-0.6	6.7	-8.9
STD P/ROR	1.2	6.1	1.0	2.5	2.1	5.9	0.9	7.0	5.8	3.2	0.9	0.9
BAL P/PCT	8.7	-1.8	-2.5	1.2	2.1	-1.9	-3.0	-11.1	14.7	-0.1	-7.1	5.6
STD P/ROR	2.2	3.2	2.3	2.0	1.6	1.4	5.9	5.2	5.1	3.3	0.1	-6.0
EXPERIMENT: R119 NATL & 54.6												
UNADJ P/PCT	-3.2	1.1	0.2	1.9	-2.4	2.1	-3.1	-0.0	-2.8	-3.3	2.9	0.6
STD P/ROR	2.9	1.8	2.9	2.3	1.5	6.7	3.0	4.9	3.8	2.8	0.8	3.6
BAL P/PCT	-6.1	0.6	0.2	3.1	-2.3	2.0	-5.8	1.5	-1.5	-2.4	3.2	0.0
STD P/ROR	3.0	3.6	2.6	2.3	1.5	1.3	5.8	5.1	5.1	3.9	0.9	4.5
EXPERIMENT: R120 NATL & 51.1												
A boat travelling at 5 miles per hour down a river which flows at 5 miles per hour will take 60 minutes to go 10 miles downstream.												
UNADJ P/PCT	3.3	-12.7	1.5	5.3	18.0	-13.0	-21.3	-17.3	16.9	-8.5	3.9	1.1
STD P/ROR	3.6	3.7	2.8	3.1	1.9	1.6	7.8	6.5	5.0	4.1	0.9	3.8
BAL P/PCT	1.2	-6.1	0.6	3.1	12.8	-13.8	-10.8	12.3	-7.7	2.0	-0.5	1.4
STD P/ROR	2.3	3.3	2.6	2.5	1.6	1.4	7.4	8.0	8.0	3.2	3.4	2.7
EXPERIMENT: R121 NATL & 69.4												
A body covering of feathers distinguishes birds from all other animals.												
E-43	UNADJ P/PCT	-2.4	-8.1	1.9	7.6	9.3	-7.2	-3.3	-10.4	2.9	1.6	0.6
	STD P/ROR	2.6	2.9	2.3	2.2	1.8	1.5	6.1	4.7	4.3	3.1	3.5
	BAL P/PCT	-2.9	-5.6	1.8	6.4	7.3	-6.4	-3.1	-3.0	0.1	0.5	0.8
	STD P/ROR	2.3	2.4	2.0	2.0	1.7	1.4	5.1	4.5	3.9	4.2	2.7
EXPERIMENT: R122 NATL & 68.8												
If a light eater has a tendency to be overweight, it is most likely due to highly efficient utilization of food by the body.												
UNADJ P/PCT	-2.6	3.1	-1.1	1.8	2.6	-2.2	5.6	6.8	-3.3	9.2	-4.5	-8.1
STD P/ROR	3.6	3.1	2.8	2.8	1.7	1.6	6.0	5.8	3.1	1.5	3.8	1.3
BAL P/PCT	-1.8	2.5	-1.1	1.5	2.5	-2.5	5.2	6.0	-1.5	8.6	-5.7	-3.5
STD P/ROR	3.6	3.4	2.6	2.6	1.6	1.6	5.7	5.9	3.2	3.6	3.2	2.7
EXPERIMENT: R123 NATL & 47.6												
The purpose of a fuse in an electrical circuit is to prevent possible damage to the circuit.												
UNADJ P/PCT	-1.9	-2.2	-0.2	0.6	18.6	-15.3	3.3	-10.4	2.1	-6.0	-2.2	0.4
STD P/ROR	2.7	3.5	2.8	2.9	1.8	1.8	6.0	5.1	6.1	4.1	2.9	0.9
BAL P/PCT	-1.9	-0.9	-0.1	3.4	17.5	-19.1	4.7	-0.7	-1.4	-5.7	-2.6	-1.0
STD P/ROR	2.3	3.0	2.4	2.4	1.8	1.8	5.6	4.5	4.2	3.8	3.1	2.5
EXPERIMENT: R124 NATL & 45.8												
C above middle C has a higher frequency and shorter wavelength than middle C.												
E-43	UNADJ P/PCT	9.7	-12.6	-1.8	2.1	2.6	-2.3	-8.2	-5.9	18.0	-2.4	-1.7
	STD P/ROR	3.9	3.2	2.9	2.8	2.1	2.0	7.0	5.8	8.7	3.7	0.9
	BAL P/PCT	8.5	-10.8	-1.3	1.2	0.8	-0.7	-4.4	1.0	13.4	-4.4	-2.5
	STD P/ROR	3.0	3.1	2.7	2.3	1.6	1.5	6.7	5.7	6.8	3.3	0.7

SECTION	SEX	SIZE AND TYPE OF COMMUNITY										COLOR	HIGH SCHOOL EDUCATION	
		WEST	CENTRAL	EAST	WAL	FEMALE	EXTREME RURAL	URBAN	MEDIUM CITY	SMALL CITY	NON CITY			
EXPER: R125 NATL & 41.4	The function of the placenta in the pregnant human female is to carry nourishment to the baby.	-5.5	-0.9	1.0	-0.6	4.2	-12.0	1.7	5.1	1.0	4.4	-5.9	-6.8	-0.6 -10.7
MEANJ EFFECT	3.6	-5.5	-0.9	1.0	-0.6	4.2	-12.0	1.7	5.1	1.0	4.4	-5.9	-6.8	-0.1 5.1
STD ERROR	1.0	-3.3	-2.6	1.5	-1.5	3.0	6.0	4.5	3.1	2.8	0.7	-6.7	-3.1	-2.1 12.7
BAL EFFECT	3.6	-6.4	0.4	2.0	-0.2	4.4	-9.6	4.1	2.9	3.8	0.5	-3.3	-5.4	-0.8 16.6
STD ERROR	2.0	-3.7	3.0	2.5	-1.4	4.2	5.9	4.6	3.5	4.9	0.7	-5.4	-6.1	-1.5 12.7
EXPER: R126 NATL & 35.0	Adding table salt to water lowers its freezing point.	-7.6	-3.6	1.9	10.8	-9.5	-2.0	-17.6	7.3	0.5	2.3	1.9	-4.1	-19.0 -19.7
MEANJ EFFECT	9.1	-7.6	-3.6	1.9	10.8	-9.5	-2.0	-17.6	7.3	0.5	2.3	1.9	-4.1	-19.0 -19.7
STD ERROR	4.0	-2.6	2.7	1.3	5.8	-5.8	5.2	-10.3	16.4	-1.6	0.2	2.2	0.8	-3.6 -2.2
BAL EFFECT	8.2	-6.1	-4.5	0.8	9.7	-8.6	5.2	-10.3	16.4	-1.6	0.1	2.2	0.7	-3.6 -2.2
STD ERROR	3.1	-2.3	1.9	2.8	1.4	1.3	5.5	-3.2	6.1	4.3	3.0	2.5	0.8	-4.3 -2.7
EXPER: R127 NATL & 33.8	Sound from a radio or television receiver is carried to a person's ears by air molecules.	-2.9	-1.3	-0.2	6.8	-5.1	-9.8	-5.6	2.7	3.6	3.4	5.1	-6.6	-10.6 -13.9
MEANJ EFFECT	7.9	-2.9	-1.3	-0.2	6.8	-5.1	-9.8	-5.6	2.7	3.6	3.4	5.1	-6.6	-10.6 -13.9
STD ERROR	1.7	-3.1	2.9	2.6	2.0	1.7	4.6	4.0	5.7	4.3	3.9	5.4	0.8	-5.4 -5.4
BAL EFFECT	7.3	-1.1	-1.2	-0.5	6.6	-5.4	-8.3	-8.1	1.8	1.6	5.6	5.4	-8.9	-12.9 -12.9
STD ERROR	3.1	-3.0	2.5	2.8	1.9	1.5	4.2	1.5	7.9	3.7	3.0	3.7	0.8	-7.3 -7.3
EXPER: R128 NATL & 11.2	If the cells referred to were all in the same organism, the amount of DNA present would be identical in mature egg and sperm cells.	-7.1	0.2	7.5	-0.9	0.0	-6.8	1.1	-0.7	4.7	1.4	0.7	-7.7	-2.3 -2.3
MEANJ EFFECT	-1.0	-7.1	2.7	2.5	1.7	1.5	7.7	6.1	8.7	1.1	5.2	3.3	0.6	-6.2 -2.4
STD ERROR	2.8	-2.7	0.6	4.7	-0.5	0.4	-4.5	3.4	-0.5	8.2	0.6	-6.4	-0.7	-21.0 -2.7
BAL EFFECT	-2.3	-2.7	0.6	2.6	1.5	1.4	3.0	4.4	4.6	2.9	1.3	3.2	0.6	-5.7 -2.7
STD ERROR	2.6	-2.3	2.6	2.6	1.5	1.5	4.4	3.0	4.4	2.9	1.4	4.0	0.7	-2.6 -2.7
EXPER: R129 NATL & 10.3	If two light waves are travelling in a vacuum, the wave with the higher frequency has the shorter wavelength.	-1.6	1.6	6.1	-4.8	-3.6	-3.6	-3.6	1.7	-1.7	1.7	-7.7	-2.3	-18.0 -18.0
MEANJ EFFECT	-3.6	-1.6	1.6	6.1	-4.8	-3.6	-3.6	-3.6	1.7	-1.7	1.7	-7.7	-2.3	-18.0 -18.0
STD ERROR	2.6	-2.6	2.2	6.6	1.3	3.5	3.7	8.5	2.2	3.4	2.0	0.8	6.6	-5.8 -5.8
BAL EFFECT	0.9	-1.1	-1.4	-0.3	5.2	-4.5	-1.8	0.2	9.7	1.3	-4.4	-0.6	-12.8	-11.6 -11.6
STD ERROR	2.5	-2.3	2.2	2.7	1.5	1.5	1.2	3.0	1.0	4.4	3.2	3.1	0.8	-5.7 -5.7
EXPER: R130 NATL & 29.0	The end of the human female is released about 14 days after menstruation begins.	-8.2	0.0	0.0	-4.6	9.1	2.8	-4.6	0.0	-2.6	1.5	6.2	-5.7	-6.6 -7.6
MEANJ EFFECT	1.2	-8.2	0.0	0.0	-4.6	9.1	2.8	-4.6	0.0	-2.6	1.5	6.2	-5.7	-6.6 -7.6
STD ERROR	2.6	-3.1	2.4	2.3	1.5	1.3	7.6	3.5	6.8	2.7	2.9	0.6	-7.0	-15.7 -15.7
BAL EFFECT	-0.7	-0.9	0.2	0.9	-5.2	4.6	3.4	-1.7	4.7	-0.4	-1.4	-4.8	-4.8	-1.6 -1.6
STD ERROR	2.6	-3.4	2.2	2.2	1.4	1.2	6.7	4.1	6.0	1.7	2.9	3.6	0.8	-7.0 -15.7
EXPER: R131 NATL & 23.2	For a given electric circuit, determine the resistance of a resistor.	-5.1	1.5	-7.7	7.5	-6.6	-9.4	-7.1	-2.5	2.7	1.4	1.5	2.1	-8.2 -9.5
MEANJ EFFECT	2.0	-5.1	1.5	-7.7	7.5	-6.6	-9.4	-7.1	-2.5	2.7	1.4	1.5	2.1	-8.2 -9.5
STD ERROR	2.1	-2.0	2.8	1.8	1.2	0.9	3.9	3.2	3.0	2.8	0.5	2.3	-3.2	-5.8 -5.8
BAL EFFECT	2.2	-3.8	1.2	-3.0	7.1	-6.2	-5.8	-4.0	-5.8	1.6	-0.9	2.4	-4.1	-2.5 -2.5
STD ERROR	2.1	-2.1	2.2	1.4	1.2	1.2	3.7	3.3	3.6	3.2	1.0	2.3	-3.5	-5.8 -5.8

EXPER: R332 MATH & 20.8

The age of certain rocks and their fossils is determined by measuring the amounts of uranium and lead they contain.

MEAN	-8.5	-1.2	-0.4	5.6	-8.5	0.3	-5.5	11.1	2.8	-2.1	-1.6	-3.4	0.5	-0.6	-6.8	-6.8	-11.8
STD. ERROR	2.3	1.9	2.3	1.3	1.1	0.1	0.1	3.7	0.0	2.5	2.8	0.5	2.8	0.1	3.3	2.5	1.4
BAL. EFFECT	3.6	-3.7	0.3	-1.5	5.3	-8.6	2.3	-6.9	6.8	2.3	-3.1	-0.8	-2.0	-0.1	4.8	-7.0	5.4
STD. ERROR	2.1	2.1	2.0	2.3	1.3	1.1	4.0	0.1	3.5	8.2	2.6	2.7	2.2	0.6	3.0	5.0	-12.8
																	1.2

EXPER: R333 MATH & 16.3

Experiments where subatomic particles are shot at metal foils show that atomic nuclei are more dense than the rest of the atom.

MEAN	5.9	-2.8	-1.1	-2.0	2.8	-2.1	1.1	-8.3	8.2	-1.4	-2.6	-0.2	2.3	1.1	-5.6	-7.9	-5.6
STD. ERROR	2.7	2.0	2.1	1.7	1.1	0.9	0.8	2.3	8.1	2.6	2.6	2.2	2.3	0.5	2.1	3.8	3.3
BAL. EFFECT	6.5	-2.3	-1.2	-2.9	2.1	-1.9	5.1	-1.6	5.1	-1.8	-8.6	-1.1	3.6	0.6	-3.0	-7.9	1.9
STD. ERROR	2.5	2.0	1.9	1.8	1.1	1.0	0.9	2.3	7.1	2.3	2.7	2.1	2.2	0.4	2.1	3.5	3.2
																	5.4

EXPER: R334 MATH & 16.0

ATP is synthesized in the mitochondria and then later broken down, resulting in a release of energy.

MEAN	-0.2	-1.6	-1.0	5.9	3.7	-2.9	-7.9	1.5	5.1	-0.8	1.4	-3.5	0.3	0.9	-3.5	-6.1	-5.7
STD. ERROR	1.6	2.0	1.5	1.9	1.3	1.1	2.2	3.6	2.9	2.4	2.3	2.1	2.2	0.5	2.8	3.3	2.9
BAL. EFFECT	-1.2	0.6	-3.2	5.4	3.2	-2.7	-6.6	4.7	2.7	-1.3	1.6	-4.3	1.0	0.8	-2.6	-6.6	-5.8
STD. ERROR	1.5	1.7	1.6	1.8	1.2	1.0	2.5	3.9	3.2	2.3	2.1	2.0	2.1	0.5	2.9	3.8	3.2
																	5.6

EXPER: R335 MATH & 7.2

Uranium-lead dating has been used to obtain accurate estimates of the age of the oldest known rock strata.

MEAN	0.4	-2.8	-1.1	-0.4	0.1	-0.0	-1.0	0.4	0.6	2.2	0.7	-0.8	-1.0	0.0	-1.1	2.2	-2.8
STD. ERROR	1.2	0.8	1.0	1.1	0.6	0.6	2.5	1.4	2.5	1.6	1.3	1.3	1.0	0.3	1.2	2.6	1.8
BAL. EFFECT	4.6	-2.0	-1.4	-0.9	-0.1	0.1	0.8	1.3	-1.0	1.5	-0.2	-1.1	-0.3	-0.1	-0.3	2.2	-3.8
STD. ERROR	1.2	0.8	0.9	1.2	0.6	0.6	2.4	1.5	2.3	1.6	1.3	1.2	0.9	0.3	1.1	2.5	1.9
																	1.9

EXPER: R336 MATH & 6.1

From a chemical equation, determine which elements have been oxidized.

MEAN	0.6	1.7	-1.7	0.1	2.8	-2.1	-2.0	-5.1	0.0	2.1	-0.8	1.2	0.3	0.1	-0.8	-0.1	-3.4
STD. ERROR	1.1	1.5	0.9	1.0	0.7	0.5	1.7	0.8	1.7	1.1	1.0	1.3	1.5	0.3	1.8	1.0	0.7
BAL. EFFECT	0.7	2.1	-1.7	-0.5	2.5	-2.0	-2.3	-3.9	-0.5	2.0	-1.0	0.9	0.8	0.0	-0.8	-0.8	-3.3
STD. ERROR	1.1	1.5	0.9	1.0	0.6	0.6	0.7	0.6	1.0	1.2	1.0	1.2	1.4	0.3	1.9	2.0	1.4
																	1.5

EXPER: R337 MATH & 2.6

Metal cans for holding foodstuffs are chiefly made of iron.

MEAN	0.2	-0.6	0.9	-0.8	1.7	-1.5	-0.6	0.1	2.2	-1.7	0.8	0.4	-0.8	0.1	-0.4	-0.6	-1.7
STD. ERROR	0.7	1.0	0.6	0.6	0.4	0.4	1.2	1.0	1.9	0.6	0.7	1.0	0.2	0.8	1.8	0.6	0.4
BAL. EFFECT	0.0	-0.3	0.9	-0.8	1.6	-1.4	-0.4	-0.3	2.0	-1.9	0.7	0.5	-0.6	-0.1	0.4	0.5	-2.3
STD. ERROR	0.7	1.0	0.6	0.6	0.4	0.3	1.3	1.0	1.8	0.6	0.8	0.9	0.2	1.0	1.9	0.7	0.6
																	0.8

EXPER: R338 MATH & 2.6

Using a compass, infer the direction of electron flow in a wire.

MEAN	0.3	0.8	-0.3	-0.6	1.5	-1.4	1.7	1.8	-0.1	-0.1	0.6	-1.4	-0.1	0.4	-0.6	-2.1	0.2
STD. ERROR	0.9	1.1	0.6	0.7	0.5	0.5	2.9	2.7	1.1	0.7	0.8	1.2	0.2	1.9	1.2	0.6	1.4
BAL. EFFECT	-0.0	1.1	-0.2	-0.6	1.4	-1.3	2.1	1.7	-0.2	0.1	0.4	-1.5	0.1	-0.1	-0.6	-2.9	0.7
STD. ERROR	0.9	0.9	0.6	0.7	0.5	0.5	2.7	3.0	1.2	0.7	0.8	1.1	0.2	1.9	1.2	0.6	1.4
																	3.5

REGION	SET	SIZE AND TYPE OF COMMUNITY										COLOR	HIGH SCHOOL EDUCATION								
		M.EAST	S.EAST	CENTRAL	WEST	WHITE	PENAL	RURAL	CITY	APP.SUP.	PRINC.	CITY		HIGH	SOME	GRADUATED	POST	UNKNOWN			
<b>OBJECTIVE:</b> Possess the abilities and skills needed to engage in the processes of science.																					
EXPT: R339 MATH & 86.3	Suggest two or three reasons why the engine of a car which has stopped running would not start again.	UNADJ	PPPFCT	-1.1	2.2	3.8	5.2	-6.3	5.2	-6.9	6.6	-7.1	3.2	-0.3	-0.3	1.1	-10.1	3.4	-2.8	-2.0	
STD ERROR	2.6	2.8	2.0	1.6	1.7	1.0	3.2	3.7	1.7	3.9	2.1	3.2	0.6	1.9	0.3	5.2	2.3	1.3	1.3		
BAL	PPPFCT	-6.8	0.6	2.3	3.6	5.3	-4.7	2.7	-6.5	5.9	-7.1	2.9	0.1	-0.3	0.8	-7.3	0.3	-1.3	0.5		
STD ERROR	2.4	1.8	1.6	1.1	0.9	2.9	3.4	1.8	4.0	2.1	2.9	0.6	3.8	3.4	0.6	3.8	1.2	1.3	18.3		
EXPT: R340 MATH & 79.6	Given data from four weight experiments, determine which one provides strongest evidence that one object is heavier than another.	UNADJ	PPPFCT	-0.7	-6.3	2.5	3.0	-0.4	0.3	-1.8	3.1	9.8	1.8	-3.7	0.9	-5.9	3.0	-26.8	1.3	-7.8	-7.5
STD ERROR	3.9	2.9	2.1	2.7	1.6	1.6	8.9	3.8	3.0	3.2	3.5	3.1	3.4	0.8	5.3	8.2	5.1	3.8	1.7	10.2	
BAL	PPPFCT	-1.4	-2.3	1.8	1.2	-1.0	1.0	-1.4	9.8	7.0	3.6	0.0	-5.1	3.0	-25.2	1.1	-7.8	-4.6	1.3	3.1	-8.9
STD ERROR	3.4	2.7	2.1	1.9	1.5	1.5	5.2	3.8	2.7	2.9	3.3	2.8	2.7	0.9	5.8	8.0	5.2	3.5	1.6	11.0	
EXPT: R361 MATH & 74.9	Operate a beam balance.	UNADJ	PPPFCT	9.0	-10.5	-8.8	5.0	5.8	-6.1	-0.7	1.3	1.9	-9.7	7.5	-8.3	-2.8	2.7	-27.8	9.3	-13.8	-9.6
STD ERROR	3.0	5.3	3.1	3.3	2.3	2.5	9.1	5.2	5.6	5.1	3.1	8.5	4.5	0.8	6.0	7.1	6.5	5.1	3.0	2.2	
BAL	PPPFCT	7.8	-5.0	-5.8	3.3	8.8	-5.0	9.2	11.5	-3.5	-5.8	5.2	-5.7	-1.6	2.5	-28.0	10.6	-2.1	-7.3	-0.8	9.8
STD ERROR	3.5	8.8	3.0	3.3	2.3	2.5	10.5	5.8	5.3	9.9	3.1	8.2	8.2	0.8	6.3	8.6	6.2	5.1	3.0	2.8	
EXPT: R362 MATH & 66.2	Given the natural balance between hawks and grass in a meadow, a decrease in the number of rabbits also affects the number of hawks and amount of grass.	UNADJ	PPPFCT	3.7	-12.2	8.5	2.2	1.7	-1.7	-19.6	-11.7	15.5	5.3	9.3	-1.7	-3.5	4.7	-26.0	-6.3	-22.1	-16.8
STD ERROR	3.3	3.2	2.5	3.1	1.5	1.5	5.8	5.6	8.1	8.6	2.8	3.0	8.2	1.0	3.8	7.6	7.5	3.7	0.8	13.2	
BAL	PPPFCT	0.9	-6.6	3.2	1.3	0.8	-0.8	-10.9	-1.1	8.0	3.8	8.6	-2.8	-1.2	3.3	-15.9	-6.1	-18.9	-12.0	1.5	9.9
STD ERROR	3.1	3.1	2.0	2.0	1.2	1.2	8.5	5.5	8.2	3.9	2.2	2.8	3.7	1.0	8.8	6.1	7.1	3.8	2.2	8.8	
EXPT: R363 MATH & 56.8	Differentiate fact from theory in a set of statements.	UNADJ	PPPFCT	-0.8	-7.6	-0.6	7.9	2.4	-1.1	-6.6	-6.2	-2.7	12.8	-2.0	-0.6	2.7	4.0	-19.6	-18.1	-11.8	-14.0
STD ERROR	3.2	2.7	2.7	2.3	1.8	1.6	6.8	3.8	5.6	3.9	8.0	3.5	2.8	0.9	3.7	7.6	8.8	8.1	-0.3	9.9	
BAL	PPPFCT	-0.3	-3.5	-2.6	6.6	0.7	-0.6	-2.8	8.1	-11.0	12.5	-4.1	-3.1	5.3	3.8	-17.7	-19.5	-13.3	-11.9	-1.0	9.3
STD ERROR	2.6	2.8	2.1	2.3	1.6	1.3	6.9	4.1	5.4	3.2	2.8	2.3	1.0	4.8	8.5	-5.1	8.1	-1.1	2.1	10.1	
EXPT: R364 MATH & 55.3	Time 10 swings of a pendulum.	UNADJ	PPPFCT	-0.3	-5.4	3.0	0.3	6.2	-5.5	11.1	-10.3	11.2	-0.9	-13.9	6.2	0.7	4.3	-28.1	-80.7	-7.8	-0.7
STD ERROR	3.6	6.8	3.6	4.3	2.6	2.3	9.9	7.5	8.2	8.1	5.1	6.0	0.8	6.0	7.9	6.8	5.5	1.8	2.6	-46.8	
BAL	PPPFCT	1.0	-8.4	2.1	-0.4	6.8	-5.6	10.5	3.2	8.1	-0.7	-10.7	4.5	-0.8	4.0	-25.1	-41.4	-6.3	-0.1	2.7	13.2
STD ERROR	3.6	5.1	3.9	3.8	2.6	2.3	10.1	9.2	7.1	8.0	8.3	5.0	5.7	0.9	7.0	9.5	8.5	5.5	3.6	2.2	

RER: R345 NATL # 39.8

Realize that atoms are rarely destroyed so that carbon atoms in a piece of bread could have been part of a dinosaur's body in ages past.

UNADJ PPPCT	5.5	0.6	-8.3	-1.4	8.9	-8.5	-3.5	-15.9	17.7	-8.1	8.9	8.6	-10.9	3.0	-21.8	-6.2	-7.3	-18.0	-0.1	9.5	-2.6
STD PCTR	4.2	5.8	2.8	3.1	2.3	-2.3	4.7	8.2	9.2	3.6	5.1	3.2	3.2	0.8	8.1	6.3	12.0	3.4	2.6	5.3	
BAL PCTR	3.5	5.1	-3.2	-4.7	3.6	-3.3	-0.3	-7.9	11.6	-1.5	3.9	2.3	-10.3	1.9	-16.5	0.4	-0.7	-13.6	0.9	7.1	-2.8
STD PCTR	2.8	2.3	2.8	1.7	1.6	5.2	8.1	6.9	3.1	5.5	3.2	3.3	0.7	4.7	4.0	11.0	-2.9	2.3	2.0	6.1	
STD PCTR	2.8	2.3	2.8	1.7	1.6	5.2	8.1	6.9	3.1	5.5	3.2	3.3	0.7	4.7	4.0	11.0	-2.9	2.3	2.0	6.1	

EPR: R346 NATL # 31.1 Doubling the linear dimensions of a cube will increase the volume eight times.

UNADJ PPPCT	4.0	-9.3	1.9	2.8	3.0	-3.0	-7.8	-3.8	11.6	5.8	2.8	-2.9	-2.7	1.3	-7.3	-1.0	-11.0	-5.9	-1.9	6.8	-10.8
STD PCTR	3.3	-2.8	2.0	2.5	1.5	-1.5	5.3	5.3	3.8	3.1	3.7	3.7	3.7	0.6	3.1	5.5	5.1	2.6	1.3	7.4	
BAL PCTR	2.8	-7.0	2.2	1.0	-2.7	-6.2	-1.6	8.0	8.0	0.1	-2.3	-0.2	0.5	-2.0	-1.8	-0.5	-2.0	-1.8	-0.1	-3.9	-2.0
STD PCTR	3.2	-2.8	2.1	1.4	1.5	4.5	8.1	5.1	3.8	3.3	3.5	3.2	0.7	3.1	5.9	4.7	2.9	1.3	7.8		
STD PCTR	3.2	-2.8	2.1	1.4	1.5	4.5	8.1	5.1	3.8	3.3	3.5	3.2	0.7	3.1	5.9	4.7	2.9	1.3	7.8		

EPR: R347 NATL # 17.8 Explain why a flask planted with corn and stoppered with a one-hole stopper loses weight daily.

UNADJ PPPCT	5.3	-3.7	-0.5	-1.9	2.7	-2.0	0.4	-6.8	3.6	1.5	1.1	1.9	-2.1	1.7	-6.8	-9.8	-2.5	2.6	1.5	-3.8	
STD PCTR	2.7	1.9	1.9	1.8	1.2	1.0	0.6	2.6	3.6	3.6	2.5	1.8	0.5	0.5	0.5	2.5	2.6	2.1	1.5	1.2	6.5
BAL PCTR	5.2	-3.1	-0.1	-2.8	1.9	-2.7	1.7	-3.8	1.7	1.6	-0.7	1.0	-1.0	1.2	-3.2	-9.6	-2.5	3.3	1.1	6.7	
STD PCTR	2.5	1.9	1.9	2.0	1.1	1.0	0.4	2.5	3.3	3.6	2.3	1.8	0.5	2.7	3.4	2.7	2.2	1.5	1.1	6.7	
STD PCTR	2.5	1.9	1.9	2.0	1.1	1.0	0.4	2.5	3.3	3.6	2.3	1.8	0.5	2.7	3.4	2.7	2.2	1.5	1.1	6.7	

EPR: R348 NATL # 11.2 Determine the density of a wood block using a beam balance.

UNADJ PPPCT	7.3	-9.2	-1.8	1.9	7.0	-7.8	-8.6	-1.5	2.1	3.2	2.2	2.1	1.1	-2.3	1.4	-11.2	-2.6	-6.7	-5.4	-2.2	5.3	-6.6
STD PCTR	3.2	1.7	2.0	2.8	1.5	1.6	2.1	5.2	8.3	3.1	3.3	3.8	2.8	0.4	1.5	4.3	2.9	2.2	1.8	4.7	4.3	
BAL PCTR	6.2	-6.8	-1.5	0.8	6.6	-6.9	-8.3	2.1	-0.2	1.3	0.9	0.8	-1.8	0.6	-6.4	2.8	-5.1	-2.9	-2.6	1.5	6.9	
STD PCTR	3.3	1.9	2.0	2.8	1.4	1.6	2.7	5.4	8.5	2.9	3.3	3.5	2.6	0.3	2.1	4.3	2.9	2.1	1.5	6.1		
STD PCTR	3.3	1.9	2.0	2.8	1.4	1.6	2.7	5.4	8.5	2.9	3.3	3.5	2.6	0.3	2.1	4.3	2.9	2.1	1.5	6.1		

OBJECTIVE: Understand the investigative nature of science.

EPR: R349 NATL # 91.3 Select the skill which is most useful to scientific research.

UNADJ PPPCT	1.0	-3.9	0.1	2.4	-0.8	0.7	-10.1	-3.5	3.6	1.9	4.1	-1.8	2.2	-15.6	-5.8	-7.6	-1.9	-0.3	3.2	-10.3	
STD PCTR	1.8	1.8	1.6	1.3	1.2	1.1	5.8	2.5	2.9	2.1	1.9	0.5	1.8	3.3	6.0	2.2	1.4	1.2	7.9		
BAL PCTR	-0.2	-1.5	1.0	0.8	1.1	-1.2	1.1	-9.1	1.5	2.7	2.2	2.9	-2.4	0.8	-14.8	-6.6	6.7	0.1	-0.2	2.1	-11.6
STD PCTR	1.5	2.2	1.4	1.4	1.1	1.0	5.2	2.8	3.0	2.2	1.5	1.8	0.6	4.3	3.3	5.5	2.2	1.5	1.0	7.1	
STD PCTR	1.5	2.2	1.4	1.4	1.1	1.0	5.2	2.8	3.0	2.2	1.5	1.8	0.6	4.3	3.3	5.5	2.2	1.5	1.0	7.1	

EPR: R350 NATL # 72.4 Recognize that repeated measures of the same object will usually yield similar results but not exactly the same.

UNADJ PPPCT	2.8	-6.6	3.7	-1.0	1.2	2.3	-8.4	2.3	0.3	0.0	-0.2	1.8	-2.4	-13.8	-9.0	-6.0	-0.1	6.3	2.6	
STD PCTR	2.8	3.2	2.3	2.2	1.8	1.2	5.8	6.7	3.8	2.9	3.8	2.8	0.8	4.0	4.5	6.3	3.3	1.9	5.9	
BAL PCTR	3.7	-8.9	3.7	-0.2	-1.8	1.6	10.3	-8.2	-2.1	-1.6	-2.3	-0.3	3.4	2.7	-16.5	-8.3	-3.2	-0.8	4.0	6.4
STD PCTR	2.5	1.9	2.2	2.2	1.3	1.2	4.6	4.9	4.5	4.1	2.4	2.9	1.0	4.7	4.9	5.6	3.3	1.9	6.1	
STD PCTR	2.5	1.9	2.2	2.2	1.3	1.2	4.6	4.9	4.5	4.1	2.4	2.9	1.0	4.7	4.9	5.6	3.3	1.9	6.1	

EPR: R351 NATL # 27.5 Select the kinetic-molecular theory as a generalization of the gas laws of Boyle, Charles, and Graham.

UNADJ PPPCT	6.1	-1.6	0.4	-1.9	1.7	-0.9	-8.3	-7.8	8.2	2.5	-3.1	1.1	3.0	1.6	-5.5	-12.6	-5.1	-14.6	1.2	7.6	-15.1
STD PCTR	2.9	2.3	2.3	2.1	1.5	1.3	2.8	3.2	5.0	3.4	2.9	1.1	2.4	0.8	4.2	7.6	4.1	1.9	1.8	5.6	
BAL PCTR	6.8	-2.3	0.8	-5.8	0.8	-0.6	-9.7	-6.0	6.9	3.1	-6.9	0.3	5.7	0.6	-8.9	-2.3	-9.9	1.2	-12.1	0.5	
STD PCTR	2.8	1.7	2.0	1.4	1.4	1.2	3.3	3.1	4.6	3.1	2.7	2.6	3.4	2.2	4.7	4.9	5.6	4.5	1.7	1.5	7.5
STD PCTR	2.8	1.7	2.0	1.4	1.4	1.2	3.3	3.1	4.6	3.1	2.7	2.6	3.4	2.2	4.7	4.9	5.6	4.5	1.7	1.5	7.5

EPR: R352 NATL # 79.4 Recognize that scientists want to know more about the world.

UNADJ PPPCT	3.9	-7.8	0.6	1.8	-0.8	0.3	1.9	-6.6	8.4	2.9	5.4	-0.7	-5.1	1.6	-6.7	-7.5	0.7	-13.8	1.1	4.9	4.6
STD PCTR	2.1	3.1	2.1	1.9	1.5	1.3	4.2	2.8	2.3	1.1	2.4	0.8	0.8	0.2	4.2	7.7	4.1	1.9	1.8	5.6	
BAL PCTR	3.1	-5.1	0.6	-1.0	0.9	3.8	-1.4	0.9	3.1	2.9	3.1	-0.3	-1.4	1.0	-1.4	-1.4	-0.1	-8.9	1.2	-12.1	0.5
STD PCTR	1.8	2.8	1.7	2.0	1.4	1.2	4.3	4.3	2.9	2.5	2.2	3.4	0.7								

REGION	SIZE	SIZE AND TYPE OF COMMUNITY										COLOR	HIGH SCHOOL EDUCATION		
		SMALL N.EAST, S.EAST, CENTRAL, WEST	MEDIUM N.EAST, S.EAST, CENTRAL, WEST	LARGE N.EAST, S.EAST, CENTRAL, WEST	SMALL RURAL	MEDIUM RURAL	LARGE RURAL	SMALL CITY, APP, SUB, PRINC, PRINC, CITY, CITY	MEDIUM CITY, APP, SUB, PRINC, PRINC, CITY, CITY	LARGE CITY, APP, SUB, PRINC, PRINC, CITY, CITY	NON-BLACK	BLACK	OTHER		
<b>EXPT: R353 WATL § 73.9</b> Recognize that United States scientists are not ahead of scientists in other countries in every field of research.															
UNADJ. PPFECT	6.1	-13.7	3.0	2.7	1.8	-1.1	-11.2	-11.5	7.9	-0.7	7.9	0.0	0.0	-18.7	-8.7
STD. PPFOR	2.1	3.1	2.4	2.5	1.3	1.3	6.8	5.5	8.2	8.0	3.1	0.9	3.1	1.5	1.5
BAL. PPFECT	8.6	-9.8	1.1	2.2	0.5	-0.0	-2.3	-6.8	2.8	-3.3	4.5	1.5	2.6	-11.2	6.0
STD. PPFOR	2.1	3.5	2.1	2.5	0.4	1.3	6.5	4.8	4.1	2.1	3.2	0.8	3.5	5.3	5.4
<b>EXPT: R358 WATL § 15.R</b> Frequency of watching special television shows dealing with a scientific topic.															
UNADJ. PPFECT	-3.8	-0.2	1.2	2.8	7.9	-6.6	0.8	-3.9	5.1	1.2	0.6	-0.2	-2.8	0.1	-5.7
STD. PPFOR	1.6	1.6	1.4	1.5	0.9	0.7	2.5	1.8	2.7	2.0	1.8	1.2	2.1	1.9	1.2
BAL. PPFECT	-8.5	2.1	1.1	1.5	7.0	-6.1	-1.0	-0.7	2.6	1.1	1.5	-0.6	-2.1	-5.7	6.0
STD. PPFOR	1.5	1.6	1.4	1.7	0.9	0.7	2.4	2.1	1.9	2.2	0.5	2.5	3.0	1.5	3.7
<b>OBJECTIVE:</b> Know the fundamental facts and principles of science.															
<b>EXPT: M601 WATL § 96.3</b> (Text for this exercise was not released)															
UNADJ. PPFECT	0.6	-2.1	1.6	-1.0	-2.0	2.1	-8.1	-3.5	2.0	-0.8	0.6	1.1	-0.5	-15.3	-8.2
STD. PPFOR	1.2	2.2	1.2	1.3	0.8	0.8	2.1	3.1	1.3	1.7	1.0	2.1	0.6	5.9	1.3
BAL. PPFECT	0.1	-1.8	1.6	-0.6	-2.6	0.6	-2.9	-1.7	0.4	0.3	-0.1	1.9	-3.8	0.1	-17.8
STD. PPFOR	1.0	1.8	1.1	1.2	0.8	0.7	2.7	1.5	1.0	1.5	1.1	0.6	2.6	5.3	0.9
<b>EXPT: M602 WATL § 93.8</b> (Text for this exercise was not released)															
UNADJ. PPFECT	-0.2	-0.9	1.3	-0.8	-1.2	1.1	-4.7	-5.8	3.9	2.1	1.1	0.6	-2.9	-5.9	-1.0
STD. PPFOR	1.9	1.6	1.7	1.2	1.0	1.0	6.0	2.1	1.1	1.3	2.1	0.4	2.0	5.3	2.1
BAL. PPFECT	-1.1	0.6	1.6	-1.5	-1.8	-1.8	-9.8	-1.5	4.5	2.5	3.1	0.1	-1.8	-5.9	0.5
STD. PPFOR	1.6	1.8	1.2	1.1	1.0	0.9	5.2	2.4	1.6	1.2	1.9	0.8	2.7	4.9	1.5
<b>EXPT: M603 WATL § 89.7</b> (Text for this exercise was not released)															
UNADJ. PPFECT	1.9	-11.2	2.9	3.7	1.8	-1.7	-1.9	-5.0	5.5	-1.0	0.7	0.8	-2.1	1.8	-17.8
STD. PPFOR	2.1	4.0	1.7	1.8	1.8	1.3	8.2	3.7	2.7	2.6	3.9	0.5	1.8	5.9	0.7
BAL. PPFECT	1.2	-9.9	2.1	5.4	1.3	-1.3	2.1	-1.6	3.9	-2.0	1.1	-1.4	0.3	-8.7	0.5
STD. PPFOR	2.1	4.1	1.8	1.9	1.1	1.1	8.2	4.3	2.4	2.9	3.8	2.3	2.8	5.8	1.6
<b>EXPT: M604 WATL § 88.R</b> (Text for this exercise was not released)															
UNADJ. PPFECT	-6.9	3.5	-2.1	0.7	-0.7	-7.0	-5.2	3.2	7.0	1.2	5.1	-2.1	1.7	-16.3	-9.1
STD. PPFOR	2.0	2.7	2.8	2.1	1.2	1.1	4.0	3.1	2.5	2.6	3.6	0.8	2.3	5.2	0.3
BAL. PPFECT	3.0	-3.6	2.9	-3.5	-0.0	0.0	-1.6	-0.6	-1.6	3.6	-1.8	1.1	-13.9	-8.1	-1.4
STD. PPFOR	1.9	2.7	2.2	2.1	1.0	1.0	5.9	4.1	2.6	2.3	2.0	0.6	3.6	5.1	1.4
<b>EXPT: M605 WATL § 82.9</b> (Text for this exercise was not released)															
UNADJ. PPFECT	4.1	-5.0	-2.3	2.8	0.0	-0.0	-13.2	-5.3	7.3	1.8	9.1	-1.1	-5.3	-13.2	-8.6
STD. PPFOR	2.9	2.6	2.5	1.9	1.6	1.6	7.1	8.3	3.6	3.5	2.2	0.8	5.9	7.1	2.1
BAL. PPFECT	2.8	-1.7	-2.0	1.7	-0.5	1.7	-0.5	1.1	-7.1	8.4	1.8	-3.7	2.9	-17.9	6.8
STD. PPFOR	2.6	2.7	2.1	1.7	1.4	1.3	7.2	4.7	3.5	2.7	2.3	0.9	6.6	5.6	1.6

EXPER: 0806 NATL & 78.0 (Text for this exercise was not released)

UNADJ. EFFECT	-5.1	-0.2	2.4	3.0	3.6	-1.1	5.7	-18.4	6.7	4.0	-4.2	-0.8	2.3	3.3	-15.2	-13.8	-6.3	-13.1	2.8	6.2	-25.9
STD. ERROR	3.6	2.9	2.9	1.9	1.9	-1.6	8.8	6.3	4.3	2.8	4.8	8.1	3.1	1.1	10.2	5.2	1.9	1.9	2.1	1.1	11.0
BAL. EFFECT	-4.7	1.5	2.1	1.3	0.7	-0.6	6.8	-11.6	2.6	4.6	-4.1	-2.3	3.3	2.8	-11.9	-11.4	-6.4	-1.6	2.6	5.6	-24.3
STD. ERROR	3.1	2.8	2.6	1.0	1.7	1.4	5.3	5.8	8.5	2.4	8.0	1.7	2.9	1.0	10.0	8.6	1.6	1.6	2.0	1.6	11.6

EXPER: 0807 NATL & 77.7 (Text for this exercise was not released)

UNADJ. EFFECT	3.4	-0.3	-2.7	-0.0	4.6	-4.2	-2.3	-10.3	-2.3	3.6	2.5	-0.2	0.0	-0.8	0.9	-11.7	1.7	-2.7	3.2	0.8	
STD. ERROR	2.0	2.7	1.9	2.2	1.6	1.2	0.7	5.4	3.7	3.6	2.2	2.0	2.2	0.9	1.3	9.2	5.7	3.8	1.6	1.3	9.9
BAL. EFFECT	3.1	-0.1	-2.8	-0.2	5.2	-0.2	-0.6	-8.8	-3.5	3.2	2.8	1.8	1.7	-0.3	1.6	0.3	10.8	2.3	-2.7	2.7	1.0
STD. ERROR	1.9	1.3	2.1	2.8	1.5	1.2	0.8	8.8	3.9	3.7	2.3	2.1	2.4	0.9	3.5	9.2	5.1	1.8	1.6	1.6	10.2

EXPER: 0808 NATL & 75.6 (Text for this exercise was not released)

UNADJ. EFFECT	2.9	-3.4	-2.5	3.8	1.8	-1.2	-12.3	-8.5	9.7	4.9	4.6	3.5	-7.3	2.3	-11.2	-8.4	-7.8	-8.8	1.9	8.3	-21.1
STD. ERROR	3.3	2.9	2.8	2.3	1.8	1.3	6.0	6.5	9.5	2.5	2.5	2.6	4.1	0.6	4.3	4.0	5.6	8.4	2.0	1.9	9.8
BAL. EFFECT	1.1	0.5	0.5	2.0	1.1	0.9	-0.8	-10.5	-2.1	7.7	5.3	2.5	2.7	-6.9	1.7	-11.3	-8.0	5.3	5.5	6.8	-22.7
STD. ERROR	2.9	3.1	2.6	2.3	1.4	1.3	5.9	7.1	8.3	3.9	2.8	2.5	3.9	0.8	5.0	3.4	5.3	4.1	2.0	1.7	8.7

EXPER: 0809 NATL & 72.1 (Text for this exercise was not released)

UNADJ. EFFECT	8.0	-12.5	5.9	-3.8	-1.2	1.2	-8.9	-10.6	16.8	2.0	0.7	6.9	-5.6	-26.1	-14.2	-11.2	-13.8	0.9	8.1	-8.8	
STD. ERROR	2.5	3.1	2.8	3.3	1.3	1.3	7.7	8.1	3.5	3.6	3.7	2.6	3.5	0.9	3.3	6.8	7.0	6.0	2.0	1.8	10.0
BAL. EFFECT	5.9	-8.9	8.6	-7.3	-2.3	-2.3	-8.9	2.0	12.6	0.4	-4.9	8.6	0.8	-21.3	-18.1	-16.7	-16.1	8.5	8.5	8.5	-5.8
STD. ERROR	2.3	1.0	2.3	2.7	1.2	1.2	5.8	3.9	3.1	3.1	3.1	2.6	2.9	0.9	3.7	5.8	6.4	3.9	2.1	1.6	10.7

EXPER: 0810 NATL & 70.8 (Text for this exercise was not released)

UNADJ. EFFECT	8.3	-8.3	1.0	-0.2	0.2	-0.2	-5.3	-19.7	15.2	-0.8	6.3	1.1	-5.2	8.8	-22.7	-23.1	-18.6	-10.2	3.6	8.0	-26.6	
STD. ERROR	2.8	2.9	2.8	2.8	1.7	1.6	5.8	5.8	8.1	3.1	2.8	3.5	3.0	1.1	5.8	6.5	5.7	3.8	2.0	1.7	8.1	
BAL. EFFECT	4.0	-1.8	0.9	-2.2	-0.8	0.7	-1.8	-9.2	-0.1	-1.8	-0.5	-1.3	2.8	-1.3	3.3	-17.0	-16.9	-16.7	-6.2	4.2	5.4	-26.8
STD. ERROR	2.8	3.1	2.4	2.8	1.7	1.5	4.8	6.2	8.4	3.3	3.0	3.4	2.8	1.2	6.8	6.7	5.5	3.6	2.0	1.7	8.2	

EXPER: 0811 NATL & 71.3 (Text for this exercise was not released)

UNADJ. EFFECT	1.6	-8.8	2.2	3.5	10.3	-10.2	-1.7	-8.9	8.7	-3.5	-2.0	6.9	0.8	4.6	-23.8	-5.6	-10.7	-3.5	1.0	3.7	-12.1
STD. ERROR	2.2	3.0	2.3	2.8	1.5	1.5	5.5	5.2	2.9	2.9	1.0	2.6	3.8	0.8	8.1	6.6	6.8	3.6	1.9	1.6	9.6
BAL. EFFECT	0.1	-7.1	2.0	8.0	9.3	-9.2	-1.1	-0.1	-0.1	-5.1	6.1	2.3	2.3	3.9	-19.2	-7.0	-6.8	-0.3	0.9	1.7	-9.8
STD. ERROR	2.3	3.1	2.3	2.6	1.5	1.5	8.1	8.2	3.0	3.0	2.8	3.0	3.3	0.8	8.2	5.8	6.5	3.2	1.7	1.7	11.0

EXPER: 0812 NATL & 68.9 (Text for this exercise was not released)

UNADJ. EFFECT	-2.1	-7.7	8.2	3.5	1.6	-1.5	-13.5	-1.9	9.8	2.1	1.0	0.7	-0.5	2.8	-12.8	-9.8	0.0	-12.2	0.6	5.2	-13.5
STD. ERROR	2.9	2.4	2.1	2.5	1.5	1.3	7.0	3.3	2.8	8.0	2.7	2.9	2.3	0.7	3.6	7.8	6.1	3.0	2.2	1.8	10.2
BAL. EFFECT	-8.2	-5.8	8.5	3.1	0.5	-0.8	-18.0	5.0	7.2	2.6	-3.0	0.6	2.2	0.9	4.8	-11.2	-10.0	1.3	3.8	3.8	-16.9
STD. ERROR	2.8	2.3	2.0	2.5	1.8	1.3	5.6	8.6	3.3	3.6	2.8	2.9	2.2	0.9	4.8	6.2	6.1	3.0	2.3	1.5	9.0

EXPERIMENT	REGION	SEX	SIZE AND TYPE OF COMMUNITY						COLOR	HIGH SCHOOL EDUCATION
			INNER CITY	OUTER CITY	INNER RURAL	OUTER RURAL	NON-CITY	APP-SUB-CITY		
<b>EXPERIMENT: 0813 NATL &amp; 67.8 (Test for this exercise was not released)</b>										
UNADJ. EFFECT	-8.6	2.3	0.5	8.2	-7.2	0.8	-23.5	19.7	4.5	1.2
STD. ERROR	2.8	3.1	2.0	2.7	1.8	1.2	3.3	3.3	3.6	2.3
BAL. EFFECT	-5.5	1.3	0.1	7.1	-6.2	3.5	-13.3	18.1	-5.6	-0.1
STD. ERROR	2.7	2.9	2.8	1.3	1.1	6.2	3.8	3.7	2.9	2.7
<b>EXPERIMENT: 0814 NATL &amp; 65.6 (Test for this exercise was not released)</b>										
UNADJ. EFFECT	-4.7	-3.6	-1.2	9.7	3.9	-2.2	-1.0	-12.6	9.4	-1.1
STD. ERROR	3.8	3.1	3.6	2.6	1.9	1.7	6.7	6.0	5.6	5.4
BAL. EFFECT	-5.2	2.8	-3.3	7.6	1.7	-1.8	0.2	-3.2	3.0	-1.5
STD. ERROR	3.0	2.9	2.9	2.6	1.8	1.4	5.7	5.4	5.0	3.8
<b>EXPERIMENT: 0815 NATL &amp; 63.7 (Test for this exercise was not released)</b>										
UNADJ. EFFECT	1.6	-6.8	-1.5	8.1	7.1	-5.1	-7.8	-12.5	1.4	-4.2
STD. ERROR	1.6	3.1	2.6	2.1	1.9	1.7	6.7	5.9	5.6	5.3
BAL. EFFECT	0.1	-0.7	-1.5	2.6	5.6	-8.9	-8.7	-3.6	-0.6	-3.5
STD. ERROR	2.5	3.1	2.7	2.8	1.8	1.5	5.5	4.0	5.6	2.5
<b>EXPERIMENT: 0816 NATL &amp; 60.1 (Test for this exercise was not released)</b>										
UNADJ. EFFECT	1.4	3.2	-1.0	-3.1	9.8	-8.5	9.5	-23.0	8.6	-6.7
STD. ERROR	3.2	3.8	2.5	2.5	2.0	1.9	8.7	6.0	5.9	5.3
BAL. EFFECT	0.6	7.5	-2.5	-8.0	8.0	-8.0	11.1	-15.1	2.3	-2.7
STD. ERROR	2.6	3.5	2.4	2.6	1.9	1.8	6.6	6.5	2.8	2.6
<b>EXPERIMENT: 0817 NATL &amp; 61.9 (Test for this exercise was not released)</b>										
UNADJ. EFFECT	8.8	-10.1	8.5	-3.0	1.3	-0.9	-8.2	-13.6	6.0	-0.7
STD. ERROR	2.7	3.3	2.6	2.6	2.0	1.9	7.5	10.4	5.7	3.1
BAL. EFFECT	3.9	-7.8	4.6	-4.1	0.1	-0.1	-1.6	-10.1	2.9	-8.0
STD. ERROR	2.7	3.7	2.8	2.7	1.9	1.8	6.5	10.9	6.3	3.8
<b>EXPERIMENT: 0818 NATL &amp; 59.6 (Test for this exercise was not released)</b>										
UNADJ. EFFECT	3.6	-2.0	-8.2	3.5	4.1	-3.8	-5.7	5.2	1.8	0.5
STD. ERROR	3.3	8.2	3.3	2.2	1.8	1.6	5.7	5.7	4.1	3.8
BAL. EFFECT	2.6	0.9	-8.8	3.2	3.8	-3.1	-0.8	-5.0	1.2	-0.2
STD. ERROR	3.2	8.1	3.1	3.2	1.8	1.6	6.6	5.8	4.9	3.0
<b>EXPERIMENT: 0819 NATL &amp; 57.3 (Test for this exercise was not released)</b>										
UNADJ. EFFECT	2.2	-0.5	-1.0	2.0	6.8	-6.8	-7.3	-7.6	7.4	-2.0
STD. ERROR	2.2	3.2	2.0	2.4	1.7	1.7	5.9	5.9	5.0	2.6
BAL. EFFECT	0.0	3.2	-3.5	1.3	6.0	-6.0	-3.8	-2.0	-1.5	-0.9
STD. ERROR	2.1	2.8	1.8	2.1	1.6	1.6	6.4	5.0	4.6	2.4

PIER: 0820 NATL # 56.2 (Test for this exercise was not released)

UNADJ PPPCT	5.6	-18.0	-1.5	8.3	2.3	-2.7	-16.2	-15.9	3.5	7.0	5.8	3.0	-2.0	4.7	-33.1	-6.8	-27.9	-13.2	-0.6	10.3	-9.9
STD BIAS	2.8	3.2	2.5	3.2	1.6	1.4	6.1	6.1	4.3	3.7	4.0	2.7	1.0	3.6	9.8	8.0	8.5	1.9	2.0	15.3	
BAL PPPCT	3.8	-6.9	-2.5	5.7	2.3	-2.0	-9.0	-1.0	4.9	6.8	0.6	0.7	3.9	-27.0	-7.1	-23.3	-10.4	-1.8	8.9	-7.8	
STD BIAS	2.6	3.1	2.2	2.9	1.4	1.2	4.5	4.5	4.3	3.0	3.8	3.7	2.2	0.9	4.3	7.4	4.2	8.2	1.9	15.7	
PIER: 0821 NATL # 58.5 (Test for this exercise was not released)																					
UNADJ PPPCT	8.1	-1.9	-1.8	-9.9	9.2	-8.3	9.3	-18.1	3.6	-5.6	0.4	4.7	-1.5	2.2	-9.4	-18.8	-17.3	-1.7	-0.1	5.7	-10.9
STD BIAS	2.9	1.8	2.9	2.7	1.8	1.8	6.6	6.4	7.8	5.2	4.1	2.6	4.2	0.7	5.2	8.5	6.2	3.4	2.1	1.8	11.6
BAL PPPCT	6.7	-0.8	-1.9	-8.5	8.7	-7.9	11.8	-13.8	0.2	-6.1	-2.0	3.6	0.5	1.2	-8.1	-10.3	-15.9	-1.2	-0.5	5.3	-9.5
STD BIAS	2.6	3.0	2.9	2.9	1.8	1.7	7.0	5.5	5.3	5.0	3.8	2.6	0.7	0.7	4.6	7.1	8.8	3.5	2.0	1.6	11.5
PIER: 0822 NATL # 58.1 (Test for this exercise was not released)																					
UNADJ PPPCT	6.4	-11.0	-0.1	2.3	6.2	-6.1	-16.7	-17.5	18.9	-0.7	1.5	-1.6	-0.2	1.2	-12.4	5.2	-11.7	-18.2	0.1	6.6	-4.6
STD BIAS	3.2	3.5	2.8	3.3	1.8	1.6	7.7	6.5	3.7	3.9	4.5	3.6	3.8	0.8	5.7	8.2	8.5	3.9	2.6	2.0	9.3
BAL PPPCT	5.6	-6.9	0.1	-1.1	5.4	-5.1	-11.7	-18.5	18.8	-1.1	0.5	-2.7	1.9	-0.2	-2.6	9.0	-8.2	-11.5	0.3	6.9	-10.9
STD BIAS	3.0	3.5	2.8	2.9	1.6	1.5	7.3	7.8	8.1	8.0	3.0	3.3	3.5	0.6	5.8	7.7	7.0	3.9	2.5	2.0	9.2
PIER: 0823 NATL # 46.6 (Test for this exercise was not released)																					
UNADJ PPPCT	9.8	-8.5	-1.7	-0.3	2.3	-2.0	-9.9	-18.3	20.2	-1.5	0.6	5.6	-6.8	2.8	-19.3	-8.3	-15.5	-18.6	1.6	10.2	-16.0
STD BIAS	2.9	3.2	1.5	2.9	1.9	1.7	4.7	5.7	6.8	3.5	4.3	4.1	3.6	0.8	3.8	5.5	5.9	3.5	2.8	1.8	9.6
BAL PPPCT	8.2	-6.8	-0.8	-3.7	1.3	-1.2	-6.8	-11.0	15.6	-0.8	-2.8	4.0	-2.6	1.3	-12.1	4.7	-13.6	-11.7	2.2	7.9	-15.8
STD BIAS	2.5	2.9	3.3	2.4	1.7	1.5	5.2	5.6	6.0	3.0	3.7	3.9	4.1	0.8	6.7	5.6	5.1	3.9	2.2	1.6	9.6
PIER: 0824 NATL # 45.5 (Test for this exercise was not released)																					
UNADJ PPPCT	2.6	-1.2	-0.3	-1.7	-0.6	0.8	3.5	-16.8	18.5	2.4	5.2	-6.9	-5.3	2.6	-16.0	-10.3	5.7	-18.3	-2.3	6.7	-24.1
STD BIAS	3.4	3.2	2.6	2.0	1.9	1.7	7.3	6.2	5.5	3.9	5.4	4.4	2.8	0.8	3.9	5.5	6.7	2.7	2.8	1.6	8.6
BAL PPPCT	2.8	1.3	-0.9	-3.4	-1.4	1.3	4.5	-10.2	10.4	3.6	8.1	-9.2	-3.0	2.0	-13.1	6.8	8.8	-11.9	-2.1	5.7	-20.6
STD BIAS	3.0	3.1	2.7	3.1	1.7	1.7	7.1	6.3	5.1	3.5	5.0	4.6	2.7	0.8	8.2	7.0	6.0	2.6	2.4	1.4	8.3
PIER: 0825 NATL # 43.8 (Test for this exercise was not released)																					
UNADJ PPPCT	1.5	-8.8	-0.8	3.6	7.2	-7.2	-11.9	-10.4	18.1	4.5	2.6	3.1	-2.9	3.8	-21.6	-0.7	-4.1	-9.8	-1.7	6.8	-16.1
STD BIAS	3.6	2.9	2.4	2.7	1.6	1.6	4.1	3.1	4.7	4.1	3.7	2.8	3.4	0.7	2.8	6.1	7.8	2.9	2.1	1.8	7.8
BAL PPPCT	1.6	-0.1	-0.5	2.2	6.6	-6.6	-10.7	-1.1	6.9	4.8	0.7	1.6	-2.7	3.0	-16.9	-0.6	-1.2	-6.0	-1.1	6.0	-13.4
STD BIAS	3.8	2.9	2.3	2.4	1.6	1.5	8.1	8.3	5.1	8.0	3.7	2.9	3.0	0.8	3.1	5.4	7.3	2.8	2.1	1.8	8.7
PIER: 0826 NATL # 43.3 (Test for this exercise was not released)																					
UNADJ PPPCT	3.6	-13.5	5.3	2.5	-7.7	7.3	-16.8	-4.9	8.7	9.1	6.2	1.8	-5.8	2.5	-11.8	-8.4	-6.8	-6.9	0.1	6.0	-13.9
STD BIAS	2.7	3.2	2.7	2.7	1.7	1.6	3.9	4.9	5.8	4.8	4.1	2.8	0.9	3.1	7.1	6.3	3.1	2.0	1.8	8.3	
BAL PPPCT	1.1	-9.6	5.6	0.7	-8.8	8.0	-12.9	-3.7	7.3	7.7	3.9	1.9	-8.9	1.3	-7.5	0.3	-3.8	-3.5	0.3	3.6	-17.0
STD BIAS	2.7	3.6	2.4	2.7	1.6	1.5	8.6	8.0	5.8	4.0	2.9	2.8	0.9	2.9	6.8	5.2	2.8	2.9	1.8	8.3	

REGION	SEX	SIZE AND TYPE OF COMMUNITY										COLOR	HIGH SCHOOL EDUCATION							
		EX-ESL S-BASE	CENTRAL	WEST	HALE	PRIVATE	PUBLIC	INNER PERIMETER	INNER URBAN	MEDIUM URBAN	SMALL CITY			NON BLACK OTHER	NONE SOME GRADUATED POST GRADUATED					
<b>PIER: 0827 NATL § 42.6 (Test for this exercise was not released)</b>																				
UNADJ EFFECT	7.2	-6.9	-2.6	0.8	-3.8	-6.8	-18.6	8.5	3.6	-1.7	0.2	3.0	-16.5	-12.9	-18.1	-7.0	-1.8	7.5	-15.8	
STD ERROR	3.8	3.7	3.8	2.8	1.5	1.8	4.2	5.2	3.3	5.1	3.6	6.5	0.8	-3.8	7.7	3.9	4.2	1.9	9.7	
BAL EFFECT	5.5	-3.7	-2.2	-0.5	3.7	-3.2	-2.3	-6.6	2.3	3.8	-0.7	-2.8	2.0	-10.8	-12.5	-25.1	-5.0	-2.1	6.3	-14.0
STD ERROR	3.1	3.7	3.8	2.8	1.5	1.3	4.3	5.1	3.3	5.3	4.8	6.0	0.9	8.7	8.1	8.0	1.9	9.3		

**PIER: 0828 NATL § 39.4 (Test for this exercise was not released)**

UNADJ EFFECT	2.6	-8.9	8.5	-6.0	7.8	-6.1	1.6	-11.3	6.3	0.8	-0.8	1.3	3.3	8.2	-19.4	-18.4	-19.8	-18.3	1.3	9.6	17.5
STD ERROR	2.5	1.9	2.3	1.8	1.5	5.9	5.3	6.1	3.2	4.1	3.2	3.5	0.8	2.8	5.3	4.5	2.8	2.1	1.9	14.5	
BAL EFFECT	3.1	-5.8	7.3	-7.8	6.1	-5.3	3.8	-2.6	3.1	1.5	3.9	-1.0	5.7	3.2	-12.5	-17.7	-16.3	0.3	9.0	19.3	
STD ERROR	2.6	2.5	1.9	2.9	1.5	1.2	4.2	3.6	4.4	4.2	3.8	3.1	2.7	0.8	2.8	6.3	8.5	2.5	2.1	1.7	13.6

**PIER: 0829 NATL § 36.0 (Test for this exercise was not released)**

UNADJ EFFECT	6.4	-76.2	0.4	-2.5	3.3	-2.9	0.5	-8.5	4.6	-3.2	-2.8	8.9	-5.2	2.0	-16.4	-5.3	-16.8	-18.5	-0.2	10.5	-15.5
STD ERROR	3.1	3.2	2.8	2.5	1.8	1.3	0.5	7.1	6.3	3.8	4.5	3.6	3.1	0.8	6.5	4.6	4.1	2.6	1.8	2.5	
BAL EFFECT	5.9	-3.2	0.5	-4.6	1.9	-1.8	1.8	-2.1	0.2	-2.6	-3.3	6.6	-3.7	1.1	-9.9	2.1	-16.1	-13.1	-0.3	9.8	-14.5
STD ERROR	3.1	2.6	2.6	2.7	1.2	1.1	6.1	6.4	4.8	3.5	4.0	3.1	3.2	0.7	4.5	5.0	3.8	2.6	2.3	1.6	7.9

**PIER: 0830 NATL § 31.3 (Test for this exercise was not released)**

UNADJ EFFECT	0.0	-5.0	-2.7	8.3	6.8	-5.8	-9.3	-10.8	16.8	-1.4	9.8	-1.2	-6.8	3.6	-20.7	-13.2	-6.2	-13.2	1.8	6.5	-0.5
STD ERROR	2.3	2.8	2.2	2.8	1.8	1.6	5.8	4.0	5.9	3.1	3.6	3.6	2.3	0.6	2.4	3.5	5.1	2.9	2.0	1.7	10.9
BAL EFFECT	-1.9	0.1	-2.5	5.6	5.5	-5.0	-6.5	-1.9	10.3	-1.0	6.8	-1.5	-5.7	0.6	-16.0	-10.6	3.9	-8.6	2.3	3.6	-0.2
STD ERROR	2.3	2.9	2.3	2.4	1.8	1.6	3.5	1.6	6.8	2.6	4.2	3.0	2.5	0.6	2.9	5.1	5.2	2.9	2.0	1.6	10.1

**PIER: 0831 NATL § 30.0 (Test for this exercise was not released)**

UNADJ EFFECT	-0.1	-7.2	2.9	2.7	5.0	-8.8	0.5	-0.6	5.8	1.3	1.8	-2.4	-1.8	1.0	-6.1	1.6	-9.3	-8.8	-0.7	6.8	-8.7
STD ERROR	2.5	1.9	1.8	1.9	1.8	1.8	1.2	5.8	1.8	7.4	3.2	2.6	2.5	2.9	0.5	2.3	5.3	6.6	3.0	1.5	1.5
BAL EFFECT	-0.2	-8.5	2.2	2.8	6.8	-3.9	2.6	1.8	1.9	0.2	-1.0	-1.8	-0.1	0.4	-1.2	2.1	-8.3	-7.5	-0.9	6.0	-8.2
STD ERROR	2.8	2.4	1.8	2.0	1.4	1.2	5.4	6.0	7.4	3.1	2.7	2.5	2.7	0.5	2.5	5.0	4.7	3.1	1.9	1.6	

**PIER: 0832 NATL § 27.9 (Test for this exercise was not released)**

UNADJ EFFECT	0.8	-3.1	-2.5	5.3	5.0	-8.8	-11.7	-11.1	9.8	-2.2	5.0	-0.0	2.7	-19.1	-6.4	1.9	-11.7	-0.8	5.1	-6.5
STD ERROR	2.6	2.3	1.9	2.0	1.6	1.3	5.5	3.1	4.2	3.0	3.0	2.1	0.6	2.5	5.4	2.1	2.2	2.1	1.5	7.7
BAL EFFECT	-0.6	-0.3	-1.5	3.1	13.1	-11.8	-8.7	-7.2	4.7	-1.0	-2.6	0.3	1.9	-11.3	-6.6	3.2	-8.9	-1.3	4.1	-8.1
STD ERROR	2.3	2.2	1.9	1.8	1.6	1.2	4.1	3.6	2.6	2.7	3.0	2.1	0.5	2.8	5.2	5.4	2.3	2.0	1.5	6.2

**PIER: 0833 NATL § 27.0 (Test for this exercise was not released)**

UNADJ EFFECT	-2.1	-5.1	3.8	2.2	2.0	-1.8	-1.8	-12.3	5.7	-0.0	-0.9	7.1	-8.3	1.0	-5.7	-4.7	3.8	-11.1	-0.5	8.7	-18.8
STD ERROR	2.5	2.3	2.6	2.2	1.6	1.5	5.7	5.3	6.8	2.8	3.1	3.6	2.3	0.5	4.8	3.1	3.1	2.6	2.3	1.7	5.5
BAL EFFECT	-2.3	-5.6	4.2	1.8	2.0	-2.0	-2.3	-10.8	3.8	-0.3	-1.8	7.1	-8.6	0.3	-8.9	-2.4	8.2	-8.5	-1.1	3.8	-18.8
STD ERROR	2.5	2.5	1.9	1.5	1.5	1.4	4.9	4.4	4.7	2.7	3.1	3.4	2.1	0.6	8.6	5.1	6.6	2.5	2.3	1.6	6.2

EIER: 0814 NATL \$ 26.6 (Test for this exercise was not released)

UNADJ EFFECT	1.6	-8.9	1.8	0.7	2.7	-2.7	-3.6	-3.1	1.7	6.0	3.6	-3.3	-1.1	0.6	-8.7	2.8	-6.1	-2.3	0.0	2.5	-2.3	
STD ERROR	2.1	2.8	2.3	1.8	1.3	1.2	3.7	2.8	3.8	3.1	3.1	2.7	-2.8	2.8	0.6	2.7	4.7	0.5	1.9	1.4	1.3	
BAL EFFECT	0.7	-3.1	1.8	-0.0	2.6	-2.6	-3.5	2.3	0.2	5.8	5.5	2.7	-0.1	-0.1	-0.1	-2.0	3.3	-8.8	-1.3	0.1	1.7	1.1
STD ERROR	2.1	2.8	2.2	1.8	1.3	1.2	3.5	3.5	3.6	3.1	2.2	2.3	0.7	3.8	0.7	3.8	3.5	3.2	3.2	2.0	1.5	1.3

EIER: 0815 NATL \$ 26.1 (Test for this exercise was not released)

UNADJ EFFECT	3.6	1.0	-3.1	-0.7	3.1	-2.8	-4.5	9.5	3.2	3.7	-3.3	-0.5	-1.8	-1.8	0.5	0.5	2.7	2.8	0.2	-1.2	-0.5	18.2	
STD ERROR	3.0	2.8	2.3	2.5	1.8	1.3	2.8	2.8	5.1	5.0	2.8	2.8	2.8	2.8	0.6	0.6	2.6	2.6	3.7	1.6	1.5	1.3	
BAL EFFECT	0.7	0.8	-2.2	-1.2	3.3	-2.9	-5.7	6.8	2.7	3.1	-2.8	0.2	-0.2	-0.2	-0.2	-0.2	2.0	3.5	3.0	-1.0	-1.0	0.1	12.9
STD ERROR	2.1	2.8	2.2	2.3	1.8	1.3	3.1	3.1	6.5	5.6	3.2	2.8	2.8	2.8	0.7	0.7	4.8	4.8	5.2	3.8	1.6	0.9	

EIER: 0836 NATL \$ 23.9 (Test for this exercise was not released)

UNADJ EFFECT	8.1	-7.1	0.6	0.6	2.5	1.8	-1.7	-6.8	-9.5	8.0	-0.8	-3.3	1.6	1.3	2.6	-15.9	-3.2	-18.0	-8.2	-1.5	6.2	-16.7	
STD ERROR	2.2	2.0	2.0	2.5	1.8	1.3	0.1	1.1	6.1	3.1	2.7	2.8	2.8	2.8	0.5	0.5	5.3	5.3	2.6	2.7	1.6	0.5	
BAL EFFECT	8.1	-5.2	0.2	-0.7	1.6	-1.3	0.1	1.3	0.1	3.8	3.7	0.5	-0.5	-0.5	0.2	0.2	2.0	12.3	-2.1	-12.6	-2.7	-1.5	16.3
STD ERROR	1.9	2.5	1.8	2.4	1.8	1.2	1.0	5.8	3.2	4.9	2.9	2.8	2.8	2.8	0.6	0.6	2.2	5.3	2.6	2.7	1.5	5.0	

EIER: 0837 NATL \$ 23.5 (Test for this exercise was not released)

UNADJ EFFECT	-1.1	3.8	-0.8	-1.5	3.9	-3.0	-2.0	1.9	-2.8	-5.5	-2.5	2.5	3.1	1.9	-10.0	-9.9	0.7	-5.1	1.6	1.6	-15.2		
STD ERROR	2.6	2.8	2.1	2.1	1.3	1.1	5.0	3.3	3.8	2.5	2.5	2.5	2.5	2.5	0.5	0.5	2.5	2.5	2.6	2.6	1.3	0.5	
BAL EFFECT	-0.6	4.8	-1.4	-1.9	3.2	-2.8	-2.3	9.8	-6.0	-3.8	-2.8	0.9	-2.8	2.6	2.6	2.6	2.6	-12.9	-8.8	-1.0	-6.8	2.1	-1.3
STD ERROR	2.2	2.7	1.9	2.2	1.3	1.1	5.2	3.7	3.7	3.6	3.6	2.2	2.2	2.2	2.2	0.5	0.5	2.6	3.7	4.0	2.5	1.8	0.9

EIER: 0838 NATL \$ 22.3 (Test for this exercise was not released)

UNADJ EFFECT	3.1	3.0	-5.1	0.7	7.5	7.5	-6.8	-6.2	-9.5	18.3	-0.6	-1.9	-1.8	0.5	1.5	-7.9	-6.8	-5.2	-2.9	8.6	13.6		
STD ERROR	3.7	3.5	2.3	2.5	1.5	1.5	3.1	3.1	3.6	8.1	2.8	2.8	2.8	2.8	0.5	0.5	3.8	3.8	3.6	3.6	1.9	10.4	
BAL EFFECT	1.8	4.6	-3.9	-2.9	7.2	6.5	-1.2	1.5	-3.3	15.1	0.5	0.5	0.5	0.5	0.5	1.0	1.0	1.4	1.4	0.0	1.6	1.3	0.1
STD ERROR	2.8	3.3	2.1	2.4	1.3	1.2	3.4	3.4	9.5	6.6	2.6	2.7	2.8	2.8	0.5	0.5	3.9	3.9	3.7	3.7	1.6	9.9	

EIER: 0839 NATL \$ 20.9 (Test for this exercise was not released)

UNADJ EFFECT	-0.5	-3.4	1.0	1.2	4.2	-2.9	-11.8	6.6	-1.2	-1.7	0.9	-0.8	2.5	0.8	-2.2	-5.2	-5.2	-9.2	3.9	1.3	0.1	-18.8	
STD ERROR	2.3	2.3	2.4	1.6	1.3	1.6	4.7	3.6	3.8	2.7	2.7	2.7	2.7	2.7	0.6	0.6	3.4	3.4	3.6	3.6	1.6	1.3	
BAL EFFECT	-0.5	-3.0	1.8	1.5	8.0	-3.2	-9.8	7.8	-2.3	-2.5	0.6	-1.4	1.4	1.4	1.4	0.7	0.7	5.3	5.3	-8.7	4.0	0.2	-16.1
STD ERROR	2.1	2.2	2.3	1.5	1.5	1.2	4.5	3.5	7.6	2.9	2.9	2.9	2.9	2.9	0.7	0.7	1.7	1.7	5.5	5.5	1.5	3.9	

EIER: 0840 NATL \$ 20.5 (Test for this exercise was not released)

UNADJ EFFECT	-3.4	6.8	-2.3	2.5	-0.1	0.8	5.8	-3.3	-2.1	-4.2	-2.2	1.4	4.2	0.5	-1.8	-3.1	-5.0	-5.0	-0.8	-0.2	1.9	-7.2
STD ERROR	1.7	3.3	1.6	1.7	1.2	1.0	3.9	2.6	3.1	2.9	1.8	1.8	1.8	1.8	0.5	0.5	2.3	2.3	2.4	2.4	1.6	1.3
BAL EFFECT	-2.9	6.1	-3.7	2.7	-0.7	0.6	5.6	-0.9	3.0	-3.6	-1.6	1.7	1.7	1.7	1.7	0.6	3.1	-3.0	-6.3	-1.8	0.1	2.7
STD ERROR	1.7	3.0	1.6	1.8	1.1	0.9	3.7	3.2	3.0	2.8	1.7	1.7	1.7	1.7	0.6	0.6	3.1	3.1	3.3	3.3	1.6	1.4

EXERCISE	SEX	SIZE AND TYPE OF COMMUNITY					COLOR					HIGH SCHOOL EDUCATION	
		SMALL CITY	MEDIUM CITY	LARGE CITY	INNER URBAN	EXTREME INNER URBAN	SMALL CITY-CRIME-PRONE	BLACK	BLACK	OTHER	WHITE	SOME	GRADUATED
EXER: 0841 NATL X 19.4 (Text for this exercise was not released)													
UNADJ EFFECT	6.9	6.9	-5.9	-2.3	-0.5	-0.8	5.6	2.6	-2.5	0.2	1.7	-0.6	-3.8
STD ERROR	2.8	2.4	1.6	2.4	1.4	1.3	4.4	4.5	2.2	2.1	2.6	0.9	7.5
BAL EFFECT	5.3	1.5	-4.6	-1.4	1.1	-0.9	3.1	-1.4	-2.6	-4.0	3.2	-3.5	-3.8
STD ERROR	2.8	2.6	1.8	2.7	1.3	1.1	6.0	3.9	2.5	2.6	2.4	1.0	6.7
EXER: 0842 NATL X 17.5 (Text for this exercise was not released)													
UNADJ EFFECT	0.4	-6.0	1.2	3.5	2.1	-1.5	-2.5	-7.3	2.9	2.1	-0.1	8.8	-9.6
STD ERROR	2.5	2.1	2.3	2.6	1.4	1.2	3.4	2.6	4.1	3.1	2.3	3.3	1.1
BAL EFFECT	-0.6	-6.7	1.9	2.6	1.7	-1.5	-0.2	-6.0	0.7	1.7	-1.6	-9.9	-10.5
STD ERROR	2.2	2.1	2.1	2.8	1.3	1.2	3.2	2.3	3.9	3.1	2.1	0.5	5.6
EXER: 0843 NATL X 15.6 (Text for this exercise was not released)													
UNADJ EFFECT	-0.8	-5.8	6.3	0.9	4.6	-4.0	3.6	-5.8	-1.0	3.5	-0.8	-1.7	3.6
STD ERROR	1.8	2.0	2.5	2.5	1.3	1.2	7.1	2.2	2.8	2.6	2.7	0.5	1.9
BAL EFFECT	0.3	-7.9	8.3	1.8	4.5	4.5	-6.1	7.2	-6.4	-2.9	1.8	-1.4	-1.6
STD ERROR	1.7	2.3	2.3	2.6	1.2	1.1	6.5	2.1	3.0	2.7	2.7	0.7	2.7
EXER: 0844 NATL X 15.6 (Text for this exercise was not released)													
UNADJ EFFECT	1.1	-2.6	-1.1	2.6	3.4	-2.7	0.7	-5.8	5.5	1.2	-2.3	1.7	-5.5
STD ERROR	1.9	2.1	1.6	2.0	1.0	0.9	5.8	2.2	3.3	2.9	2.1	0.5	1.3
BAL EFFECT	1.2	-6.7	-1.7	1.6	2.8	-2.8	1.5	-3.5	-3.0	1.0	-1.0	-3.8	-5.7
STD ERROR	2.1	2.3	1.0	2.3	1.6	1.0	5.7	2.3	3.2	3.2	2.8	0.4	1.3
EXER: 0845 NATL X 14.6 (Text for this exercise was not released)													
UNADJ EFFECT	0.2	-0.2	1.2	-1.6	5.5	-4.3	-2.5	1.5	-0.8	1.7	-0.9	1.5	-6.6
STD ERROR	1.8	2.1	1.7	1.7	1.0	0.8	6.1	2.6	3.3	2.9	2.6	0.4	1.0
BAL EFFECT	-1.2	-2.3	1.0	-2.1	5.1	-8.2	-6.5	-0.5	0.5	2.1	-5.0	0.2	-6.7
STD ERROR	2.1	2.3	1.6	1.7	1.6	1.0	6.8	0.7	3.8	2.8	2.3	0.5	4.0
EXER: 0846 NATL X 12.9 (Text for this exercise was not released)													
UNADJ EFFECT	-1.5	-3.0	-1.3	6.3	4.8	-4.1	2.3	-3.1	1.0	-2.1	1.6	-6.1	-6.6
STD ERROR	1.9	1.9	1.5	1.8	1.2	1.0	4.3	3.3	2.5	2.1	2.9	0.5	5.3
BAL EFFECT	-2.5	-1.4	-0.9	5.8	4.6	-3.7	3.5	-1.2	-0.5	-1.4	5.3	-5.7	-6.7
STD ERROR	1.9	2.1	1.4	1.7	1.1	0.9	6.4	2.6	2.6	2.3	2.6	0.5	5.4
EXER: 0847 NATL X 12.2 (Text for this exercise was not released)													
UNADJ EFFECT	4.3	-6.0	2.4	-3.1	2.4	-2.2	5.0	-9.0	-2.6	1.5	0.3	-7.3	-3.5
STD ERROR	2.7	1.6	2.0	1.6	1.0	1.0	8.8	2.1	3.0	1.8	2.2	0.3	3.3
BAL EFFECT	0.2	-6.0	1.9	-2.3	1.9	-1.3	7.5	-7.5	-2.8	0.6	1.7	-2.5	-0.5
STD ERROR	2.6	2.0	1.9	1.5	1.5	1.0	8.7	0.9	6.6	2.1	2.1	0.3	4.2

PAPER: 0848 WATL # 11.5 (Text for this exercise was not released)

DEADJ EFFECT	3.8	0.5	-1.3	-2.6	1.6	-1.8	-2.3	5.9	0.3	-1.9	1.3	0.2	-2.5	-0.9	-2.8	-1.6	2.6	-0.8
STD PARM	1.8	1.6	1.2	1.3	0.9	0.8	1.5	2.1	0.8	1.8	1.9	0.4	1.9	2.5	1.5	1.7	1.1	1.1
BAL EFFECT	3.9	0.2	-0.9	-2.9	1.5	-1.4	0.1	-2.3	0.2	-2.3	0.7	-0.3	2.1	-1.0	-1.1	-2.8	-1.6	2.6
STD PARM	1.8	1.9	1.3	1.3	0.9	0.8	3.7	5.2	1.9	1.6	2.3	0.4	2.0	2.6	3.5	1.6	1.2	3.3

PAPER: 0849 WATL # 7.5 (Text for this exercise was not released)

DEADJ EFFECT	3.1	-1.0	-1.8	-0.4	3.0	-3.0	-2.6	0.6	-1.7	2.1	-2.5	2.1	0.9	0.6	-2.3	-0.3	0.8	-1.0	1.5	-3.6
STD PARM	1.8	1.3	1.4	1.6	0.6	0.8	2.3	1.5	2.8	3.8	1.8	1.5	0.3	1.6	2.6	1.8	1.8	0.9	1.1	1.1
BAL EFFECT	3.0	-1.0	-1.2	-0.8	2.9	-2.9	-1.3	2.0	-1.3	3.1	1.6	-3.2	1.8	-1.6	-2.1	-0.1	0.5	-1.2	1.7	-3.8
STD PARM	1.6	1.3	1.3	1.6	0.8	0.8	2.3	2.0	2.4	3.5	1.5	1.9	0.4	2.0	2.4	1.5	1.8	1.1	0.9	1.5

PAPER: 0850 WATL # 4.8 (Text for this exercise was not released)

DEADJ EFFECT	0.1	-3.2	2.4	-0.5	-0.3	0.3	0.2	-1.0	-1.8	2.3	1.6	0.2	-1.5	0.3	-2.5	-0.3	0.8	-1.9	1.7	-0.6	1.6
STD PARM	0.9	0.8	1.3	1.0	0.8	0.5	2.1	2.2	1.2	1.2	1.3	2.8	1.2	0.2	0.9	2.5	1.4	0.9	1.2	0.6	1.8
BAL EFFECT	0.1	-2.8	2.2	-0.8	-0.3	0.3	-0.3	-0.3	-0.8	-1.8	2.8	0.9	-0.9	0.2	-1.8	-0.3	0.9	-1.7	1.4	-0.5	1.3
STD PARM	0.9	0.8	1.3	1.0	0.8	0.4	2.0	2.4	1.2	1.3	2.2	1.2	0.2	1.1	2.6	1.5	0.9	1.1	0.6	1.5	

PAPER: 0851 WATL # 3.6 (Text for this exercise was not released)

DEADJ EFFECT	2.8	-0.8	-1.9	0.3	1.6	-1.6	-2.3	-0.3	3.2	0.3	1.0	0.9	-1.9	0.0	0.7	-1.8	-2.5	-1.9	-0.3	1.7	-3.6
STD PARM	1.2	1.0	0.6	1.0	0.5	0.5	0.5	0.8	1.0	2.8	1.5	1.4	0.6	0.6	0.2	1.3	0.9	0.7	0.7	0.8	0.5
BAL EFFECT	2.1	0.3	-1.6	-0.8	1.6	-1.6	-1.1	-0.5	-0.5	2.8	0.1	0.6	0.6	-1.5	-0.3	2.2	-1.4	-2.6	-1.9	-0.2	1.7
STD PARM	1.1	0.6	0.9	0.9	0.5	0.5	0.9	1.1	2.3	1.6	1.2	1.4	0.8	0.3	1.4	1.2	0.8	0.8	0.7	0.6	

OBJECTIVE: Possess the ability and skills needed to engage in the processes of science.

PAPER: 0852 WATL # 73.1 (Text for this exercise was not released)

DEADJ EFFECT	8.0	-9.0	-8.0	3.8	7.0	-7.3	-5.0	-6.5	1.3	0.5	8.0	-3.2	-1.6	3.7	-35.7	8.9	-11.1	-8.4	-2.5	7.4	-0.5
STD PARM	3.8	5.7	3.5	2.1	3.2	3.2	7.9	5.5	6.4	6.0	3.7	8.8	5.0	1.9	5.7	8.1	11.1	5.8	3.6	2.9	12.8
BAL EFFECT	6.8	-1.5	-0.8	1.0	5.8	-6.1	0.0	6.5	-5.1	0.6	5.8	-5.3	-1.1	3.2	-33.8	13.8	-9.3	-5.8	-2.7	6.3	-7.1
STD PARM	6.7	5.8	3.2	3.1	2.5	2.8	18.6	6.0	5.5	5.0	3.6	4.0	6.1	0.9	5.9	9.8	16.8	5.3	3.5	2.8	11.3

PAPER: 0853 WATL # 65.0 (Text for this exercise was not released)

DEADJ EFFECT	-8.1	1.2	0.2	0.6	3.3	-2.7	-25.6	-6.5	16.8	-3.6	-0.4	9.9	-6.5	2.9	-17.0	-16.4	-39.5	-19.2	4.8	18.6	-39.7
STD PARM	3.1	3.9	3.1	2.7	1.6	1.7	6.0	10.6	5.0	6.3	6.4	3.0	3.3	0.9	5.0	6.8	6.9	3.7	2.1	1.8	6.8
BAL EFFECT	1.6	-1.6	1.0	-1.7	1.6	-1.5	-16.7	0.9	13.0	-2.9	6.6	-5.5	1.6	-10.9	-5.6	-32.1	-15.4	4.9	12.2	-40.1	1.7
STD PARM	2.3	3.8	2.7	2.1	1.3	1.3	9.8	8.7	3.6	3.7	3.5	2.9	2.8	0.8	5.7	6.2	6.6	3.2	1.9	1.8	7.7

PAPER: 0854 WATL # 68.1 (Text for this exercise was not released)

DEADJ EFFECT	-6.0	-6.6	-0.1	9.5	5.8	-5.6	-18.6	-2.3	7.7	-2.5	1.7	8.9	8.8	5.1	-27.9	-98.5	-23.5	-13.3	-2.8	12.3	-18.8
STD PARM	3.8	4.7	3.7	2.9	2.2	2.2	7.6	5.3	5.3	5.3	3.8	6.2	1.0	5.8	7.3	9.4	5.6	3.5	2.3	16.8	
BAL EFFECT	-5.8	-2.9	-1.0	6.9	5.1	-8.9	-8.9	-0.9	2.4	-6.6	-1.2	7.0	6.1	3.3	-15.8	-38.1	-9.9	-8.2	-6.7	8.7	-19.2
STD PARM	3.2	4.6	3.3	2.7	2.1	2.2	7.3	8.1	5.0	5.8	4.0	3.8	1.1	7.3	6.0	8.5	5.8	3.8	2.3	19.9	

REGION	SEX	SIZE AND TYPE OF COMMUNITY					COLOR					HIGH SCHOOL EDUCATION	
		NON METROPOLITAN CITY	INNER SUBURBAN CITY	MEDIUM SUBURBAN CITY	URBAN PRINCIPAL CITY	SMALL URBAN CITY	NON BLACK	BLACK	OTHER	NONE	SOME	GRADUATED	POST
<b>EVR: 0855 NATL X 62.7</b> (Test for this exercise was not released)													
UNADJ EFFECT	6.0	-9.9	3.5	-1.4	2.9	-2.2	-1.9	-11.1	10.5	5.7	3.8	-8.1	5.6
STD ERROR	2.7	3.6	2.6	2.9	1.6	6.4	6.7	5.5	3.2	2.8	3.3	2.8	1.8
BAL EFFECT	8.3	-8.8	-1.6	-2.1	1.5	-1.4	7.1	-2.8	6.6	1.1	1.9	6.6	8.9
STD ERROR	2.3	3.5	2.5	2.6	1.5	1.4	6.0	5.9	3.1	2.5	3.1	1.1	2.2
<b>EVR: 0856 NATL X 60.1</b> (Test for this exercise was not released)													
UNADJ EFFECT	1.1	-9.5	1.1	5.1	1.6	-1.5	-10.5	-17.9	8.9	-8.3	3.3	6.2	4.1
STD ERROR	3.3	5.4	3.2	2.7	2.0	2.0	6.5	6.6	6.8	6.7	6.6	6.5	18.0
BAL EFFECT	5.7	-5.7	0.1	3.7	1.3	-3.0	-7.0	-5.8	5.8	5.8	5.0	5.8	-16.7
STD ERROR	3.6	5.5	3.3	3.4	2.2	2.1	6.7	6.4	6.3	6.5	5.1	4.9	2.1
<b>EVR: 0857 NATL X 55.6</b> (Test for this exercise was not released)													
UNADJ EFFECT	-1.7	-7.3	1.3	6.7	1.8	-1.0	-20.6	-17.8	10.6	-9.8	7.6	1.6	-2.8
STD ERROR	3.8	3.2	2.8	2.8	1.9	1.8	9.2	7.2	5.6	2.9	3.7	3.0	6.3
BAL EFFECT	-2.9	-1.6	-0.6	4.8	0.4	-0.4	-16.9	-7.6	7.4	-0.5	6.5	2.3	-2.3
STD ERROR	3.0	3.3	3.2	2.6	1.6	1.5	9.0	9.6	5.4	2.7	3.7	3.6	0.7
<b>EVR: 0858 NATL X 49.5</b> (Test for this exercise was not released)													
UNADJ EFFECT	2.7	-11.0	0.4	5.9	5.7	-3.9	-2.2	-0.5	0.4	-5.4	6.4	3.9	-1.7
STD ERROR	3.8	3.3	2.2	2.2	1.5	1.2	5.0	6.0	5.0	3.4	3.9	3.7	1.7
BAL EFFECT	1.3	-6.9	-0.6	5.2	3.8	-3.1	-0.1	-2.1	-6.0	6.0	1.7	2.8	2.7
STD ERROR	3.1	3.5	2.0	2.6	1.4	1.1	5.2	3.6	8.8	3.3	3.1	3.8	1.0
<b>EVR: 0859 NATL X 38.9</b> (Test for this exercise was not released)													
UNADJ EFFECT	6.5	-6.4	6.9	6.6	8.7	-9.2	-9.9	-18.8	0.1	2.8	6.6	2.1	1.2
STD ERROR	4.5	4.7	4.1	4.7	1.8	2.7	6.5	5.7	7.6	6.6	6.5	6.8	-18.6
BAL EFFECT	2.1	-3.0	-6.1	5.4	8.2	-8.7	-6.9	-13.6	-3.8	2.6	1.6	0.9	-15.9
STD ERROR	4.6	5.6	3.7	8.5	2.3	2.6	7.5	6.9	7.0	6.5	6.3	6.1	5.5
<b>EVR: 0860 NATL X 30.1</b> (Test for this exercise was not released)													
UNADJ EFFECT	4.5	-6.4	6.7	6.7	6.7	-1.7	0.8	1.0	-1.1	0.9	1.7	-1.5	2.7
STD ERROR	4.1	3.6	3.6	3.9	2.1	2.1	6.4	5.2	6.7	4.5	5.6	5.3	5.6
BAL EFFECT	-3.9	0.5	-0.5	4.2	0.8	-0.8	7.0	6.0	-3.9	-0.9	-1.1	-1.6	-7.9
STD ERROR	3.9	3.8	3.5	4.1	2.2	2.1	5.8	5.8	6.5	4.3	6.1	6.4	5.7
<b>EVR: 0861 NATL X 29.2</b> (Test for this exercise was not released)													
UNADJ EFFECT	10.9	-15.5	-3.2	6.8	7.8	-7.8	-16.7	-7.3	11.2	0.4	-0.8	4.2	1.3
STD ERROR	5.6	3.5	3.3	6.6	2.3	2.9	6.6	5.7	9.8	5.2	5.1	6.2	0.7
BAL EFFECT	9.2	-11.4	-3.1	3.9	5.8	-6.1	-7.2	1.7	3.2	-1.8	-1.6	5.8	2.1
STD ERROR	5.8	3.9	3.2	6.5	2.1	2.2	8.1	5.1	9.4	5.1	4.2	4.8	0.5

EER: 0862 NATL § 25.4 (Text for this exercise was not released)

UNADJ EFFECT	3.8	0.8	2.3	-6.7	2.6	-2.9	-1.4	1.1	-7.8	3.3	-1.0	-0.5	0.3	9.5	-10.1	3.7	3.8	-1.3	-8.4
STD PARM	3.9	0.5	3.2	3.1	2.1	5.9	5.8	6.1	3.7	3.3	0.7	0.8	0.0	11.5	5.4	5.3	3.5	2.2	12.5
BAL EFFECT	2.9	0.6	2.8	-6.9	3.1	-3.2	-1.2	3.6	-5.8	3.0	1.8	-1.6	-1.0	2.7	18.9	-10.3	2.9	-0.5	-7.9
STD ERROR	8.0	8.6	3.8	3.1	1.9	2.0	7.2	5.7	6.3	3.8	8.2	3.2	8.0	0.8	11.8	5.5	5.6	3.5	2.8

EER: 0863 NATL § 26.8 (Text for this exercise was not released)

UNADJ EFFECT	1.5	-9.8	1.6	8.3	0.6	-0.6	-8.0	-9.8	5.1	1.9	-0.1	-0.6	8.9	1.6	-12.7	0.4	-5.0	-13.7	-3.9	9.4	-26.6
STD PARM	3.8	3.5	3.3	3.7	1.9	1.9	8.5	5.0	6.8	8.8	4.6	5.3	0.9	4.3	21.6	11.1	3.9	2.3	2.4	2.1	
BAL EFFECT	1.6	-7.9	1.0	3.8	0.7	-0.6	-2.7	-5.8	1.3	-1.6	-1.6	5.9	0.2	-2.9	5.0	-2.0	-12.7	-3.6	8.5	-21.2	
STD PARM	3.5	8.3	3.8	8.2	1.9	1.9	8.0	5.8	7.2	5.0	8.9	4.5	0.9	5.1	22.2	9.7	3.9	2.3	2.3	6.0	

EER: 0864 NATL § 222.0 (Text for this exercise was not released)

UNADJ EFFECT	3.3	-3.8	-1.6	1.5	11.8	-9.8	1.2	-2.5	5.7	-0.8	-0.9	-0.0	-2.0	1.5	-0.6	-6.2	-13.8	-9.8	2.1	5.1	-10.0
STD PARM	2.8	2.0	2.4	2.5	1.5	1.1	6.8	6.8	5.4	5.1	2.7	2.9	2.8	0.5	5.2	2.5	1.7	1.7	1.3	5.4	
BAL EFFECT	2.5	-0.8	-1.9	0.2	1.1	-9.6	3.4	2.4	2.4	-2.1	-0.8	0.8	1.1	-5.1	6.1	-13.3	-7.7	1.1	6.8	-6.9	
STD PARM	2.2	1.8	2.3	2.5	1.8	1.1	3.6	2.2	3.7	3.6	2.5	2.7	2.8	0.5	5.6	3.1	1.7	1.6	1.3	8.6	

EER: 0865 NATL § 20.6 (Text for this exercise was not released)

UNADJ EFFECT	2.3	-8.4	3.1	-2.1	2.5	-2.2	-3.8	-8.7	0.1	11.1	-1.0	-1.3	-0.2	0.7	-3.8	-0.5	-10.8	-0.8	-0.5	2.6	11.9
STD PARM	2.6	2.5	2.1	1.7	1.3	1.1	4.9	2.2	3.2	5.3	1.9	2.4	2.9	0.5	5.3	7.8	2.7	1.7	1.3	9.6	
BAL EFFECT	2.2	-2.9	3.2	-3.8	2.0	-1.8	-2.2	-8.0	-1.8	10.6	-2.3	-0.9	0.5	0.3	-2.1	1.1	-9.6	-0.2	-0.6	2.8	13.1
STD PARM	2.5	2.5	2.2	1.8	1.2	1.1	5.8	2.6	3.0	5.1	2.0	2.3	2.8	0.6	5.0	3.0	2.6	1.8	1.8	9.6	

OBJECTIVE: Understand the investigative nature of science.

EER: 0866 NATL § 30.9 (Text for this exercise was not released)

UNADJ EFFECT	6.1	-6.9	-1.1	3.6	1.8	-1.8	-11.8	-10.8	26.2	3.6	-1.6	3.0	-8.2	3.0	-6.7	-1.7	-11.5	-18.6	-1.8	10.8	-15.8
STD PARM	2.2	2.1	2.3	3.8	1.6	1.6	6.0	6.0	6.0	6.0	2.5	2.5	3.7	0.8	2.3	5.7	6.7	2.2	2.0	5.0	
BAL EFFECT	4.2	-5.3	-0.6	1.6	0.7	-0.7	-7.9	-4.2	20.2	-5.1	2.0	-5.1	2.0	-1.8	1.8	-8.9	-10.7	-0.7	0.0	7.3	-12.7
STD PARM	2.1	2.3	2.8	2.3	1.8	1.4	3.9	8.0	8.6	3.6	2.7	2.4	3.5	0.7	2.9	8.8	8.3	2.3	1.9	5.0	

EER: 0867 NATL § 18.5 (Text for this exercise was not released)

UNADJ EFFECT	0.3	2.6	-0.1	-1.9	1.5	-1.3	-10.6	8.1	6.5	-3.2	3.5	1.9	-8.0	0.9	-3.0	-9.1	2.6	-2.5	-2.1	1.8	1.3
STD PARM	2.2	2.2	2.6	1.9	2.1	1.8	1.8	2.8	6.3	4.0	2.2	4.3	2.8	0.5	2.8	3.5	5.6	3.4	3.3	8.3	
BAL EFFECT	-1.6	3.8	0.8	-2.0	1.5	-1.8	-1.8	-1.8	5.9	-2.1	3.7	1.4	-6.2	0.9	-3.7	-6.8	1.3	-0.8	-2.3	0.9	3.3
STD PARM	2.2	2.8	2.2	2.0	1.6	1.6	3.0	6.3	4.2	2.2	4.3	2.6	0.6	4.3	3.6	5.8	3.0	1.9	7.9		

EER: 0868 NATL § 4.9 (Text for this exercise was not released)

UNADJ EFFECT	2.7	-1.8	-1.0	-0.6	0.4	-0.8	-1.8	-1.5	7.6	-1.2	1.5	1.4	-2.9	0.3	-0.8	-4.0	-3.9	-3.8	-2.3	3.7	5.0
STD PARM	2.8	1.5	1.6	1.4	1.1	1.0	2.0	1.8	6.0	1.7	1.5	2.3	1.3	0.3	1.8	-2.3	1.2	1.2	1.4	5.1	
BAL EFFECT	2.1	-0.7	-0.5	-1.2	0.1	-0.1	0.1	-0.1	6.0	-1.2	-1.1	0.6	-2.3	0.1	0.5	-2.7	-3.9	-3.0	-2.0	3.2	5.8
STD PARM	2.2	1.8	1.5	1.6	0.9	0.9	1.7	1.7	5.3	1.8	1.3	2.3	1.2	0.2	1.6	1.3	1.7	0.8	1.0	5.0	

REGION	SEX	SIZE AND TYPE OF COMMUNITY						NON BLACK	BLACK	OTHER	COLOR	HIGH SCHOOL EDUCATION
		EXTREME CITY	MEDIUM CITY	URBAN SUBURB	URBAN PRINCETON	URBAN CITY	SMALL CITY					
<b>OBJECTIVE:</b> Have attitudes about and appreciation of scientists, science, and the consequences of science that stem from adequate understandings.												
PPR: R460 NATL & 9.4	(Text for this exercise was not released)											
UNADJ EXPECT	2.8	-0.9	-1.5	-0.3	3.5	-3.5	-6.1	3.0	2.1	3.3	-1.0	-0.3
STD ERROR	1.6	1.6	1.3	1.3	1.0	1.8	1.2	4.0	2.4	2.1	1.5	0.3
BAL EXPECT	1.8	0.3	-0.8	-1.1	1.7	-3.7	-3.0	-0.0	1.3	0.3	-0.1	0.5
STD ERROR	1.5	1.6	1.3	1.3	0.9	2.3	1.5	4.0	2.5	2.1	0.4	1.8
<b>PPR: R470 NATL &amp; 5.4</b>												
UNADJ EXPECT	1.7	0.6	-0.9	-0.6	2.6	-2.8	3.1	8.7	0.7	-1.3	-1.6	-0.3
STD ERROR	2.5	1.0	1.0	1.3	0.9	0.8	1.7	7.0	2.3	1.1	0.9	0.3
BAL EXPECT	0.6	1.3	-1.1	-0.3	2.5	-2.3	3.0	9.5	0.4	-0.9	-2.4	-0.3
STD ERROR	1.6	0.9	1.0	1.3	0.8	0.7	1.7	7.3	2.5	1.1	0.0	0.5
<b>PPR: R480 NATL &amp; 9.1</b>												
UNADJ EXPECT	2.4	-6.1	-0.8	2.3	1.0	-1.0	-5.7	2.1	-6.7	4.3	0.9	-5.7
STD ERROR	0.9	2.2	1.8	1.1	0.9	0.8	2.0	3.7	1.4	4.2	0.8	8.3
BAL EXPECT	2.5	-2.8	-2.4	1.9	0.6	-0.8	-1.1	0.6	-0.3	-5.1	3.6	1.4
STD ERROR	1.0	1.5	1.3	1.2	0.8	0.7	2.0	3.6	1.7	3.5	1.0	1.9
<b>PPR: R490 NATL &amp; 95.3</b>												
UNADJ EXPECT	2.4	-6.1	-0.8	2.3	1.0	-1.0	-5.7	2.1	-6.7	4.3	0.9	-5.7
STD ERROR	0.9	2.2	1.8	1.1	0.9	0.8	2.0	3.7	1.4	4.2	0.8	8.3
BAL EXPECT	2.5	-2.8	-2.4	1.9	0.6	-0.8	-1.1	0.6	-0.3	-5.1	3.6	1.4
STD ERROR	1.0	1.5	1.3	1.2	0.8	0.7	2.0	3.6	1.7	3.5	1.0	1.9
<b>PPR: R500 NATL &amp; 91.3</b>												
UNADJ EXPECT	1.0	-8.1	1.6	3.2	-1.8	1.6	-6.0	19.5	8.3	-2.0	1.6	-1.0
STD ERROR	1.6	3.0	1.7	1.5	1.1	0.9	8.7	5.6	1.1	3.5	1.9	2.2
BAL EXPECT	-0.3	-4.5	1.0	2.8	-1.8	1.7	-8.8	-3.2	5.6	0.3	-0.3	-1.4
STD ERROR	1.8	2.8	1.5	1.4	1.0	0.9	8.3	5.9	1.3	3.4	1.8	2.2
<b>PPR: R510 NATL &amp; 91.3</b>												
UNADJ EXPECT	1.0	-8.1	1.6	3.2	-1.8	1.6	-6.0	19.5	8.3	-2.0	1.6	-1.0
STD ERROR	1.6	3.0	1.7	1.5	1.1	0.9	8.7	5.6	1.1	3.5	1.9	2.2
BAL EXPECT	-0.3	-4.5	1.0	2.8	-1.8	1.7	-8.8	-3.2	5.6	0.3	-0.3	-1.4
STD ERROR	1.8	2.8	1.5	1.4	1.0	0.9	8.3	5.9	1.3	3.4	1.8	2.2
<b>PPR: R520 NATL &amp; 94.7</b>												
UNADJ EXPECT	1.0	-8.1	1.6	3.2	-1.8	1.6	-6.0	19.5	8.3	-2.0	1.6	-1.0
STD ERROR	1.6	3.0	1.7	1.5	1.1	0.9	8.7	5.6	1.1	3.5	1.9	2.2
BAL EXPECT	-0.3	-4.5	1.0	2.8	-1.8	1.7	-8.8	-3.2	5.6	0.3	-0.3	-1.4
STD ERROR	1.8	2.8	1.5	1.4	1.0	0.9	8.3	5.9	1.3	3.4	1.8	2.2
<b>PPR: R530 NATL &amp; 70.7</b>												
UNADJ EXPECT	-1.3	-8.4	0.6	7.5	8.9	-4.5	-19.8	5.5	-5.1	0.7	8.3	-2.7
STD ERROR	2.2	3.6	2.1	2.0	1.9	2.0	5.4	5.8	2.8	3.1	2.1	3.3
BAL EXPECT	-1.6	-3.8	-1.5	7.2	6.0	-3.6	-8.6	-3.9	1.3	-8.8	-2.9	-1.1
STD ERROR	2.0	3.3	1.9	2.0	1.9	1.2	5.1	6.1	2.8	2.9	1.6	2.8
<b>PPR: R540 NATL &amp; 70.7</b>												
UNADJ EXPECT	1.7	-13.1	2.6	9.8	-2.0	1.9	2.9	-17.6	11.8	0.3	1.7	-7.5
STD ERROR	3.5	3.7	2.8	3.1	1.9	1.8	8.5	6.3	2.9	4.8	0.6	5.1
BAL EXPECT	1.8	-10.3	1.8	3.9	-2.9	2.7	5.4	-9.8	6.6	2.2	-0.7	-7.2
STD ERROR	3.1	4.0	2.4	2.9	2.0	1.9	8.2	6.3	3.0	4.4	0.6	5.0

EXER: R405 NATL # 70.5 Sterilizing an adult human male by "tying off" his main sperm ducts will not impair his health.

UNADJ EFFECT	-5.1	-7.7	10.0	-1.9	-2.2	1.9	-9.5	-26.4	19.4	-12.0	9.4	1.0	-3.7	6.9	-35.9	-17.1	-16.2	0.1	15.4	
STD ERROR	8.0	8.3	2.8	8.2	2.5	2.0	5.2	8.7	3.9	7.8	3.4	3.9	8.6	1.3	5.9	12.6	3.5	8.8	2.8	
BAL EFFECT	-6.0	-2.8	7.2	-1.3	-2.7	2.3	-8.8	-5.6	11.8	-7.1	1.1	2.3	-2.7	5.0	-26.1	-12.2	-11.3	0.6	11.8	
STD ERROR	3.4	5.3	2.7	3.6	2.2	1.8	5.7	7.9	3.8	8.8	3.3	3.5	8.0	1.2	6.0	11.5	3.3	2.6	3.1	
EXER: R406 NATL # 69.6 Adrenalin acts as a stimulant to the heart.																				
UNADJ EFFECT	3.2	-10.6	-2.0	7.6	-2.6	2.8	-23.5	-20.7	18.3	-7.2	7.2	0.9	-8.2	5.5	-33.2	-36.8	-19.3	-6.7	9.2	
STD ERROR	3.7	8.8	3.2	3.9	2.0	1.8	6.3	7.6	3.9	7.1	3.6	3.4	8.4	1.0	6.1	11.8	3.6	8.4	3.1	
BAL EFFECT	2.7	-8.8	-8.1	6.2	-1.9	1.7	-19.1	-1.8	8.3	-6.5	2.0	2.1	-3.9	8.4	-26.8	-27.8	-12.8	1.0	6.2	
STD ERROR	2.9	8.3	3.1	3.8	1.9	1.7	5.9	6.9	3.5	7.1	4.0	3.1	8.4	1.0	6.2	13.1	3.6	8.1	3.0	
EXER: R407 NATL # 68.1 In mammals sperm is produced by the testes.																				
UNADJ EFFECT	8.7	-5.9	1.7	-1.8	-1.5	1.3	-2.6	-25.9	22.0	-18.5	9.7	-3.8	-4.5	5.0	-34.1	-16.1	-17.0	-1.6	7.5	
STD ERROR	8.5	5.5	3.2	8.5	2.0	1.8	6.5	5.9	3.0	7.7	3.3	8.5	8.4	0.9	8.2	9.7	3.1	3.7	3.0	
BAL EFFECT	0.8	0.3	2.2	-3.7	-1.8	1.3	2.8	-15.8	18.8	-13.6	8.1	-1.3	-1.9	2.3	-18.5	-2.2	-18.4	-0.3	6.0	
STD ERROR	2.8	8.4	2.8	3.8	1.9	1.8	5.3	5.1	3.2	7.7	3.3	8.1	8.4	0.8	8.7	9.0	3.0	3.3	3.0	
EXER: R408 NATL # 69.3 The purpose of a fuse in an electrical circuit is to prevent possible damage to the circuit.																				
UNADJ EFFECT	-1.2	-3.7	-0.5	5.3	16.7	-15.5	9.3	-11.2	-0.9	-1.5	-0.3	-1.0	8.4	2.8	-21.8	-3.0	-3.9	-1.4	0.1	
STD ERROR	3.1	3.3	2.9	3.5	2.1	2.1	5.7	7.8	6.8	5.8	3.2	2.8	3.9	0.8	5.1	12.1	3.2	3.4	3.8	
BAL EFFECT	2.3	-0.6	-2.6	1.7	16.9	-15.8	7.2	-3.5	-1.5	-1.8	-2.9	1.3	8.0	2.9	-20.1	-8.5	0.6	-1.0	-3.7	
STD ERROR	2.9	3.1	2.3	3.3	2.0	1.9	5.0	8.1	6.4	5.1	3.5	2.8	3.3	0.9	6.1	9.0	3.3	3.6	3.3	
EXER: R409 NATL # 62.5 The idea of natural selection is usually associated with Darwin's theory of evolution.																				
UNADJ EFFECT	5.1	-13.7	0.1	8.6	2.0	-1.8	-30.7	-25.8	21.0	-2.5	9.3	-2.2	-12.0	8.2	-31.3	-11.5	-13.0	-10.6	7.8	
STD ERROR	8.9	4.8	6.3	2.0	1.8	5.6	7.0	3.6	7.9	3.3	6.6	8.5	0.9	5.6	15.2	8.3	8.9	3.6	7.5	
BAL EFFECT	2.1	-0.2	-0.8	1.3	2.2	-1.9	-28.1	-9.7	12.1	-1.8	6.0	-0.3	-10.1	2.3	-19.2	-3.0	-9.8	-11.8	5.2	
STD ERROR	3.8	4.3	4.0	3.3	1.9	1.8	5.3	6.7	3.9	7.8	3.8	6.4	6.3	0.9	5.7	15.0	8.5	8.9	3.9	
EXER: R410 NATL # 62.1 An electric current in a copper wire involves the movement of electrons.																				
UNADJ EFFECT	5.8	0.1	-3.2	13.4	-12.2	-8.2	-8.8	11.5	-7.8	1.6	0.1	-3.8	0.4	1.8	-16.1	-3.3	-3.9	7.2	1.8	
STD ERROR	8.7	6.6	6.2	8.1	2.5	6.0	6.6	5.6	7.3	8.9	8.6	8.2	0.9	6.0	8.6	3.1	5.8	3.1	6.2	
BAL EFFECT	5.5	0.8	-3.2	13.3	-12.3	-0.2	6.9	-6.8	8.0	-9.6	2.1	1.5	-8.0	0.5	-5.6	2.2	-0.1	7.2	9.5	
STD ERROR	8.6	5.6	4.1	8.3	2.3	6.1	7.1	5.9	7.4	4.8	6.7	8.6	0.6	6.3	10.3	3.0	4.9	3.5	7.3	
EXER: R411 NATL # 62.0 Flower seeds develop from the ovules rather than leaves, petals, or stems.																				
UNADJ EFFECT	0.6	-8.9	1.5	8.4	1.9	-1.7	-5.1	-26.4	18.5	-11.8	8.3	-7.8	-8.9	8.1	-26.1	-18.6	-17.9	-0.6	6.2	
STD ERROR	8.9	6.5	1.9	5.0	2.8	2.2	6.9	6.9	5.1	7.0	8.7	5.8	3.9	1.0	5.3	16.9	3.9	8.6	3.2	
BAL EFFECT	0.5	-5.3	0.3	3.2	0.3	-0.2	-0.8	-15.8	9.0	-8.8	8.1	-5.8	0.3	2.8	-13.8	-12.3	-18.8	2.9	15.8	
STD ERROR	3.6	6.1	3.5	4.3	1.9	1.7	6.5	5.9	8.8	8.2	5.3	3.5	0.9	0.8	8.8	16.3	3.9	6.7	3.8	
EXER: R412 NATL # 60.0 Physical rejection of a transplanted organ is least likely if the donor is an identical twin.																				
UNADJ PPFCF	8.0	-11.5	0.5	3.6	-1.6	1.8	-15.5	-19.2	18.3	2.8	2.7	-2.5	-3.7	6.8	-32.7	-6.8	-5.5	7.2	19.3	
STD ERROR	8.7	5.2	3.1	8.3	2.3	2.0	6.0	5.9	5.2	9.8	3.7	8.0	8.6	0.8	5.5	18.6	8.1	5.6	2.8	
BAL EFFECT	1.3	-3.3	-0.1	1.1	-1.4	1.2	-13.9	-1.1	6.8	3.9	0.5	-1.3	-2.8	3.0	-24.3	-0.3	-11.3	-6.8	5.1	
STD ERROR	3.8	5.0	2.9	3.6	2.0	1.8	5.8	6.2	8.4	3.9	3.3	8.0	0.8	6.6	18.0	8.1	5.5	3.2	7.5	

REGION	SPX	SIZE AND TYPE OF COMMUNITY										COLOR	HIGH SCHOOL EDUCATION									
		EXTREME RURAL	INNER CITY	URBAN SUB	APP.	INNER CITY	URBAN SUB	APP.	INNER CITY	URBAN SUB	APP.	NON BLACK	BLACK	OTHER								
<b>ITEM: R413 NATL % 59.8</b>														Roat of the chemical energy expended in an automobile engine is not used to move the car but is changed to heat.								
UNBAL EFFECT	8.2	-6.8	0.1	-0.2	17.0	-15.6	-3.9	-6.6	5.0	0.3	-2.2	5.9	-3.7	2.8	-18.7	-20.3	-11.0	-1.1	7.0	9.1	-10.9	
STD ERROR	2.6	4.0	2.9	3.6	2.1	1.8	4.6	7.3	7.6	3.6	3.9	3.0	0.9	6.1	10.7	3.7	4.7	3.1	3.9	3.0	6.2	
BAL EFFECT	3.6	-8.5	0.7	-1.7	16.6	-15.2	-3.1	-1.6	0.9	2.9	-1.6	3.1	-1.8	2.0	-9.2	-17.5	-7.4	-2.2	8.0	8.0	-8.1	
STD ERROR	2.7	3.9	3.0	3.8	2.2	1.7	5.4	8.3	8.4	7.2	3.8	3.1	2.8	1.0	6.7	11.8	3.7	4.2	3.1	3.1	7.8	
<b>ITEM: R414 NATL % 56.9</b>														Salt carried by the rivers to the oceans comes from beneath the ground.								
UNBAL EFFECT	-2.7	-0.6	2.6	0.1	5.6	-8.9	5.5	-15.5	8.9	-2.0	-1.7	2.9	-2.1	2.2	-19.0	2.5	-6.8	-0.6	3.6	7.2	-16.8	
STD ERROR	3.5	4.3	3.3	3.9	2.4	2.2	5.6	6.3	5.5	6.8	4.2	3.6	4.4	0.8	5.8	9.0	2.8	4.3	4.4	3.5	3.5	
BAL EFFECT	-2.6	1.8	1.2	-0.1	5.0	-8.6	6.6	-8.9	0.8	-2.5	2.9	1.4	-16.5	8.5	-6.7	0.1	2.9	6.9	-13.4	6.9	-13.4	
STD ERROR	3.8	4.5	3.5	4.2	2.3	2.1	5.9	8.0	5.8	7.1	8.5	3.9	8.6	0.9	6.3	10.5	3.0	4.4	4.5	3.6	7.1	
<b>ITEM: R415 NATL % 55.3</b>														A boat travelling at 5 miles per hour down a river which flows at 5 miles per hour will take 60 minutes to go 10 miles downstream.								
UNBAL EFFECT	5.6	-8.4	3.1	-5.0	15.3	-13.7	-2.8	-17.6	20.0	-6.8	-1.3	-1.6	-6.4	3.8	-28.9	-7.6	-9.2	0.2	2.0	12.2	-23.9	
STD ERROR	4.9	3.9	3.8	8.9	2.1	2.2	6.7	8.5	8.0	7.1	8.1	8.8	8.7	0.8	8.5	15.9	6.0	4.1	8.1	3.7	7.2	
BAL EFFECT	4.1	-6.0	5.1	-9.6	15.6	-13.9	-2.3	-0.5	12.2	-9.9	-2.2	-1.3	-8.8	2.9	-22.6	-3.6	-6.9	2.5	-0.1	9.6	-19.1	
STD ERROR	3.6	6.1	3.2	3.8	2.1	2.1	6.5	8.7	8.4	6.7	3.8	8.3	8.8	0.8	5.3	11.5	3.8	4.4	3.6	3.7	8.6	
<b>ITEM: R416 NATL % 55.3</b>														The egg of the henan female is released about 18 days after maturation begins.								
UNBAL EFFECT	2.6	-6.0	-2.6	8.7	-6.6	6.2	-15.2	-23.0	12.0	-13.5	5.5	1.1	-2.9	5.8	-38.6	-18.8	1.8	-0.1	18.7	-35.7		
STD ERROR	2.9	3.5	3.1	3.3	1.9	1.8	6.8	5.1	8.9	8.2	3.3	6.1	6.7	1.1	8.5	8.6	3.7	4.9	3.8	3.3	7.5	
BAL EFFECT	2.1	-1.4	-0.8	5.8	-7.2	6.6	-9.8	-7.1	5.0	-6.8	2.8	2.0	-3.3	8.6	-25.3	-33.8	-9.1	3.0	-3.9	15.5	-28.9	
STD ERROR	2.7	3.3	3.2	3.6	1.8	1.7	5.4	6.6	4.2	7.8	3.3	3.6	8.6	1.3	8.9	14.5	3.7	4.7	3.4	3.1	9.0	
<b>ITEM: R417 NATL % 54.5</b>														Recognize that outlawing the use of insecticides does not help to increase the total amount of food available to the human race.								
UNBAL EFFECT	6.8	-3.5	-8.4	0.1	5.3	-8.8	-7.5	-32.0	17.2	-10.8	3.1	-3.9	3.3	5.3	-32.6	-38.8	-12.6	-3.5	1.0	18.4	-22.9	
STD ERROR	8.5	7.9	3.9	8.8	1.9	1.8	7.1	6.0	5.8	7.7	8.8	8.5	8.1	0.9	5.5	6.6	3.9	3.6	3.8	2.9	7.9	
BAL EFFECT	6.0	0.9	-0.2	-1.3	5.5	-8.9	-5.0	-15.0	9.4	-5.9	2.1	-0.4	3.4	3.8	-22.1	-30.6	-9.0	-0.9	0.0	13.2	-17.6	
STD ERROR	3.3	8.5	3.6	8.0	1.9	1.7	6.1	7.4	5.1	7.5	5.0	4.6	4.9	1.0	7.1	9.3	3.5	3.6	3.3	3.0	6.3	
<b>ITEM: R418 NATL % 51.5</b>														The longer a rock falls, the greater is its speed.								
UNBAL EFFECT	0.7	-2.0	0.0	0.7	-10.9	10.3	9.2	-1.9	-7.6	13.7	0.0	3.1	-6.8	-0.9	6.1	3.0	11.0	-17.1	-2.5	-1.2	5.4	
STD ERROR	3.9	8.0	8.0	5.2	2.1	2.1	7.5	5.2	6.8	1.6	1.3	5.8	6.0	5.8	-1.0	7.3	8.2	3.0	8.4	8.3	10.7	
BAL EFFECT	-0.1	-3.6	0.7	2.3	-11.2	10.3	11.7	-6.0	-8.0	16.1	1.3	-0.5	-0.4	-0.2	4.3	8.3	11.5	-17.5	-2.9	-1.2	6.1	
STD ERROR	3.5	8.4	3.7	5.2	2.2	2.2	7.6	7.5	8.9	7.3	5.3	3.7	5.1	-1.0	7.7	8.9	3.1	8.3	8.2	10.4		
<b>ITEM: R419 NATL % 49.1</b>														In hot water the molecules are moving faster than in cold water.								
UNBAL EFFECT	8.5	-7.6	-1.1	2.4	8.6	-8.0	-12.9	-5.9	18.7	-16.0	0.8	3.6	-3.1	8.4	-28.2	-20.2	-15.2	-5.7	3.0	25.1	-28.4	
STD ERROR	3.7	8.3	3.4	8.5	2.4	2.3	6.6	6.1	5.6	8.2	3.8	3.8	0.9	8.1	9.8	3.3	5.0	8.2	3.0	6.8		
BAL EFFECT	2.5	-3.2	-0.2	-0.1	8.2	-7.6	-8.6	8.2	-7.6	-9.5	-2.2	3.3	0.7	0.7	2.9	-18.7	-12.6	-11.8	-6.0	1.0	22.3	-27.7
STD ERROR	2.8	8.1	3.1	4.0	2.4	2.4	5.6	6.1	5.4	6.6	3.8	4.1	0.9	5.0	8.5	3.3	5.0	4.2	3.3	4.2	7.7	

PAPER: R420 NATL # 45.2 The function of the placenta in the pregnant human female is to carry nourishment to the baby.

UNADJ EPPCCT	13.1	-10.5	-5.9	1.5	-12.9	12.0	-10.6	-9.7	17.0	0.1	1.1	-0.9	-7.2	-0.0	-9.0	26.3	-8.2	9.5	-5.5	13.2	-27.0	
STD ERROR	4.0	3.6	3.8	2.3	2.0	7.8	7.8	6.9	6.9	5.1	5.1	0.8	5.2	7.9	0.8	5.2	7.9	0.8	5.2	3.6	6.1	6.1
BAL EPPCCT	10.8	-5.7	-5.2	-0.2	-12.8	11.9	-7.6	-0.8	7.3	0.1	0.8	-1.8	-3.0	-0.6	-4.6	-27.3	-10.2	27.3	-9.7	-2.5	11.3	-22.6
STD ERROR	3.4	3.6	3.2	4.3	1.9	1.8	6.9	7.9	6.9	5.3	3.8	8.7	3.1	0.9	5.8	11.2	2.6	0.7	3.5	3.6	5.1	5.1

PAPER: R421 NATL # 45.1 If a light easter has a tendency to be overlight, it is most likely due to highly efficient utilization of food by the body.

UNADJ EPPCCT	-3.7	-1.7	9.3	7.0	-6.8	1.1	-1.3	-6.8	13.3	-1.8	6.3	-5.3	0.6	-5.2	0.8	-1.8	-7.8	-1.8	3.8	6.6	-16.8
STD ERROR	6.7	6.3	3.2	2.3	2.0	6.0	6.2	8.7	7.8	6.3	6.1	3.5	0.6	8.9	11.9	3.7	6.3	6.3	6.3	6.3	6.7
BAL EPPCCT	-0.6	-2.1	7.6	7.2	-6.6	0.9	2.3	-12.0	12.9	-0.7	8.0	-8.9	0.3	-2.5	-0.9	-1.9	-7.9	-2.7	5.8	-19.9	-19.9
STD ERROR	6.3	3.9	2.9	4.8	2.0	1.8	5.9	6.2	7.3	7.9	8.2	3.3	0.7	5.8	11.7	3.4	4.4	4.5	4.6	4.6	6.3

PAPER: R422 NATL # 42.0 Most caves are formed by the action of underground water on limestone.

UNADJ EPPCCT	-0.0	-16.0	5.1	8.7	9.6	-8.8	-3.0	-11.7	8.2	-8.6	0.6	-2.2	1.9	1.9	-10.1	-28.3	-8.6	-9.8	9.0	11.6	-28.8
STD ERROR	6.7	6.1	3.6	8.7	2.6	2.5	7.1	5.2	5.3	5.6	8.9	0.0	8.6	0.8	6.2	7.2	3.9	5.4	6.0	3.0	3.0
BAL EPPCCT	0.6	-13.4	8.8	2.3	8.6	-7.9	-1.1	-5.7	1.0	-5.0	-0.3	0.3	8.6	0.3	1.6	-21.8	-5.1	-10.5	6.8	10.3	-23.7
STD ERROR	6.6	8.7	3.2	4.6	2.8	2.7	6.3	5.9	6.4	6.8	8.4	3.8	8.6	0.9	6.5	7.9	4.5	5.8	3.7	3.8	6.4

PAPER: R423 NATL # 61.9 The system of classifying plants and animals that is most commonly used in the biological sciences is based on structure.

UNADJ EPPCCT	2.5	-17.3	-0.8	10.4	9.7	-8.9	-11.1	-12.8	21.7	-0.7	-12.1	1.8	3.2	1.8	-12.2	2.1	-15.1	-5.0	-2.5	21.1	-18.1
STD ERROR	4.1	6.5	5.8	3.1	3.2	6.7	7.5	5.6	5.8	5.8	5.1	8.5	0.8	6.1	2.1	3.5	6.0	6.0	7.8	2.9	5.5
BAL EPPCCT	1.3	-13.3	2.5	4.6	7.7	-7.0	-9.7	-8.9	10.9	-2.1	-11.8	8.0	8.6	0.2	1.0	11.8	-12.6	-4.4	-1.7	17.4	-18.3
STD ERROR	3.5	3.7	3.5	4.7	2.5	2.5	5.6	8.3	8.3	8.8	8.2	8.8	8.1	0.6	5.8	12.0	3.4	3.3	3.0	3.0	4.9

PAPER: R424 NATL # 40.2 Bacteria do not play a key role in photosynthesis.

UNADJ EPPCCT	5.0	-2.0	-0.2	-8.3	0.5	-0.4	3.1	-12.6	27.8	-6.6	-8.5	-6.8	0.8	2.3	-10.5	-12.3	-9.1	-9.8	1.4	16.9	-14.9
STD ERROR	4.9	4.9	3.2	6.0	2.8	2.3	7.1	8.3	5.7	8.7	8.5	8.5	0.9	0.9	6.0	15.8	8.6	8.2	8.3	1.8	10.7
BAL EPPCCT	4.9	3.4	-0.6	-6.2	1.2	-1.1	8.6	-8.8	23.7	-2.3	-7.2	5.7	0.7	1.9	-0.9	-18.8	-5.5	-5.5	0.1	13.9	-13.1
STD ERROR	5.3	3.0	3.9	2.5	2.3	6.9	6.5	5.9	5.9	4.8	4.0	4.8	0.9	0.9	6.8	10.5	5.0	6.2	9.7	4.1	10.9

PAPER: R425 NATL # 38.9 The presence of an ocean fish fossil on a mountain outcrop is best explained by the hypothesis that the mountain was raised up after the fish had died.

UNADJ EPPCCT	-2.7	-3.5	-2.6	10.0	6.3	-5.8	-16.7	-16.9	5.3	1.8	6.1	5.9	-10.0	3.1	-23.3	-5.8	-18.6	0.2	2.2	13.2	-5.6
STD ERROR	3.2	1.6	3.1	8.1	2.1	2.0	6.5	7.7	5.1	7.3	8.8	3.8	0.7	5.5	12.3	3.3	4.9	5.1	5.0	9.0	20.6
BAL EPPCCT	-2.8	2.1	-5.1	8.9	7.8	-6.8	-16.0	-12.6	-1.2	2.2	5.3	6.2	-7.0	2.2	-19.1	8.5	-11.6	-0.5	0.9	11.7	-4.6
STD ERROR	3.2	1.8	3.1	4.5	1.8	6.5	7.3	5.0	7.5	8.8	3.1	3.6	0.8	5.7	10.0	3.4	4.6	4.8	5.1	8.1	12.4

PAPER: R426 NATL # 36.1 The solid, liquid, and gaseous states of water differ in the average speed with which their molecules are moving.

UNADJ EPPCCT	-1.1	-5.0	5.7	-2.6	7.6	-6.8	-8.9	-0.1	22.5	-18.0	2.8	5.8	-13.2	1.5	-9.3	5.8	-16.5	-0.8	0.9	20.6	-5.5
STD ERROR	6.1	4.1	3.3	4.6	2.8	8.6	7.8	7.9	6.0	9.2	4.5	3.8	1.0	5.3	13.5	2.6	8.6	5.0	6.1	12.5	
BAL EPPCCT	-0.6	-1.6	5.8	-5.8	8.6	-7.2	-9.7	5.8	16.2	-16.9	0.8	6.2	-9.2	0.5	-13.3	6.6	-13.3	-2.1	-1.6	19.1	
STD ERROR	3.6	3.6	3.2	4.8	2.4	2.0	5.9	7.0	5.8	9.8	8.4	3.8	3.2	0.9	8.9	2.5	5.7	6.9	6.0	12.4	

REGION	SEX	SIZE AND TYPE OF COMMUNITY					COLOR			HIGH SCHOOL EDUCATION					
		SMALL	MEDIUM	LARGE	URBAN	RURAL	URBAN	BLACK	BLACK	OTHER	NONE	SOME	GRADUATED	POST	UNKNOWN
EAST S.EAST CENTRAL WEST	MALE	-3.0	2.8	1.3	-1.2	-3.6	-0.8	15.9	-11.3	-0.6	-3.5	-8.2	2.8	-21.1	1.6
UNADJ. ERROR		2.0	-1.6	-3.0	2.7	2.3	2.1	6.9	6.9	3.8	3.5	3.7	0.9	35.8	-9.4
STD. ERROR		3.6	0.3	2.6	0.1	-3.6	-0.8	-2.3	6.5	-6.9	-2.5	-2.2	2.8	-19.6	-8.9
BAL. ERROR		1.6	2.9	-3.6	0.0	0.6	2.3	6.5	9.5	-6.9	-1.2	-0.8	0.8	-3.9	10.4
STD. ERROR		3.6	4.8	3.6	0.6	2.8	2.0	7.0	7.8	5.8	8.7	3.9	3.1	3.6	-8.8
(.)															7.5

FIGURE: #427 MATH # 35.4 In mammals the cerebrum is the center of memory and intelligence.

UNADJ. ERROR	2.0	-1.6	-3.0	2.7	2.3	2.1	6.9	6.9	-2.3	-0.6	-3.5	-8.2	2.8	-21.1	1.6
STD. ERROR	3.6	0.3	2.6	0.1	-3.6	-0.8	0.6	2.0	2.1	6.5	9.5	3.7	0.9	35.8	-9.4
BAL. ERROR	1.6	2.9	-3.6	0.0	0.6	2.3	6.5	9.5	-6.9	-1.2	-0.8	-2.5	2.8	-19.6	-8.9
STD. ERROR	3.6	4.8	3.6	0.6	2.8	2.0	7.0	7.8	5.8	8.7	3.9	3.1	3.6	-3.3	10.4
(.)															7.5

FIGURE: #428 MATH # 30.6 Recognize that if a man whose blood type is OA marries a woman whose blood type is OB, their offspring could not have AB blood type.

UNADJ. ERROR	-0.3	0.3	2.7	-3.9	5.3	-6.7	2.2	-1.7	0.8	-8.5	1.6	-2.5	1.3	1.1	-3.2	-17.9
STD. ERROR	3.6	3.6	3.6	3.9	2.0	1.8	5.9	5.9	6.5	6.8	3.7	3.6	0.8	5.6	-8.2	2.5
BAL. ERROR	-0.6	1.3	1.7	-3.7	5.0	-6.6	3.9	3.8	-6.0	-3.8	0.1	-1.2	1.1	0.6	-13.3	1.1
STD. ERROR	3.6	4.3	3.6	4.2	2.0	1.8	5.1	7.1	6.3	7.2	8.1	3.9	4.0	0.9	8.9	3.9
(.)																8.6

FIGURE: #429 MATH # 25.6 A table showing relations among all the chemical elements is called the periodic table.

UNADJ. ERROR	2.9	-11.6	-2.1	6.4	0.8	-8.0	-11.5	-3.8	26.6	0.2	-8.7	-0.1	-10.7	1.4	-7.8	-9.3
STD. ERROR	4.0	3.6	3.7	5.1	2.0	2.0	8.6	6.3	6.3	5.8	3.3	8.8	0.7	5.6	-8.3	1.1
BAL. ERROR	1.2	-7.6	-0.9	5.9	7.0	-6.9	-10.0	3.6	17.0	0.1	-7.3	1.9	-7.6	0.9	-15.6	0.6
STD. ERROR	3.0	2.8	3.1	3.8	1.8	3.6	7.5	5.3	6.8	3.0	8.4	3.1	1.0	6.5	7.6	2.5
(.)																5.8

FIGURE: #430 MATH # 22.3 If two light waves are travelling in a vacuum the wave with the higher frequency has the shorter wavelength.

UNADJ. ERROR	-0.3	-2.9	1.3	1.9	11.8	-10.8	-9.5	-2.8	13.3	-3.1	-8.8	3.0	-6.1	1.4	-12.3	2.9
STD. ERROR	2.6	2.8	3.4	1.9	2.1	3.9	6.0	6.4	6.4	6.1	2.9	2.7	0.5	3.9	1.8	-11.2
BAL. ERROR	-0.6	-0.3	1.5	1.1	-10.8	-10.9	7.1	7.1	-6.4	-6.4	3.2	3.6	1.0	6.8	-8.0	2.7
STD. ERROR	2.3	3.1	2.3	3.0	1.9	2.1	8.5	8.2	8.2	5.8	3.0	2.7	0.6	8.0	2.8	5.0
(.)																5.0

FIGURE: #431 MATH # 21.2 If the cells referred to were all in the same organism, the amount of DNA present would be identical in mature egg and sperm cells.

UNADJ. ERROR	1.0	2.9	-3.3	0.5	0.2	-0.2	-1.1	-13.5	9.8	1.1	-2.5	5.3	-8.6	1.2	-8.2	-8.9
STD. ERROR	2.6	2.5	2.0	0.0	2.0	1.8	6.8	6.5	8.0	1.8	-1.7	4.2	0.8	5.4	-5.4	-2.9
BAL. ERROR	0.3	6.9	-2.9	-1.0	0.7	-0.7	0.3	-10.0	8.0	3.6	3.1	3.6	0.8	5.4	3.1	4.2
STD. ERROR	2.4	3.6	2.8	3.8	1.8	1.6	6.8	9.2	9.3	9.3	2.9	2.9	0.8	5.4	3.1	4.2
(.)																5.8

FIGURE: #432 MATH # 16.0 Given that the atomic weight of titanium is 48, then the average mass of titanium atoms is about 4 times the mass of a carbon isotope of atomic mass 12.

UNADJ. ERROR	-0.1	1.3	-1.8	7.3	-6.2	-11.7	2.0	9.5	-6.1	3.3	0.8	-1.9	-0.1	-0.4	4.1	-16.0
STD. ERROR	3.3	6.6	3.2	9.0	2.1	1.8	2.9	6.8	5.3	5.5	3.3	1.3	0.9	6.6	2.3	2.3
BAL. ERROR	0.1	1.6	-3.5	8.0	-6.8	-12.3	8.1	8.1	6.7	6.1	2.7	1.8	-0.7	-2.6	14.7	14.7
STD. ERROR	3.4	4.4	2.9	4.2	2.0	1.7	2.9	7.4	6.7	5.9	4.8	3.0	1.0	5.1	2.3	3.0
(.)																3.0

FIGURE: #433 MATH # 15.1 The age of certain rocks and their fossils is determined by measuring the amounts of uranium and lead they contain.

UNADJ. ERROR	-0.6	-7.5	-1.6	9.9	-6.5	-10.6	5.3	6.9	3.6	-6.6	-7.2	-0.8	5.7	-6.1	-9.1	1.7
STD. ERROR	2.9	2.7	3.0	8.5	1.8	2.8	6.9	5.2	3.6	2.6	2.6	0.7	5.8	2.1	3.8	6.5
BAL. ERROR	-0.1	-3.8	-3.2	8.1	6.0	-5.6	2.8	0.5	6.2	-8.7	-1.9	-0.9	-6.2	-7.2	3.1	3.1
STD. ERROR	2.5	3.0	2.5	8.1	1.5	3.0	7.5	8.3	3.2	2.8	2.8	0.7	6.2	2.1	3.2	3.4
(.)																3.4

**TYPE: RATE % 3.0** Uranium-lead dating has been used to obtain accurate estimates of the age of the oldest known rock strata.

DRAFTS

possess the abilities and skills needed to engage in the processes of science.

卷之三

Find or sun are the most likely causes that paint on one side of a house does not last as long as the other.

卷之三

卷之三

WOMEN DIS

	WEIGHT	PERCENT	WEIGHT	PERCENT	WEIGHT	PERCENT	WEIGHT	PERCENT
STD PRACT	-2.3	-6.5	3.1	3.6	6.7	-6.3	5.8	-2.7
STD PRACT	6.1	8.1	2.8	2.6	2.2	2.0	6.5	7.3
STD PRACT	-3.5	0.1	2.6	5.6	5.4	-5.3	6.3	5.1
STD PRACT	6.1	8.1	2.8	2.6	2.1	2.1	6.3	6.3
STD PRACT	-6.4	8.1	3.9	2.6	2.3	2.1	6.3	6.3

affects the number of hawks and the amount of grass.

REGION	SPX	SIZE AND TYPE OF COMMUNITY						COLOR			HIGH SCHOOL EDUCATION		
		EXTREME RURAL	INNER CITY	MEDIUM SUBURB	PRINCIPAL CITY	SMALL CITY	NON BLACK	BLACK	OTHER	NONE	SOME	GRADUATED	POST UNKNOWN
EAST-SOUTH	WATL % 48.2	Time 10 swings of a pendulum.											
UNDJ EFFECT	-15.6	-8.7	9.0	3.5	-5.6	5.0	-9.7	-88.2	31.9	-6.3	15.6	17.2	-11.8
STD ERROR	7.9	6.6	6.4	6.2	3.7	3.5	5.2	3.6	9.3	10.5	10.9	1.6	7.5
BAL EFFECT	-17.8	8.5	6.0	-5.0	6.0	-11.5	-39.3	29.0	-1.9	16.1	16.0	-10.9	-23.0
STD ERROR	10.0	7.8	8.9	7.1	3.6	3.8	5.5	11.6	8.4	18.0	9.1	10.6	2.3
EPRN: R842	WATL % 38.6	Select the best line graph showing average normal height increases in children as a function of their age.											
UNDJ PPPECT	2.1	-3.9	-8.5	7.2	0.9	-0.6	2.5	-5.9	-1.6	-7.8	-1.9	5.9	1.6
STD ERROR	8.0	3.3	3.0	8.3	2.4	2.2	5.8	7.5	5.2	5.8	6.0	4.5	3.6
BAL PPPECT	3.3	-5.4	-6.2	9.3	1.1	-1.0	6.4	6.3	-8.9	-7.8	-6.6	8.2	3.4
STD PPPECT	3.8	3.6	2.9	3.9	2.2	2.0	5.8	7.8	5.4	6.2	3.4	8.3	3.4
EPRN: R843	WATL % 28.9	Realize that atoms are rarely destroyed so that carbon atoms in a piece of bread could have been part of a dinosaur's body in ages past.											
UNDJ PPPECT	-2.1	-1.6	1.1	2.4	10.1	-8.9	-8.5	-0.6	15.1	1.9	-2.6	-3.4	-6.0
STD PPPECT	3.8	5.3	5.0	8.0	2.0	2.4	2.1	5.0	5.1	6.9	7.0	3.8	4.6
BAL PPPECT	-8.0	0.8	1.6	2.0	9.1	-6.1	-1.6	8.4	9.2	9.6	-5.9	-1.5	-5.2
STD PPPECT	3.3	8.9	3.6	8.0	2.3	2.0	5.4	5.3	6.1	7.3	3.7	8.0	4.0
EPRN: R844	WATL % 28.5	Doubling the linear dimensions of a cube will increase the volume eight times.											
UNDJ PPPECT	9.7	-5.2	-5.0	-1.7	7.8	-7.1	-12.1	-10.9	9.0	3.6	2.8	-1.1	-8.3
STD PPPECT	8.0	8.0	5.6	5.6	2.0	2.0	0.7	0.7	5.4	6.4	3.9	0.6	3.6
BAL PPPECT	9.2	-2.6	-5.6	-2.8	7.6	-7.0	-9.2	-3.1	3.1	1.1	1.6	0.8	-1.1
STD PPPECT	3.7	8.2	3.3	8.9	1.9	1.9	8.5	6.9	6.7	7.0	3.3	3.7	3.5
EPRN: R845	WATL % 11.4	Determine the density of a wood block using a beam balance.											
UNDJ PPPECT	0.1	0.3	6.5	-10.0	4.2	-3.9	-3.7	-11.4	-10.4	-0.9	8.0	6.7	-9.0
STD PPPECT	8.1	8.5	8.5	2.9	2.8	2.7	2.9	2.6	2.6	5.1	6.8	5.0	3.2
BAL PPPECT	1.8	2.7	5.8	-10.2	5.3	-8.9	-4.3	-5.9	-9.6	2.6	10.7	8.0	10.7
STD PPPECT	3.9	8.9	8.2	8.4	2.5	2.3	3.9	7.0	10.5	5.5	7.1	8.3	6.6
OBJECTIVE:	Understand the investigative nature of science.												
EPRN: R846	WATL % 56.9	Recognize that repeated measures of the same object will usually yield similar results but not exactly the same.											
UNDJ PPPECT	3.2	0.7	-0.9	-3.4	6.1	-5.6	-9.5	-28.8	19.7	-17.0	-1.6	2.3	2.8
STD PPPECT	8.2	4.2	3.1	5.1	2.5	2.3	7.5	6.1	4.2	4.2	3.8	0.8	5.3
BAL PPPECT	2.8	3.7	-2.2	-3.2	5.2	-5.0	-10.2	-16.9	16.6	-18.1	-0.8	3.1	1.4
STD PPPECT	3.2	8.2	2.9	8.0	2.8	2.1	7.0	7.5	4.3	4.2	8.3	0.9	5.8
EPRN: R847	WATL % 43.3	Select a possible explanation for observations as the statement most likely to be called a theory.											
UNDJ PPPECT	-5.8	-7.8	5.6	7.0	8.0	-3.8	-8.0	-23.7	26.8	-9.3	15.2	-3.3	-12.8
STD PPPECT	4.0	5.3	3.1	3.8	2.9	2.5	6.0	4.8	6.8	8.1	4.0	3.3	1.6
BAL PPPECT	-6.6	-1.3	2.9	6.8	8.0	-1.8	-7.3	-1.8	16.8	-1.4	10.7	-2.1	-10.7
STD PPPECT	3.4	8.8	3.1	3.9	2.6	2.2	6.6	5.4	6.5	10.3	7.1	3.8	3.8
OBJECTIVE:	Have attitudes about and appreciation of scientists, science, and the consequences of science that stem from adequate understandings.												

TABLE: R949 RAVL # 78.9 Recognize that United States scientists are not ahead of scientists in other countries in every field of research.

GRAND EFFECT	1.8	-8.8	-1.3	6.0	2.8	-2.6	1.7	-9.3	17.5	-8.8	-2.3	-5.8	-2.6	2.1	-15.8	-7.5	-6.9	2.7	-2.6	13.6	-25.6
STD ERROR	2.2	8.1	2.8	3.1	1.9	1.8	6.9	5.5	2.5	6.1	8.1	3.3	2.9	0.7	5.8	11.1	3.2	3.6	2.6	8.9	
DAL EFFECT	1.9	-5.1	-0.8	2.8	1.5	-1.4	2.0	-3.1	11.1	-5.8	-2.6	-3.3	-0.2	1.2	-2.8	-4.1	3.6	-2.2	9.7	-32.3	
STD ERROR	2.1	3.7	2.7	2.8	1.8	1.7	9.7	5.2	3.1	6.3	3.5	3.9	2.9	0.7	8.8	13.0	3.0	4.0	3.8	9.2	
GRAND EFFECT	3.0	-3.3	3.5	1.9	1.5	-1.2	-9.8	-3.0	3.7	-20.0	6.3	6.3	3.2	3.5	0.9	4.9	9.5	-2.5	5.3	3.8	-7.9
STD ERROR	3.8	8.1	2.5	6.2	2.5	2.1	6.2	8.3	6.8	8.1	8.3	8.5	4.8	0.8	2.0	-9.0	-13.5	-2.0	-0.3	4.5	10.2
DAL EFFECT	1.9	-3.1	1.8	3.6	1.7	-1.4	-9.6	-2.3	1.9	-19.5	8.5	8.5	3.2	3.6	1.0	8.9	11.2	2.8	5.8	3.8	-8.8
STD ERROR	3.7	4.2	2.6	6.6	2.2	1.9	9.5	6.3	6.8	6.4	6.6	6.6	3.3	3.6	1.0	8.9	11.2	2.8	5.8	3.6	9.6

TABLE: R949 RAVL # 28.4 Frequency of watching television shows dealing with scientific topics.

GRAND EFFECT	-3.0	-3.3	3.5	1.9	1.5	-1.2	-9.8	-3.0	3.7	-20.0	6.3	6.3	3.2	3.5	0.9	4.9	9.5	-2.5	5.3	3.8	-7.9
STD ERROR	3.8	8.1	2.5	6.2	2.5	2.1	6.2	8.3	6.8	8.1	8.3	8.5	4.8	0.8	2.0	-9.0	-13.5	-2.0	-0.3	4.5	10.2
DAL EFFECT	1.9	-3.1	1.8	3.6	1.7	-1.4	-9.6	-2.3	1.9	-19.5	8.5	8.5	3.2	3.6	1.0	8.9	11.2	2.8	5.8	3.8	-8.8
STD ERROR	3.7	4.2	2.6	6.6	2.2	1.9	9.5	6.3	6.8	6.4	6.6	6.6	3.3	3.6	1.0	8.9	11.2	2.8	5.8	3.6	9.6

## OBJECTIVE: Know the fundamental facts and principles of science.

TABLE: U901 RAVL # 97.1 (Test for this exercise was not released)

GRAND EFFECT	-0.3	-0.8	1.6	-1.3	-0.4	0.7	-1.8	-6.3	2.6	-3.8	0.9	0.6	-0.1	1.2	-8.3	-18.4	-2.3	1.4	2.8	1.9	-12.3	
STD ERROR	1.0	1.2	0.7	1.1	0.6	0.6	1.8	3.5	0.7	3.6	0.9	0.8	1.2	0.8	2.8	7.0	1.0	1.3	0.6	0.7	5.1	
DAL EFFECT	-0.4	-0.7	1.3	-0.7	-0.8	0.7	-0.7	-2.7	1.5	-1.1	0.2	0.8	-0.2	1.0	0.9	-2.9	-16.0	-1.1	0.8	1.7	1.3	-11.3
STD ERROR	0.9	1.0	0.6	1.2	0.6	0.5	2.0	3.3	0.6	2.5	0.8	0.8	1.0	0.3	2.0	6.8	0.9	1.2	0.6	0.7	5.1	

TABLE: U902 RAVL # 95.8 (Test for this exercise was not released)

GRAND EFFECT	0.1	-2.7	1.0	0.8	1.2	-0.8	0.9	-6.1	8.0	-2.8	0.3	-0.1	-1.9	0.9	-1.6	-18.3	-0.8	-2.1	0.7	2.4	-5.2
STD ERROR	1.4	2.8	1.6	1.5	0.9	0.9	1.9	3.2	1.0	3.8	1.9	2.0	0.7	1.5	1.5	7.0	1.5	3.7	1.4	3.9	1.1
DAL EFFECT	-0.5	-3.1	0.9	1.9	0.8	-0.8	2.0	-2.6	2.8	-1.5	0.2	-0.2	-1.3	0.7	-0.1	-19.0	0.8	-2.9	0.0	1.7	-6.1
STD ERROR	1.4	2.3	1.4	1.7	1.0	0.9	1.9	3.9	0.8	2.9	1.8	1.9	2.0	0.5	3.9	7.0	1.3	3.6	1.5	1.0	6.2

TABLE: U903 RAVL # 91.2 (Test for this exercise was not released)

GRAND EFFECT	-0.3	-0.4	-0.3	1.0	0.8	1.2	-0.8	0.9	-6.1	8.0	-2.8	0.3	-0.1	-1.9	0.9	-1.6	-18.3	-0.8	-2.1	0.7	2.4	-5.2
STD ERROR	2.1	2.2	2.2	2.8	2.0	1.9	1.0	1.0	2.9	6.3	2.1	3.6	2.2	2.3	0.8	5.6	7.8	1.9	2.8	2.1	6.0	
DAL EFFECT	-1.3	0.0	0.1	1.8	1.0	0.6	-0.6	0.6	3.8	-16.9	3.7	-0.6	0.5	0.6	-0.5	0.9	-6.7	-1.8	2.9	0.6	1.9	-11.9
STD ERROR	1.9	2.3	2.4	2.0	1.1	1.1	1.0	1.0	3.1	6.3	2.5	4.0	2.1	2.2	0.8	5.6	7.7	1.7	2.3	2.1	7.0	

TABLE: U904 RAVL # 88.1 (Test for this exercise was not released)

GRAND EFFECT	1.3	-9.8	1.0	5.2	6.8	-6.2	-3.9	-10.0	8.5	1.8	-1.7	-3.8	1.9	2.8	-19.8	-8.3	-11.0	3.2	5.1	8.0	-29.2	
STD ERROR	1.7	3.3	2.1	1.7	1.3	1.2	0.9	5.8	1.7	3.8	2.5	2.6	2.1	2.3	0.7	5.3	8.0	1.8	1.9	1.6	10.1	
DAL EFFECT	1.1	-5.8	-0.8	3.8	6.0	-3.7	-3.1	0.6	2.3	6.8	-3.0	-1.8	3.3	2.2	0.7	13.6	-8.0	-8.0	2.9	3.7	6.1	-26.6
STD ERROR	1.6	3.4	2.1	1.9	1.2	1.1	0.2	5.1	1.9	6.2	2.5	2.6	2.2	2.2	0.7	5.2	7.2	2.7	1.8	1.9	9.8	

TABLE: U905 RAVL # 88.1 (Test for this exercise was not released)

GRAND EFFECT	0.7	-6.5	3.8	-0.6	-0.7	8.3	-10.3	-22.8	8.6	-2.1	6.1	-1.0	0.8	4.7	-28.2	-30.1	-10.1	-0.9	4.7	10.5	-19.0	
STD ERROR	2.3	3.6	1.9	2.8	1.8	1.3	3.7	7.0	2.6	6.3	1.8	3.8	2.6	2.6	0.9	6.9	17.1	3.2	3.1	2.0	19.0	
DAL EFFECT	0.8	-3.2	2.5	-1.3	-8.6	8.3	-8.0	-7.6	1.9	0.9	1.3	-0.2	2.2	2.2	1.6	-22.9	-22.9	-6.0	0.5	2.2	6.8	-16.4
STD ERROR	2.1	3.1	1.8	2.3	1.2	1.2	3.6	7.3	2.8	6.3	1.9	3.0	2.8	2.8	0.9	5.3	15.1	2.8	3.0	2.0	6.5	

TEST	SEX	SIZE AND TYPE OF COMMUNITY										HIGH SCHOOL EDUCATION									
		SMALL CITY	MEDIUM CITY	LARGE CITY	SMALL TOWN	MEDIUM TOWN	LARGE TOWN	SMALL SUBURB	MEDIUM SUBURB	LARGE SUBURB	CITY	NON BLACK	BLACK	OTHER	HIGH SCHOOL	COLLEGE					
<b>EFFECTS: D906 NATL % 87.7</b> (Test for this exercise eas not released)																					
UNDJ EFFECT	-0.9	-8.8	3.7	1.2	6.0	-5.5	-0.8	-16.9	8.7	-0.8	3.0	-8.6	3.1	2.0	-13.9	-2.9	1.7	8.5	-20.2		
STD ERROR	1.9	2.6	1.2	2.1	1.2	5.3	5.3	2.8	8.2	2.0	2.7	1.7	0.6	5.3	1.9	3.0	2.0	1.5	9.8		
BAL EFFECT	-1.8	-2.2	3.0	6.1	-5.6	-0.1	-9.6	3.0	0.1	1.5	-6.6	4.0	1.1	-6.1	-1.7	-3.7	-0.8	0.8	7.9	-18.0	
STD ERROR	1.9	2.7	1.6	2.1	1.2	4.9	5.7	2.6	6.7	1.5	2.6	1.9	0.7	5.9	1.8	2.9	1.9	1.7	9.5		
<b>EFFECTS: D907 NATL % 88.8</b> (Test for this exercise eas not released)																					
UNDJ EFFECT	-1.2	-2.5	0.0	3.7	0.2	-0.2	-3.9	-16.8	9.0	-8.1	2.7	-2.7	-0.6	3.2	-18.8	-11.7	-6.6	2.9	6.8	3.9	-27.4
STD ERROR	2.3	2.9	2.1	2.6	1.6	1.5	4.6	8.4	2.9	4.2	2.4	3.1	3.6	0.7	7.5	2.4	2.6	2.0	2.2	2.9	1.7
BAL EFFECT	-2.8	0.3	-0.4	3.6	0.4	-0.3	-3.7	-5.0	6.8	-0.9	0.8	-1.5	-1.5	-10.7	-3.9	3.6	5.1	1.7	-25.1	2.1	10.1
STD ERROR	2.5	3.1	2.3	2.2	1.6	1.5	5.1	5.0	2.6	6.7	2.4	3.2	3.9	0.7	7.1	2.4	2.4	2.0	2.2	10.1	
<b>EFFECTS: D908 NATL % 83.6</b> (Test for this exercise eas not released)																					
UNDJ EFFECT	8.1	-9.0	1.2	1.5	7.3	-6.8	-16.5	-9.5	8.5	-5.2	7.3	-6.0	-0.5	2.8	-19.1	-0.8	-6.8	-3.4	8.9	11.3	-16.7
STD ERROR	2.0	2.7	1.8	2.3	1.8	1.3	5.3	6.6	2.8	3.6	2.0	2.5	2.9	0.8	8.5	5.7	2.5	2.0	2.4	1.9	8.7
BAL EFFECT	2.9	-8.5	1.2	-0.9	7.2	-6.6	-15.7	1.9	4.7	-6.0	4.0	-5.1	0.8	1.7	-16.8	2.1	-5.5	-0.9	2.1	10.7	-33.4
STD ERROR	1.9	3.2	1.8	2.3	1.8	1.2	15.5	4.9	2.8	3.9	2.3	2.7	2.9	0.7	5.1	4.5	2.4	1.0	2.2	2.1	8.9
<b>EFFECTS: D909 NATL % 83.2</b> (Test for this exercise eas not released)																					
UNDJ EFFECT	0.6	-11.9	6.3	-0.7	-1.3	1.2	1.7	-20.2	9.1	-19.8	3.7	4.0	-0.5	5.3	-38.3	-25.1	-8.0	-7.0	5.3	11.8	-19.9
STD ERROR	3.1	3.8	2.0	3.0	1.7	1.6	6.1	6.1	3.3	3.6	2.9	2.9	3.4	0.9	11.8	4.6	2.5	3.9	2.3	1.9	9.1
BAL EFFECT	-9.7	8.3	-0.9	-1.3	1.2	1.2	3.0	-6.9	8.8	-16.0	-1.1	6.0	1.3	6.1	-25.6	-22.5	-3.5	-3.2	3.2	7.7	-13.5
STD ERROR	2.2	3.8	1.8	2.6	1.8	1.3	4.0	5.8	3.5	5.0	2.3	3.1	2.6	0.9	5.0	9.2	2.8	3.6	2.1	1.9	6.7
<b>EFFECTS: D910 NATL % 81.5</b> (Test for this exercise eas not released)																					
UNDJ EFFECT	2.7	-9.6	-0.5	5.5	-2.1	2.0	8.0	-6.8	3.7	-2.9	-1.0	3.8	-3.3	0.5	-8.7	12.3	-0.7	2.0	1.0	2.3	-18.2
STD ERROR	3.4	6.3	2.4	2.6	1.9	1.7	3.4	6.3	8.5	5.2	6.1	2.9	2.8	0.6	6.7	3.4	2.0	3.3	2.6	10.1	
BAL EFFECT	2.6	-9.8	-0.4	5.8	-2.3	2.1	8.6	-3.5	-0.1	-4.6	-1.8	3.8	6.1	0.1	-3.9	10.1	-6.6	5.2	1.7	1.0	-16.1
STD ERROR	3.3	6.6	2.6	2.5	2.0	1.8	3.8	7.2	8.6	6.5	3.9	2.8	2.8	0.6	5.0	6.5	2.8	3.1	3.1	2.8	9.9
<b>EFFECTS: D911 NATL % 81.3</b> (Test for this exercise eas not released)																					
UNDJ EFFECT	2.9	-3.1	2.8	-6.6	3.3	-2.9	-10.5	-18.0	5.7	-9.6	0.9	3.7	4.8	4.2	-26.6	-26.5	-8.0	3.9	3.6	7.3	-18.6
STD ERROR	3.1	2.5	2.8	1.9	1.7	5.6	8.4	6.6	3.3	3.2	3.1	2.6	8.1	0.8	13.4	3.1	1.9	3.5	3.8	7.5	
BAL EFFECT	-0.9	2.1	-6.8	3.9	-3.5	-9.5	-3.5	-0.1	-2.2	-5.7	-0.9	2.6	8.1	3.8	-22.2	-19.0	-6.6	5.2	1.7	8.9	-13.1
STD ERROR	2.5	2.8	2.2	3.1	1.7	1.6	5.8	5.1	3.6	5.7	3.0	2.8	3.1	0.9	5.6	12.8	3.1	3.6	3.5	3.2	7.4
<b>EFFECTS: D912 NATL % 81.8</b> (Test for this exercise eas not released)																					
UNDJ EFFECT	-5.7	-2.0	6.8	-1.0	5.7	-6.8	7.6	-11.9	10.9	-10.8	0.9	1.8	-4.0	3.8	-15.5	-19.7	-9.2	1.3	1.6	12.7	-28.1
STD ERROR	3.2	3.4	2.2	3.5	1.9	1.7	3.0	5.3	6.1	6.7	8.3	3.1	4.0	0.8	12.1	2.9	4.1	3.6	2.5	11.5	
BAL EFFECT	-5.9	-1.0	5.7	0.6	5.8	-6.9	7.5	-2.3	6.1	-7.2	-2.8	1.8	-2.7	2.8	-10.1	-19.4	-7.1	1.7	-1.3	11.8	-23.1
STD ERROR	2.8	8.0	2.3	8.3	1.9	1.7	3.1	6.1	8.3	7.8	8.5	3.9	0.9	4.8	3.6	2.5	6.5	3.0	2.8	10.9	

E913 WATL % 77.5 (Test for this exercise was not released)

GRADJ EFFECT	5.6	-20.5	1.5	5.3	12.2	-11.2	-0.3	-15.6	11.0	3.3	-0.4	-5.2	1.6	3.8	-27.6	-18.4	-9.6	-0.2	5.3	9.3	-26.1
STD ERROR	2.6	2.8	2.8	1.8	1.8	1.7	0.7	0.9	5.6	3.2	0.7	0.7	6.1	12.8	3.5	2.7	2.6	2.7	2.7	6.1	
BAL EFFECT	5.6	-13.8	0.3	1.9	10.7	-9.9	-0.2	-5.3	3.8	1.6	-1.6	-2.7	3.7	2.7	-19.5	-16.2	-6.2	-0.4	3.9	5.1	-22.2
STD ERROR	2.3	2.6	2.2	2.7	1.7	1.6	0.6	5.4	3.5	5.3	2.9	2.3	0.7	5.6	9.7	3.1	2.5	2.5	3.1	5.8	

E914 WATL % 75.7 (Test for this exercise was not released)

GRADJ EFFECT	6.4	-9.8	-3.7	5.0	2.8	-2.7	-8.8	-16.0	11.2	6.3	7.2	-8.5	2.9	2.9	-18.8	-29.9	-10.8	-0.9	9.3	9.3	-33.6
STD ERROR	2.8	3.8	2.8	2.9	1.6	1.5	0.8	5.9	3.9	5.8	3.0	5.2	3.2	3.2	0.8	6.6	9.8	3.3	6.6	2.5	8.2
BAL EFFECT	6.0	-5.9	-8.8	3.8	2.6	-2.8	-5.3	-3.4	8.0	6.7	5.8	-7.0	-3.2	2.2	-10.3	-26.9	-5.8	-2.4	7.6	6.9	-38.2
STD ERROR	2.8	3.9	2.9	2.5	1.6	1.5	0.9	6.0	3.6	5.3	2.7	4.1	3.3	3.3	0.8	6.7	9.1	3.4	6.4	2.8	8.3

E915 WATL % 78.1 (Test for this exercise was not released)

GRADJ EFFECT	-5.6	2.0	1.4	3.3	12.4	-10.5	0.8	6.7	0.1	-22.0	8.1	-3.0	8.1	8.1	-23.8	-6.7	-4.5	3.8	1.2	3.5	
STD ERROR	3.0	3.0	3.0	3.3	2.1	1.8	0.1	5.3	7.9	10.3	8.9	3.2	8.2	1.2	6.6	13.6	3.2	8.5	3.6	9.6	
BAL EFFECT	-3.4	0.9	0.2	3.8	12.2	-10.3	-1.2	1.8	-21.3	3.2	5.0	-8.9	1.8	1.8	-29.7	0.9	-6.7	1.3	2.9	1.3	
STD ERROR	3.4	2.9	2.6	3.2	2.1	1.7	5.9	6.8	7.0	10.5	8.4	3.8	6.2	1.1	6.1	16.1	2.8	8.2	3.2	9.2	

E916 WATL % 73.0 (Test for this exercise was not released)

GRADJ EFFECT	8.8	-3.9	-5.5	-0.1	0.6	-0.8	-3.5	-11.9	5.4	-8.5	2.0	0.2	-1.3	8.2	-29.6	-13.1	-18.8	1.0	8.5	11.0	-12.5	
STD ERROR	8.3	8.3	3.0	8.2	2.0	1.9	7.1	5.9	5.5	6.8	2.9	3.5	8.1	0.9	5.0	8.8	2.5	3.4	3.1	9.0		
BAL EFFECT	6.5	1.4	-5.4	-1.8	0.1	-0.1	-0.3	-1.0	-3.6	-1.6	-1.7	-0.6	3.4	1.7	1.1	-26.9	-8.0	-1.7	1.1	6.8	7.7	-7.0
STD ERROR	2.5	3.9	3.0	8.0	1.9	1.8	6.5	6.5	8.8	5.0	2.8	6.0	0.9	5.4	6.3	2.5	3.2	3.2	3.1	8.7		

E917 WATL % 71.3 (Test for this exercise was not released)

GRADJ EFFECT	1.7	-7.9	3.3	0.2	3.0	-2.6	-7.7	-19.0	17.9	-9.2	-0.3	-2.7	-2.0	3.9	-26.5	-20.4	-18.5	8.3	2.4	17.1	-29.9
STD ERROR	2.9	8.0	2.9	3.5	1.5	1.7	5.6	7.3	3.2	6.3	3.1	3.6	0.8	6.3	12.5	3.5	3.3	3.5	2.5	9.4	
BAL EFFECT	0.7	-2.5	2.3	-1.7	1.7	-1.6	-5.3	-5.9	10.2	-3.2	-1.9	-1.3	-1.1	2.5	-13.8	-18.0	-18.2	5.1	1.0	13.7	-23.0
STD ERROR	3.0	3.9	2.8	3.2	1.9	1.7	5.3	7.1	3.1	6.8	2.8	3.5	0.9	6.8	8.5	3.4	3.2	3.5	2.6	10.0	

E918 WATL % 65.1 (Test for this exercise was not released)

GRADJ EFFECT	2.0	-7.5	1.0	1.5	9.0	-8.0	2.2	-9.8	18.1	-8.0	-2.8	-1.1	-5.8	1.3	-9.0	-3.7	-1.2	-6.8	-5.4	11.7	-13.3
STD ERROR	3.8	6.1	2.9	6.5	2.5	2.7	5.7	6.3	3.6	7.0	3.7	5.4	6.1	1.0	5.3	15.1	3.8	5.3	6.0	3.3	6.7
BAL EFFECT	1.6	-8.5	2.3	2.2	8.7	-7.8	6.3	-5.5	11.5	-7.5	-3.8	-2.5	-6.6	0.8	5.2	7.6	1.7	-2.1	-7.7	7.8	-11.8
STD ERROR	3.4	8.2	3.0	6.1	2.4	2.1	5.8	6.2	7.6	3.6	5.2	6.0	1.8	6.2	12.8	3.9	5.2	3.8	3.4	9.0	

E919 WATL % 68.7 (Test for this exercise was not released)

GRADJ EFFECT	-1.8	1.1	3.4	-3.1	10.0	-8.9	-3.3	-15.8	9.5	-11.9	-1.0	-8.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	-26.8
STD ERROR	3.2	5.1	3.3	6.2	2.7	2.8	6.8	6.7	8.1	7.2	3.8	3.2	6.1	1.0	5.2	18.3	3.6	3.4	3.2	6.1	8.1
BAL EFFECT	-2.1	-0.1	3.8	-1.3	10.5	-9.3	-2.3	-18.5	7.8	-2.9	-0.9	-6.8	6.3	-2.1	6.8	-27.6	-9.7	6.8	7.1	-1.1	-26.5
STD ERROR	2.5	5.4	3.5	6.3	2.6	2.4	7.1	7.1	6.5	5.0	6.9	6.2	5.0	1.0	5.5	15.0	3.9	3.1	3.1	6.1	8.4



MEAN: 0927 HATL & 50.0 (Test for this exercise was not released)

UNADJ EFFECT	3.1	-7.8	-3.0	6.4	2.8	-2.6	-12.3	-16.7	27.0	-7.7	-0.3	-1.8	-16.9	2.3	-19.1	1.7	-20.3	-0.5	0.5
STD ERROR	4.4	3.6	3.3	3.9	2.5	5.6	5.6	5.6	5.5	5.5	3.9	3.5	0.8	5.6	11.3	3.8	5.5	6.5	3.8
BAL EFFECT	0.8	1.0	-3.3	2.9	2.8	-2.6	-8.6	-7.9	19.2	-8.1	-2.3	0.2	-9.9	0.7	11.5	-17.8	1.5	-0.7	19.6
STD ERROR	2.6	3.8	6.1	2.9	2.2	2.0	5.8	5.8	3.8	5.1	3.5	3.7	0.8	5.5	9.5	3.2	5.2	4.4	3.8

MEAN: 0928 HATL & 49.7 (Test for this exercise was not released)

UNADJ EFFECT	-7.6	-8.8	1.9	10.4	9.6	-8.9	11.1	-5.9	12.0	-0.1	1.1	-8.9	-2.2	0.6	-25.7	-18.2	2.2	9.8	6.5
STD ERROR	2.9	5.6	3.1	7.6	2.6	2.4	5.7	5.6	6.6	6.2	3.3	3.4	0.7	5.1	12.6	3.1	6.5	3.7	7.7
BAL EFFECT	-5.5	2.8	-1.0	6.6	6.3	-7.7	10.3	6.7	6.5	6.9	-2.9	-6.4	-1.8	4.4	-23.6	-36.5	-6.5	6.6	5.1
STD ERROR	2.5	5.7	2.8	3.8	2.8	2.1	5.1	5.3	4.6	8.0	3.7	3.3	0.8	8.6	5.9	3.0	9.1	3.6	7.3

MEAN: 0929 HATL & 49.0 (Test for this exercise was not released)

UNADJ EFFECT	-0.4	-13.6	6.7	0.9	9.1	-8.3	-0.1	-28.7	0.8	-5.4	-0.5	3.5	-0.8	3.0	-22.5	-9.0	-17.6	-5.7	6.5
STD ERROR	6.1	6.1	3.4	5.1	3.0	2.7	6.6	7.1	6.0	5.6	3.7	3.9	0.3	5.1	12.6	3.6	6.8	3.6	7.7
BAL EFFECT	-1.4	-7.0	6.9	-2.7	8.0	-7.3	-0.1	-13.3	1.8	-1.7	-2.0	4.4	1.9	1.3	-11.1	2.2	-16.3	-6.2	14.0
STD ERROR	3.0	6.3	3.0	6.8	2.7	2.5	7.3	6.7	7.6	5.6	3.8	3.7	4.3	0.7	5.3	11.1	3.8	3.8	6.3

MEAN: 0930 HATL & 48.9 (Test for this exercise was not released)

UNADJ EFFECT	-2.0	-7.1	0.8	7.6	9.1	-8.3	-0.7	-14.4	17.5	-5.8	-6.0	0.9	-5.5	3.2	-16.5	-17.1	-2.7	-9.1	-6.1
STD ERROR	6.0	4.7	3.6	4.3	2.3	2.3	6.0	7.1	4.8	7.2	5.0	4.3	4.5	0.9	5.6	6.9	6.3	6.8	6.3
BAL EFFECT	-3.7	-3.7	0.8	6.7	9.8	-9.0	0.9	-6.8	16.0	-6.3	-6.0	0.1	-6.3	2.9	-11.2	-20.7	-6.6	-6.1	15.9
STD ERROR	3.6	8.0	3.1	3.9	2.1	2.0	5.6	7.2	6.8	6.6	6.3	6.1	6.0	1.0	5.8	7.9	3.8	8.0	3.7

MEAN: 0931 HATL & 48.7 (Test for this exercise was not released)

UNADJ EFFECT	9.2	-6.4	-8.6	-0.8	7.5	-6.6	-6.7	-10.0	16.8	-6.1	1.7	-5.2	-2.6	3.4	-21.3	-11.6	-10.8	10.2	11.6
STD ERROR	6.0	5.0	3.4	4.2	2.3	2.2	6.8	6.3	6.6	7.4	3.9	5.0	0.9	5.5	8.4	3.8	5.0	3.9	7.5
BAL EFFECT	9.7	-3.1	-5.5	-2.8	6.8	-6.3	-3.3	8.1	9.1	-7.0	-0.7	-3.1	-2.3	2.9	-19.3	-13.3	-8.5	-11.5	6.9
STD ERROR	3.5	6.4	3.3	6.2	2.1	1.9	6.7	6.8	6.3	6.6	6.0	6.9	6.1	1.1	7.0	9.5	8.0	5.0	3.5

MEAN: 0932 HATL & 43.4 (Test for this exercise was not released)

UNADJ EFFECT	6.1	-5.4	-3.7	2.8	11.8	-10.9	-10.4	-9.3	18.6	5.1	-3.2	-2.6	-5.6	3.2	-20.8	-8.2	-13.5	-3.5	6.8
STD ERROR	3.1	2.8	3.1	4.0	2.2	2.0	6.3	6.0	3.9	6.5	3.8	4.0	0.9	6.6	10.5	2.8	4.5	3.7	6.1
BAL EFFECT	2.8	0.7	-2.8	-0.9	12.1	-11.1	-10.9	7.0	14.2	5.1	-5.7	-2.8	3.7	3.1	0.9	5.5	9.2	-12.6	0.9
STD ERROR	2.6	2.6	2.7	3.8	2.1	1.9	6.8	5.8	3.8	7.2	3.6	3.7	1.1	0.9	7.0	9.5	2.8	6.2	3.6

MEAN: 0933 HATL & 56.1 (Test for this exercise was not released)

UNADJ EFFECT	8.2	-10.4	-2.6	2.2	6.3	-5.8	-11.7	-7.1	16.6	-6.7	-3.5	-6.8	0.5	-3.7	1.3	-13.0	6.8	-10.0	-6.3
STD ERROR	6.3	3.7	3.1	4.8	2.1	1.7	5.6	5.7	7.1	6.5	3.8	4.8	0.8	5.2	7.3	3.9	4.3	3.5	5.5
BAL EFFECT	7.8	-7.3	-3.8	1.5	6.7	-6.1	-10.1	2.9	7.9	6.7	-6.2	-5.4	1.1	0.5	-7.2	10.3	-9.8	-2.2	13.1
STD ERROR	3.6	4.0	3.3	6.0	2.0	1.8	5.9	6.7	6.3	6.2	6.6	6.1	0.7	8.6	6.3	8.2	8.1	6.8	6.3

REGION	SEX	SIZE AND TYPE OF COMMUNITY	COLOR						HIGH SCHOOL EDUCATION					
			INNER CITY	OUTER CITY	URBAN RURAL	MEDIUM CITY	SMALL CITY	NON BLACK	BLACK	OTHER	NONE	SOME	GRADUATED	POST GRADUATE
<b>EPR: 0934 NATL &amp; 15.0 (Text for this exercise was not released)</b>														
UNADJ EFFECT	-0.4	-7.4	-0.1	6.5	9.0	-8.3	-3.9	-8.9	11.5	9.2	-2.6	-3.8	-10.9	-9.7
STD ERROR	2.5	2.7	2.8	6.2	2.1	2.1	4.9	5.6	5.6	3.0	2.7	3.6	5.9	-8.7
BAL EFFECT	-1.8	-2.1	1.0	2.2	8.6	-7.9	-3.4	-3.7	7.1	9.9	-1.9	-3.2	1.9	3.9
STD ERROR	2.3	2.4	2.3	8.8	1.8	1.8	8.6	5.0	5.1	2.6	2.5	3.2	10.5	-5.2
<b>EPR: 0935 NATL &amp; 13.8 (Text for this exercise was not released)</b>														
UNADJ EFFECT	10.6	-8.5	-22.1	-2.1	11.8	-10.9	-13.5	-16.1	18.4	5.5	-0.8	3.4	-11.3	3.9
STD ERROR	3.0	3.3	2.9	3.3	1.7	1.8	3.9	6.5	5.8	5.3	2.9	3.3	4.5	-18.3
BAL EFFECT	7.5	-3.0	-2.1	-3.5	11.9	-11.0	-9.8	-1.7	10.3	4.2	-2.0	-3.3	1.5	5.6
STD ERROR	2.7	1.6	2.5	2.8	1.6	1.7	8.0	5.5	4.1	3.4	2.7	0.6	4.9	3.0
<b>EPR: 0936 NATL &amp; 20.2 (Text for this exercise was not released)</b>														
UNADJ EFFECT	7.1	-9.3	0.4	-1.3	2.7	-2.5	-8.7	2.4	8.6	-1.1	0.5	-0.0	-5.5	2.0
STD ERROR	3.4	3.1	2.7	3.2	2.0	1.8	3.6	6.9	8.4	5.7	3.6	2.8	5.1	-1.7
BAL EFFECT	6.5	-6.9	0.5	-2.6	2.9	-2.7	-8.4	7.8	5.6	-0.0	-0.3	-5.4	2.5	-1.3
STD ERROR	3.1	3.2	2.7	3.7	2.0	1.9	8.2	7.5	8.4	3.4	3.0	0.7	4.3	-0.2
<b>EPR: 0937 NATL &amp; 29.9 (Text for this exercise was not released)</b>														
UNADJ EFFECT	1.2	5.6	-6.7	2.0	3.1	-2.8	-3.8	-7.0	11.4	-7.5	-8.9	8.2	-2.7	-13.7
STD ERROR	2.9	6.0	2.3	3.9	2.5	2.3	4.7	6.2	4.3	5.3	4.0	3.3	5.7	-3.1
BAL EFFECT	0.9	7.8	-6.9	0.9	2.6	-2.5	-3.7	0.4	6.9	-8.5	-3.6	2.1	6.9	-1.3
STD ERROR	2.9	4.6	2.6	4.0	2.5	2.3	8.6	6.8	6.6	3.0	3.0	0.7	4.2	-0.2
<b>EPR: 0938 NATL &amp; 27.2 (Text for this exercise was not released)</b>														
UNADJ EFFECT	-0.6	-6.6	0.3	4.8	9.9	-9.1	-8.1	-15.7	16.3	-8.4	-0.7	-0.9	-1.5	2.8
STD ERROR	3.2	3.3	3.3	3.8	2.3	2.1	5.1	3.8	3.9	3.6	3.9	3.9	8.2	-16.5
BAL EFFECT	-2.8	-1.5	0.1	4.1	10.3	-9.5	-2.1	-7.1	12.0	-9.1	-1.8	-1.3	10.5	3.2
STD ERROR	3.2	3.2	3.2	3.8	2.1	1.9	5.5	4.9	5.3	3.6	3.6	3.9	8.6	-0.4
<b>EPR: 0939 NATL &amp; 25.7 (Text for this exercise was not released)</b>														
UNADJ EFFECT	1.6	-8.9	-1.0	3.2	12.8	-11.7	-12.9	-10.2	16.9	-7.3	-8.2	5.7	-5.1	3.6
STD ERROR	3.1	6.2	3.1	3.6	1.7	1.6	5.1	7.1	5.3	6.5	6.2	6.5	8.2	-2.8
BAL EFFECT	0.9	-2.0	-2.0	1.8	12.5	-11.5	-13.4	5.0	6.4	-2.3	-3.4	6.7	2.9	3.5
STD ERROR	2.6	3.4	2.8	3.0	1.8	1.7	4.3	5.7	5.9	4.8	3.8	3.7	10.3	-6.1
<b>EPR: 0940 NATL &amp; 33.5 (Text for this exercise was not released)</b>														
UNADJ EFFECT	-0.1	-8.1	0.1	7.8	10.7	-9.5	1.7	-8.7	11.5	-8.6	3.0	-12.7	1.1	0.2
STD ERROR	5.7	5.7	3.1	6.0	2.8	2.5	6.7	6.5	7.3	6.2	5.4	5.0	8.1	-20.6
BAL EFFECT	-4.5	-2.8	0.2	6.8	-8.8	6.8	-0.1	2.3	-2.7	1.0	-6.8	4.7	0.7	6.2
STD ERROR	3.5	4.5	2.8	4.1	2.0	2.1	5.9	6.2	6.4	4.3	4.3	4.3	10.3	-27.2

EXER:	NATL S	9.2	(Text for this exercise was not released)	SIZE AND TYPE OF COMMUNITY										COLOR				HIGH SCHOOL EDUCATION									
				EAST		CENTRAL		WEST		NATE		FEMALE		EXTREME TURB		URBAN		MEDIUM SMALL CITY		NON BLACK		BLACK		OTHER			
				URBAN	RURAL	URBAN	RURAL	URBAN	RURAL	URBAN	RURAL	APP SUB	PRINGER	URBAN	RURAL	URBAN	RURAL	URBAN	RURAL	URBAN	RURAL	URBAN	RURAL	URBAN	RURAL		
10	0948	NATL S	9.2	(Text for this exercise was not released)	-1.8	-0.1	-2.3	6.2	6.8	-5.9	-7.6	-8.8	13.7	0.6	-1.8	-3.1	-1.4	-0.3	3.7	-8.2	-12.3	2.9	-1.8	3.5	-9.2		
	URBJ EFFECT			SPD ERROR	2.6	3.3	2.2	5.8	2.0	2.0	2.2	2.0	6.6	0.4	2.2	2.7	3.0	0.8	6.8	3.9	2.6	4.6	2.3	8.1	1.9		
	STD ERROR			BAL EFFECT	-2.6	2.2	-1.3	8.1	5.8	-5.3	-7.8	-9.0	11.7	0.0	-0.8	-2.5	-1.6	-0.6	5.6	-3.8	-0.4	2.8	-1.1	0.9	-6.7		
	STD ERROR			STD ERROR	3.1	3.1	1.8	4.2	1.5	1.4	2.1	3.4	5.0	4.5	1.9	2.5	3.0	0.8	5.8	8.8	2.2	3.8	1.9	2.7	2.0		
	EXER: 0949	NATL S	6.2	(Text for this exercise was not released)	URBJ EFFECT	1.1	1.5	-0.7	-1.7	1.1	-1.0	3.6	0.4	1.0	2.7	-3.6	-1.8	5.4	-0.0	0.9	-1.3	-0.4	1.9	-0.3	-0.9	2.7	
	SPD ERROR			SPD ERROR	1.5	1.8	1.2	1.3	0.9	0.8	3.9	3.1	2.4	6.0	1.2	1.2	2.6	0.3	2.9	3.1	1.3	2.7	1.8	1.7	4.5		
	BAL EFFECT			STD ERROR	1.3	0.5	-0.8	-1.6	0.9	0.9	3.6	0.4	1.1	2.8	-3.7	-1.8	5.4	0.0	0.8	-2.0	-0.8	2.0	0.1	-1.1	3.8		
	STD ERROR			STD ERROR	1.8	1.7	1.2	1.5	0.9	0.9	3.1	0.1	2.3	4.2	1.3	1.2	2.7	0.5	3.5	3.6	1.3	2.8	1.5	1.7	4.5		
	EXER: 0950	NATL S	57.8	(Text for this exercise was not released)	URBJ EFFECT	-2.8	-7.2	1.1	7.7	0.7	-0.5	-9.0	0.9	7.5	-6.6	-5.0	6.1	-2.1	1.6	-9.0	-11.1	-10.2	-0.5	-0.2	11.1	-6.1	
	SPD ERROR			SPD ERROR	3.5	5.2	3.3	6.8	2.5	2.3	6.9	6.2	5.9	7.3	3.6	3.7	6.1	0.7	5.9	12.4	3.6	4.8	3.2	3.1	9.6		
	BAL EFFECT			STD ERROR	-2.2	-6.5	1.1	6.9	0.2	-0.2	-6.3	5.7	5.6	7.3	0.3	1.2	-5.0	1.2	12.5	-7.9	-1.1	-1.1	9.9	-4.6			
	STD ERROR			STD ERROR	3.5	4.9	3.4	5.6	2.5	2.3	6.9	6.9	6.9	7.1	3.9	3.8	6.1	0.8	5.9	11.7	3.7	5.0	3.4	3.1	9.5		
	EXER: 0951	NATL S	5.2	(Text for this exercise was not released)	URBJ EFFECT	-2.8	5.8	0.1	-1.6	1.9	-1.8	-5.2	-0.1	1.1	-1.0	0.6	0.6	-0.0	0.5	-2.8	-4.2	-12.9	-3.2	5.3	0.0	0.5	
	SPD ERROR			SPD ERROR	1.4	3.7	1.7	1.8	1.3	1.1	1.2	2.9	1.9	2.5	2.0	2.1	2.0	2.0	0.3	2.1	1.2	1.8	1.7	1.2	3.8		
	BAL EFFECT			STD ERROR	-3.5	7.1	0.3	-2.0	1.7	-1.6	-4.8	1.6	2.1	2.1	0.2	-0.8	-1.0	0.5	-3.8	-2.2	-3.2	-2.8	5.1	0.1	1.2		
	STD ERROR			STD ERROR	1.4	4.1	1.7	1.6	1.3	1.1	1.6	2.4	1.8	2.5	2.5	2.2	2.1	0.3	2.0	2.0	1.5	1.2	2.3	1.6	3.5		
	EXER: 0952	NATL S	98.2	(Text for this exercise was not released)	OBJECTIVE:	Possess the ability and skills needed to engage in the processes of science.																					
	URBJ EFFECT			SPD ERROR	-0.7	-5.8	2.8	2.8	0.9	-0.8	-9.2	-9.1	2.7	-1.5	2.0	1.2	-0.1	2.7	-17.7	-11.7	-5.0	2.1	3.5	8.6	-20.9		
	STD ERROR			BAL EFFECT	1.5	2.0	1.2	1.3	0.8	0.8	8.0	8.0	2.1	3.3	1.3	1.4	0.3	0.5	3.8	-5.9	1.8	1.6	1.2	1.0	10.1		
	STD ERROR			STD ERROR	-0.7	-2.8	0.7	2.0	0.9	0.9	-0.8	-0.8	-0.3	-0.3	2.3	1.9	-0.6	2.2	-13.8	-10.2	-2.5	2.5	3.6	1.1	-20.9		
	EXER: 0953	NATL S	93.4	(Text for this exercise was not released)	URBJ EFFECT	1.5	1.7	0.9	1.3	1.3	1.1	0.7	0.7	0.7	0.7	3.4	1.0	1.1	1.2	0.5	3.6	3.6	1.6	1.5	1.5	1.4	10.2
	SPD ERROR			SPD ERROR	-1.0	-8.5	1.8	1.6	1.7	1.1	-0.5	-6.1	-2.1	5.8	1.4	5.1	-8.5	-0.1	3.0	-15.7	-5.6	-2.1	1.5	0.1	5.2	-27.0	
	BAL EFFECT			STD ERROR	2.1	2.4	1.6	1.7	1.5	1.0	0.3	4.3	4.3	2.6	1.4	1.7	0.7	0.9	5.5	8.8	1.9	2.1	2.4	1.2	10.5		
	STD EFFECT			STD ERROR	-1.9	-2.0	0.7	8.5	-0.2	0.2	-6.4	6.6	3.0	3.1	3.1	-5.1	-10.5	3.0	-15.7	-6.2	0.1	2.9	-2.1	3.1	-20.6		
	EXER: 0954	NATL S	79.9	(Text for this exercise was not released)	URBJ EFFECT	2.1	2.0	1.6	2.2	1.0	0.9	0.9	5.0	5.0	1.6	1.5	1.5	2.6	1.6	1.0	5.5	7.1	1.9	2.1	2.4	1.1	10.1
	SPD ERROR			SPD ERROR	1.9	-17.5	0.9	9.5	7.9	-7.2	1.6	-15.1	6.6	-2.8	-3.2	-3.0	-1.6	-3.0	4.5	4.5	3.0	2.2	1.1	1.2	12.0		
	BAL EFFECT			STD ERROR	3.0	5.7	2.7	2.9	1.9	1.8	3.6	7.4	3.3	6.4	6.4	-5.6	-4.1	6.3	6.3	6.3	6.2	2.1	2.1	2.2	7.3		
	STD EFFECT			STD ERROR	1.6	-13.8	0.3	8.3	6.4	5.8	3.4	-5.6	-5.6	4.1	4.1	4.1	-6.5	-6.5	6.3	6.3	6.3	6.3	0.2	0.2	0.2	-10.1	
	EXER: 0955	NATL S	79.9	(Text for this exercise was not released)	URBJ EFFECT	3.3	6.5	2.9	2.7	1.6	1.6	3.2	7.5	4.1	6.3	6.3	4.1	4.1	6.3	6.3	6.3	6.3	2.1	2.1	2.4	6.6	

EXPERIMENTAL DESIGN (Test for this exercise was not released)

UNADJ. EFFECT	-8.6	8.4	0.7	1.9	13.5	-12.8	5.2	-46.4	7.5	-6.3	8.9	3.4	-7.3	3.4	-20.0	-16.0	-0.4	5.0	-0.3	2.9	-26.8
STD. ERROR	6.6	7.8	7.3	7.7	6.1	6.0	5.6	23.6	9.2	8.6	9.1	12.0	1.6	10.2	21.4	6.0	9.5	5.6	5.6	5.6	5.6
BAL. EFFECT	-8.6	-1.4	3.0	3.0	13.8	-12.8	6.4	-4.0	-0.6	4.6	6.3	6.8	2.7	-15.7	-12.2	0.6	5.6	5.6	2.8	3.3	-22.9
STD. ERROR	6.4	9.1	8.2	11.9	4.0	3.7	6.7	15.0	23.4	10.2	12.2	9.8	11.8	1.4	9.0	20.7	5.7	9.5	6.9	6.3	3.6

EXPERIMENTAL DESIGN (Test for this exercise was not released)

UNADJ. EFFECT	-3.3	-12.8	10.2	-2.7	1.3	-0.9	-13.7	-42.4	-56.8	0.1	13.0	9.5	2.7	9.1	-41.7	4.7	-5.1	-15.0	10.4	9.2	-81.3
STD. ERROR	7.0	8.9	6.2	9.6	6.0	2.9	7.6	8.1	8.3	17.5	9.3	7.2	11.8	2.4	5.9	19.1	6.8	10.1	6.5	5.9	15.2
BAL. EFFECT	0.1	-6.6	8.0	-2.8	3.6	-13.1	-28.9	34.9	1.8	8.4	12.4	8.6	7.1	-31.4	7.9	3.6	-18.8	1.3	9.4	1.3	11.9
STD. ERROR	7.3	6.0	6.3	9.6	4.1	2.9	7.9	9.9	8.7	11.6	10.4	10.5	2.2	7.0	15.9	7.3	10.3	6.8	5.0	11.9	

EXPERIMENTAL DESIGN (Test for this exercise was not released)

UNADJ. EFFECT	3.0	-18.8	9.9	-0.6	7.1	-5.2	-8.9	-42.0	38.8	8.7	7.7	10.9	-7.5	8.0	-37.4	7.3	-9.3	-8.1	5.9	16.7	-54.2
STD. ERROR	7.3	6.4	6.9	8.9	8.5	3.1	7.8	8.1	8.3	13.6	12.6	7.1	11.9	2.4	5.9	19.2	7.1	10.5	6.9	6.4	4.7
BAL. EFFECT	5.4	-12.3	7.3	-3.1	4.4	-3.2	-6.4	-28.6	27.0	10.4	22.9	13.1	-16.0	6.6	-29.2	7.2	-12.1	-6.4	-2.3	12.7	-85.4
STD. ERROR	7.4	7.0	6.9	10.1	4.5	3.3	8.2	10.8	7.4	13.4	12.1	6.3	11.2	2.3	7.2	13.4	7.3	10.1	6.3	5.8	11.3

EXPERIMENTAL DESIGN (Test for this exercise was not released)

UNADJ. EFFECT	-0.6	-10.0	1.0	7.1	5.6	-5.1	-13.1	-11.8	22.5	5.5	-7.8	6.7	-13.5	3.6	-26.9	-13.4	-15.2	-13.9	-2.1	29.7	-31.2
STD. ERROR	3.5	4.7	3.1	8.6	2.0	2.0	4.5	6.3	8.1	5.9	3.6	3.8	4.0	0.9	5.1	11.5	3.7	5.5	4.1	3.0	7.5
BAL. EFFECT	-2.6	0.2	3.6	-2.0	4.8	-4.4	-12.5	4.1	11.5	10.1	-7.6	5.7	-11.5	2.3	-16.0	12.3	-12.1	-13.3	-1.4	25.4	-27.6
STD. ERROR	2.9	4.3	2.9	3.6	1.8	1.7	4.6	5.5	6.0	3.0	3.3	2.9	4.0	0.9	6.0	11.5	4.3	5.6	6.1	3.9	6.9

EXPERIMENTAL DESIGN (Test for this exercise was not released)

UNADJ. EFFECT	-3.7	-2.3	2.5	3.3	1.7	-1.6	-9.0	-15.2	6.1	-10.1	3.8	1.7	-0.5	4.3	-22.9	-20.2	-7.1	-7.1	0.2	13.0	-8.5
STD. ERROR	8.8	3.5	3.8	5.5	2.8	2.6	6.1	7.8	8.5	7.1	3.7	4.0	6.1	1.0	5.2	10.6	3.2	4.5	4.3	3.1	7.5
BAL. EFFECT	-5.1	-0.1	1.4	4.3	2.1	-2.0	-8.4	-0.5	2.5	-7.8	2.5	0.6	-0.5	3.9	-19.8	-20.4	-4.4	-6.6	-1.3	10.8	-5.6
STD. ERROR	8.8	3.5	3.8	6.8	2.7	2.5	6.8	8.7	7.7	7.3	3.8	3.8	3.9	0.9	5.4	11.0	3.3	4.5	4.1	3.0	7.7

EXPERIMENTAL DESIGN (Test for this exercise was not released)

UNADJ. EFFECT	-5.0	-12.2	14.7	-5.4	6.9	-6.8	-8.5	-27.0	28.8	-0.8	7.8	6.8	-9.0	3.1	-17.8	-19.2	0.3	-18.8	1.6	5.7	2.6
STD. ERROR	6.1	6.3	6.6	5.9	2.8	3.0	5.0	4.9	46.1	5.8	8.8	7.3	9.6	1.7	7.6	8.9	5.8	6.8	5.9	5.9	20.9
BAL. EFFECT	0.1	-18.2	15.7	-12.1	9.8	-11.7	-11.7	-23.2	25.1	1.6	-3.8	18.3	-10.2	3.3	-20.0	1.4	-11.7	9.2	-18.9	5.7	5.5
STD. ERROR	5.8	8.3	7.8	8.6	3.1	2.8	5.5	8.6	41.2	7.8	9.1	7.5	10.1	1.8	10.8	12.7	5.3	5.8	6.5	6.1	21.2

EXPERIMENTAL DESIGN (Test for this exercise was not released)

UNADJ. EFFECT	-8.1	-8.8	4.7	7.5	11.8	-10.9	-23.6	15.5	-8.3	8.8	6.8	-2.0	3.1	-18.3	-12.4	-11.7	-18.1	9.5	12.7	6.0	
STD. ERROR	6.1	6.8	5.8	7.1	3.9	4.3	5.4	4.5	46.5	30.5	7.3	6.3	10.5	1.4	5.4	13.0	4.7	4.6	6.5	5.4	19.4
BAL. EFFECT	-3.3	0.1	2.9	2.6	12.7	-11.7	-5.1	-22.3	9.4	-2.8	-0.8	10.6	-2.0	2.9	-16.4	2.9	-16.4	-19.4	5.2	12.9	11.2
STD. ERROR	6.0	9.2	5.2	10.8	4.5	4.4	12.3	10.0	32.6	10.2	6.0	9.2	1.4	7.8	14.3	4.0	4.0	5.7	6.2	6.0	29.9

EXPERIMENTAL DESIGN (Test for this exercise was not released)

UNADJ. EFFECT	-8.1	-8.8	4.7	7.5	11.8	-10.9	-23.6	15.5	-8.3	8.8	6.8	-2.0	3.1	-18.3	-12.4	-11.7	-18.1	9.5	12.7	6.0	
STD. ERROR	6.1	6.8	5.8	7.1	3.9	4.3	5.4	4.5	46.5	30.5	7.3	6.3	10.5	1.4	5.4	13.0	4.7	4.6	6.5	5.4	19.4
BAL. EFFECT	-3.3	0.1	2.9	2.6	12.7	-11.7	-5.1	-22.3	9.4	-2.8	-0.8	10.6	-2.0	2.9	-16.4	2.9	-16.4	-19.4	5.2	12.9	11.2
STD. ERROR	6.0	9.2	5.2	10.8	4.5	4.4	12.3	10.0	32.6	10.2	6.0	9.2	1.4	7.8	14.3	4.0	4.0	5.7	6.2	6.0	29.9

EXER:	WATL X	22.2	(Text for this exercise was not released)	SIZE AND TYPE OF COMMUNITY										COLOR			HIGH SCHOOL EDUCATION								
				NON METRO	INNER CITY	OUTER CITY	URBAN PRINCIPAL	URBAN SUBPRINCIPAL	RURAL CITY	RURAL SUBCITY	NON CIVIL	CIVIL PRINCIPAL	CIVIL SUBPRINCIPAL	NON BLACK	BLACK	OTHER	HIGH	SOME	GRADUATED	POST	GRADUATE				
19	EXER:	0962	WATL X 22.2	(Text for this exercise was not released)										3.8	-20.3	31.9	-7.6	-19.0	5.9	17.1	-22.2				
	UNADJ	EFFECT	-3.6	-8.4	11.6	-8.8	10.0	-7.3	-16.9	-22.2	52.7	11.6	-12.8	-0.5	1.3	-3.8	20.7	5.4	6.5	6.5	3.8				
	STD	ERROR	5.1	5.9	5.7	5.5	3.9	2.8	3.9	11.8	18.3	8.1	5.7	11.3	1.3	-3.8	22.9	-1.1	-9.3	-2.3	-13.0				
	DAL	EFFECT	-8.8	-8.8	10.2	-6.3	6.1	-4.5	-18.6	-16.1	91.2	25.3	10.5	-9.7	1.9	-12.1	22.9	-1.1	-9.3	-2.3	-13.0				
	STD	ERROR	4.8	5.9	5.0	5.2	3.7	2.8	4.8	5.5	16.6	14.3	7.1	5.2	10.5	1.4	6.0	10.1	4.9	3.5	5.6	5.0	16.4		
E-74	EXER:	0963	WATL X 20.1	(Text for this exercise was not released)										0.0	-6.3	42.2	-6.0	-8.0	13.6	-0.8	-10.5				
	UNADJ	EFFECT	-1.6	-17.1	7.9	4.3	0.9	-0.9	3.6	3.1	-0.6	9.6	-6.8	-13.6	0.4	1.1	5.3	21.5	4.6	7.2	7.8	8.6			
	STD	ERROR	5.0	7.8	5.7	6.5	3.8	3.5	6.1	11.5	16.4	7.5	8.4	6.4	1.0	-10.0	10.0	-1.2	1.9	39.7	-5.6	12.1	-2.1	-15.3	
	DAL	EFFECT	-3.9	-13.8	6.0	7.3	0.2	-0.2	10.0	-3.2	-11.7	6.3	10.0	-7.7	-16.7	-1.2	1.9	6.4	1.0	-1.2	21.1	4.9	7.5	8.2	5.4
	STD	ERROR	5.3	8.1	5.8	6.7	4.1	3.8	6.2	17.0	18.2	8.1	7.5	6.4	5.3	1.1	6.9	21.1	4.9	7.5	8.2	5.4	11.3		
E-74	EXER:	0964	WATL X 18.1	(Text for this exercise was not released)										4.2	-16.2	-18.1	-5.6	-10.8	10.2	4.9	-18.1				
	UNADJ	EFFECT	1.7	-1.7	0.9	-2.5	6.9	-3.6	-12.0	-18.1	28.8	11.8	10.4	-2.5	-0.1	1.1	3.8	3.7	6.9	6.6	6.2	3.7			
	STD	ERROR	3.1	5.0	5.4	6.9	3.7	2.7	6.3	3.7	20.3	11.2	9.3	6.3	10.8	5.3	-9.5	2.5	3.9	11.5	0.2	-7.3	3.0	-18.8	
	DAL	EFFECT	5.5	7.0	5.2	6.7	4.3	1.1	-0.8	-11.2	-9.9	23.1	15.6	5.5	-9.0	1.7	6.4	11.5	4.9	8.9	5.8	5.9	7.1		
E-74	EXER:	0965	WATL X 56.5	(Text for this exercise was not released)										4.2	-16.2	-18.1	-5.6	-10.8	10.2	4.9	-18.1				
	UNADJ	EFFECT	2.2	-17.8	2.0	7.2	7.3	-6.7	-7.6	-8.5	11.0	6.3	-0.6	0.3	-8.7	3.8	-26.3	-26.3	-15.1	-5.6	-2.6	20.5	-8.8		
	STD	ERROR	3.3	4.5	3.7	4.3	2.4	2.5	7.1	6.0	5.3	6.7	3.5	3.9	5.0	0.8	4.6	9.8	3.9	5.1	4.0	6.7	6.7		
	DAL	EFFECT	0.3	-8.6	2.5	2.5	6.5	-6.0	-5.5	6.1	1.2	8.1	-0.8	0.7	-5.9	2.9	-19.3	-22.8	-11.0	-5.6	-8.2	17.8	-8.6		
	STD	ERROR	3.2	4.4	3.4	4.0	2.2	2.3	6.3	7.5	4.9	6.2	3.6	5.2	0.8	5.1	6.8	3.9	6.7	4.1	2.9	6.5			
E-74	EXER:	0966	WATL X 31.8	(Text for this exercise was not released)										4.2	-16.2	-18.1	-5.6	-10.8	10.2	4.9	-18.1				
	UNADJ	EFFECT	8.1	-7.3	-5.1	0.2	11.3	-10.4	-13.7	-8.5	13.0	-3.6	6.9	-7.2	-6.0	1.4	-3.8	-25.6	-10.5	-1.9	5.1	11.2	-17.7		
	STD	ERROR	3.2	3.4	3.0	4.4	1.8	1.8	1.8	5.7	8.5	7.3	6.0	3.4	3.8	0.9	6.9	4.3	3.1	5.7	3.9	6.1			
	DAL	EFFECT	3.1	-3.6	-5.9	7.8	11.3	-10.8	-10.7	2.1	5.1	-5.6	6.4	-8.2	-4.5	0.7	1.0	-21.8	-7.8	-3.2	3.8	10.1	-18.9		
	STD	ERROR	2.9	3.9	2.9	3.8	1.6	1.6	5.7	7.2	6.7	6.4	3.4	3.1	3.7	0.9	7.1	5.0	3.2	5.6	3.4	6.9			
E-74	EXER:	0967	WATL X 12.1	(Text for this exercise was not released)										4.2	-16.2	-18.1	-5.6	-10.8	10.2	4.9	-18.1				
	UNADJ	EFFECT	7.5	-3.9	-2.0	-3.2	5.6	-5.2	-8.6	-6.1	11.8	5.7	-8.2	0.5	-7.1	-0.2	1.4	0.8	-3.8	-6.2	-0.6	10.4	-6.3		
	STD	ERROR	3.3	2.8	2.3	2.7	2.0	2.7	2.0	5.7	6.4	2.2	3.1	-0.7	2.1	0.6	3.8	7.4	2.1	2.7	2.7	3.9	-6.3		
	DAL	EFFECT	6.2	-2.0	-0.3	-5.8	5.7	-5.3	-3.3	6.6	5.1	-3.0	-0.2	-5.6	-0.6	-0.8	2.1	2.2	-2.8	-7.1	-0.8	2.6	-6.3		
	STD	ERROR	2.9	2.5	1.9	2.4	1.9	1.7	3.7	5.9	6.3	2.3	2.6	2.2	0.6	4.2	7.5	2.1	3.1	2.6	3.7	3.9			

**OBJECTIVE:** Have attitudes about and appreciation of scientists, science, and the consequences of science that stem from adequate understandings.

EXER: 0968 MATL # 45.0 (Test for this exercise was not released)									
	UNADJ. EFFECT	STD. ERROR	BAL. EFFECT	STD. ERROR		UNADJ. EFFECT	STD. ERROR	BAL. EFFECT	STD. ERROR
UNADJ. EFFECT	-7.1	-3.3	5.3	3.5	-7.4	6.9	7.1	-13.1	2.5
STD. ERROR	3.5	5.3	3.7	5.5	2.3	2.1	6.6	6.8	5.7
BAL. EFFECT	-8.7	-5.8	6.6	7.9	-7.9	7.8	9.8	-17.7	6.0
STD. ERROR	3.4	5.6	3.7	5.7	2.2	2.1	6.7	6.8	5.9
UNADJ. EFFECT	0.7	0.1	5.2	4.7	0.8	2.6	2.4	12.9	5.7
STD. ERROR	-0.3	-0.8	-2.1	3.3	0.6	-7.6	-16.2	5.2	5.2
BAL. EFFECT	0.2	0.9	3.3	4.3	2.8	2.1	3.7	5.7	5.7
STD. ERROR	0.2	0.2	0.9	3.3	0.3	0.3	0.2	0.7	0.7
UNADJ. EFFECT	1.9	-3.7	8.8	9.1	-8.1	-17.6	-2.5	12.9	-1.0
STD. ERROR	3.1	3.1	4.7	3.1	2.6	2.4	3.2	5.7	6.4
BAL. EFFECT	-0.3	-0.8	-2.1	3.3	0.6	-7.6	-16.2	5.3	4.5
STD. ERROR	0.2	0.9	3.3	4.3	2.8	2.1	3.7	5.7	5.7
UNADJ. EFFECT	1.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
STD. ERROR	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
BAL. EFFECT	0.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
STD. ERROR	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
UNADJ. EFFECT	1.9	-3.5	5.4	5.6	-5.3	-8.6	-7.1	9.9	-0.9
STD. ERROR	2.8	3.5	2.6	5.9	2.2	2.1	3.1	3.3	6.6
BAL. EFFECT	1.8	-0.9	-3.6	3.7	5.4	-5.0	-7.1	-8.3	6.9
STD. ERROR	2.4	6.0	2.7	5.4	2.0	2.0	3.4	9.1	5.6